

Journal of The Chemical Society

Chemical Communications

Index 1978

The Society apologizes for the delay in distribution of this index and the inconvenience to users which this may have caused.

In common with the indexes for other parts of the *Journal,* this index has been produced by a computer-aided process which, in common with many new processes, has been subject to many teething problems. It is hoped that these will not be repeated in subsequent years.

Finally, the Society would be pleased to have any comments or criticisms on the format and content of the index. These should be addressed to:

Manager Journals,
The Chemical Society,
Burlington House,
London W1V 0BN

AUTHOR INDEX, 1978

Aberhart, D. John, 333-4
Abou-Donia, Amina, 1078-9
Abramovitch, Rudolf A., 149-50
Acheson, R. Morrin, 332-3
Adams, John M., 210-11, 288-9 930-1
Addison, C. Clifford, 580-1
Adesogan, E. Kayode, 152
Adiwidjaja, Gunadi, 820-1
Adlington, Robert M., 1071-2
Agawa, Toshio, 12-13
Ager, David J., 177-8
Ai, Tu Hoa, 411-12
Akbar, Sher, 548-9
Akermark, Bjorn, 66-8
Akhtar, M., 967-8
Albinati, A., 195-6
Al-Borno, Amal, 1025-6
Alder, Roger W., 89-90
Alexander, David W., 101-2
Al-Hamdany, Raad, 397
Ali, Badie, 397
Al-Khayat, Isam, 265-6
Allen, David G., 346-7
Allen, Mark C., 901-2
Allen, Robert W., 832-3
Almemark, Mats, 66-8
Alper, Howard, 311-12
Altena, D., 226
Alworth, William L., 22-3
Amupitan, Joseph, 852-3
Anastassiou, Apostolos G., 915-16
Anderson, Gordon K., 709, 819-20
Anderson, Lowell R., 1066-7
Ando, Akira, 509
Ando, Wataru, 120-1, 894-5
Andreou, Andreas D., 271-2
Andrews, Adrian F., 389-91
Anet, Frank A. L., 58-9
Angelini, Giancarlo, 213-14
Anke, Timm, 665-6
Ansell, Herbert V., 586-7
Aoyama, Yasuhiro, 494-6
Appleman, Evan H., 310-11
Aquilino, Angelo, 347-8
Arata, Kazushi, 121-2
Arcamone, Federico, 1101-2
Aripovsky, A. V., 147-8
Armstrong, Fraser A., 1102-3
Arnold, Dennis, 73-4
Arnold, Donald R., 181-2, 743-4
Arnoux, Bernadette, 318-19
Asada, Miyako, 364-5
Asao, Masaaki, 667-8, 668-7
Asao, Tetsuji, 367
Asgill, Joan O., 59-60
Ashby, Eugene C., 30-1
Ashcroft, Peter L., 113-14
Atherton, E., 537-9, 539-40
Atherton, Malcolm J., 254-5
Atkins, Martin P., 954-6
Attina, Marina, 938-40
Atwood, Jerry L., 140-2, 451-2, 465-6, 1081-3
Augustin, Mary Ann, 370-2
Avnir, David, 1109-10
Azam, Kazi A., 1086-8
Azman, Andrej, 575-6
Bachmann, Jean Pierre, 203-4
Baciocchi, Enrico, 597-8
Back, Thomas G., 278-9, 952-4
Bacquet, Cathy, 194-5
Baddeley, G. Vernon, 411-12
Baikie, Andrew R. E., 62-3
Bailey, A. Sydney, 779-81, 845-6
Bailey, Pamela M., 142-3
Bailey, Stephen J., 474-5
Baird, Michael C., 11-12
Bakal, Yitzhak, 983-4
Baker, Fred C., 292-3
Baker, Raymond, 410-11, 981-3
Balaram, Padmanabhan, 996-7
Baldwin, Jack E., 239-40, 609-10
Balk, Roelof W., 1016-17
Ballard, Denis G. H., 994-5
Bandoli, Giuliano, 235-6
Banerji, Asoke, 843-5
Baradarani, M. Mehdi, 309-10
Barata, Lauro, 577-8
Barker, Geoffrey K., 169-71
Barltrop, John A., 131-3
Barluenga, Jose, 847
Barnes, James F., 113-14
Barnes, John D., 164-5
Barnette, William E., 375-7, 1067-8
Barrett, Anthony G. M., 68-9, 471-2, 1071-2
Barron, Laurence D., 259-60
Barsanti, Pia, 1085-6
Bartlett, Neil, 200-1
Bartolini, Giovanni, 215-16
Barton, Derek H. R., 68-9, 130-1, 276-7, 393-4, 843-5, 952-4, 1099-100
Basset, J. M., 38-9, 341-2
Bassett, Jean-Marie, 1000-1
Bassez, Marie Paule, 547-8
Battersby, Alan R., 150-1, 185-6, 1064-6
Bau, Robert, 825-6, 1053-5
Baudry, Denise, 694-5
Baydar, Ahmet E., 902-3
Bayley, Peter M., 850-2
Beagley, Brian, 493-4
Becker, Dan, 237-8
Beckwith, Athelstan L. J., 413-14
Beecroft, Richard A., 911-13
Beggiato, Giancarlo, 285
Begley, Michael J., 60-1, 461-2
Behan, John, 444-5
Behr, Jean Paul, 143-6
Belew, John S., 729-30
Belikov, A. B., 592-3
Bell, Andrew, 988-9
Bell, Kevin A., 900-1
Bellamy, Francois, 998-9
Bellitto, Carlo, 511-12
Benati, Luisa, 530-1
Ben-David, Yehoshua, 480-1
Bennett, Martin A., 582-3
Bennetto, H. P., 523-4
Benson, Ian B., 878-9
Ben Taarit, Y., 38-9
Bentley, Peter H., 439-41, 518-19
Berger, Yves, 951-2
Bergmark, William R., 61-2
Bergstrom, Donald E., 284
Bernad, Pablo, 847
Bernal, Ivan, 187-8, 451-2, 691-2
Berry, Frank J., 308-9
Berry, Madeleine, 99-100
Bewick, Alan, 738
Bhaduri, Sumit, 343-4, 991-2
Bhakuni, Dewan S., 226-8
Biagioni, R. N., 200-1
Bianchi, Giorgio, 962-3
Bibolino, Leonetta, 524-5
Biftu, Tesfaye, 491-2
Bigley, David B., 1025-6
Bilhou, J. L., 341-2
Bilhoul, J. L., 38-9
Billington, David C., 208-9
Birtwistle, David T., 381
Bishop, A. Clive, 986-7
Bishop, M. M., 476-8
Bishop, Michael M., 828-9
Bittner, Magalis, 79-80
Bjork, Jon A., 1057-8
Blackburn, G. Michael, 870-1
Blackley, David C., 381
Blandamer, Michael J., 963-4
Blatcher, Philip, 657
Blum, Peter M., 569-71
Boar, Robin B., 68-9
Boegge, Hartmut, 739
Bojes, Josef, 391-2
Bolster, John, 630-1
Bondoux, Daniel, 1022-4
Bonilavri, Edith, 914-15
Bonnett, Raymond, 310-11
Bor, Gyorgy, 841-3
Borchers, Friedrich, 796-7
Bortolus, Pietro, 285
Boshart, Geraldine, 173-5
Botha, Jacobus J., 698-700, 700-2
Bottaro, Jeffrey C., 990
Bottomley, Frank, 234-5
Bouab, Otmane, 678-9
Bouas-Laurent, Henri, 403-4
Boulton, A. J., 1052-3
Bouma, Willem J., 724-5
Bour, Jan J., 907-9
Bowen, Richard D., 24-6
Boyd, Gerhard V., 902-3
Boydens, Roland, 46-7
Boyer, Gregory L., 889-90
Bradbury, Roy, 113-14
Bradshaw, A. Peter W., 303-4
Brady, Kieran, 871-3
Braenden, Olav J., 107-8
Braga, Dario, 927-8
Bramwell, Fitzgerald B., 429-30
Brandsma, L., 596-7
Braz Filho, Raimundo, 831-2
Breuer, Eli, 6-7
Brewster, Andrew G., 952-4
Briner, Paul H., 410-11, 981-3
Brinkmeyer, Raymond S., 876-7
Brintzinger, Hans H., 234-5
Brocksom, Ursula, 831-2
Brodsky, Naphtali C., 237-8
Brook, Peter R., 10-11, 87-8
Broom, Nigel J. P., 162-4
Brough, Lawrence F., 1092-3
Brouwers, Leon, 46-7
Brown, Charles, 7-9, 156-7
Brown, Eric, 556-7
Brown, John M., 321-2, 646-7
Brown, Michael P., 749-51
Brown, Richard T., 725-6
Brown, Ronald D., 547-8
Brown, Ronald E., 116-17
Brown, Simon C., 1063-4
Bruckner, S., 195-6
Bruice, Thomas C., 703-4
Brundish, Derek E., 901-2
Brunner, Henri, 451-2, 691-2
Brunsvold, William R., 633-4
Bryan, Eric G., 723-4
Bucciarelli, Maria, 456-7
Buck, Henk M., 382-3, 1103-5
Buckingham, David A., 705-7, 892-4
Buckner, Michael T., 759-61
Buloup, Anne, 1090-1
Buncel, Erwin, 758-9
Bundy, Gordon L., 714-16
Burgess, John, 963-4
Burke, Steven D., 76-8
Burns, Robert C., 957-60
Burski, Janusz, 940-1
Burwell, Robert L., Jr., 127-8
Buss, B., 226
Butler, Anthony R., 652-4
Butler, G., 352-3
Bycroft, Barrie W., 256-8
Bykhovsky, V. Ya., 150-1
Cacace, Fulvio, 938-40
Caddy, Peter, 839-41
Cadogan, J. I. G., 182-3
Calado, Jorge C. G., 737
Calas, Raymond, 272
Calhoun, H. P., 560-1
Callot, Henry J., 937-8
Calo, Vincenzo, 1085-6
Cambie, Richard C., 919
Cameron, Donald W., 688-9
Camilleri, Patrick, 807-8
Campbell, Bradley C., 854-5
Candela, G. A., 69-70
Cannas, Mario, 347-8
Canonica, Luigi, 679-80
Cape, T., 69-70
Capp, R. J., 98-9
Cardin, Christine J., 899-900
Cardin, David J., 899-900
Carganico, Germano, 989-90
Carnahan, Gary E., 249-50
Carpino, Louis A., 358-9, 450-1
Carrano, Carl J., 501-2
Carrie, Robert, 356-7
Carroll, W. Eamon, 825-6
Carrondo, Maria A. A. F. de C. T., 463-4
Carson, A. S., 778-9
Carturan, Giovanni, 979-80
Cartwright, Brian A., 853-4
Carty, Arthur J., 1017-19
Casella, Luigi, 991-2
Caspi, Eliahu, 333-4
Cassola, Adrian, 807-8
Castelijns, Marianne M. C. F., 382-3
Castle, Laurence, 704-5
Castonguay, Andre, 951-2
Cauquis, Georges, 809-10
Cava, Michael P., 18-19
Cavazza, Marino, 167-8, 710, 945-6
Cave, Andre, 826-8
Cevasco, Giorgio, 613-14

Chalenko, E. G., 147-8
Challis, Brian C., 707-8
Chaloner, Penny A., 321-2, 646-7
Chambers, Richard D., 304-5, 305-6, 431-2, 433, 475-6
Chan, Henry W. S., 82-3, 756-7
Chan, Tak-Hang, 761-2
Chandler, James H., 726-7
Chandler, Malcolm, 997-8
Chandrasekhar, Sosale, 171-2
Chaney, Michael O., 377-9
Chantrapromma, Kan, 670-1, 672-3, 673-5
Chapman, Peter J., 731-2
Charpin, Pierrette, 90-2
Chatt, J., 352-3
Chattopadhyaya, Jyoti B., 86-7, 639-40
Chaudret, Bruno N., 463-4
Chaussin, Raymond, 1032-3
Chen, Samuel, 879-80
Cherry, Peter C., 467-8, 469-70
Chikamatsu, Hiroaki, 667-8, 668-7
Chikira, M., 906-7
Chini, P., 195-6
Chittattu, Gim, 41-2, 441-2, 770-1
Chiu, I-Ching, 29
Chivers, Tristram, 212-13, 391-2, 642-3
Chowdhary, M. S., 664-5
Christensen, James J., 386-7
Christie, Michael A., 239-40
Christini, Alessandro, 347-8
Christou, George, 740-1
Churchill, Melvyn Rowen, 534-5, 1045-6, 1048-9
Ciampolini, Mario, 788-9
Cipiciani, Antonio, 597-8
Ciranni, Giovanna, 938-40
Claesson, Alf, 621-3
Clark, James H., 466-7, 789-91
Clark, Timothy, 137-8
Clarke, David A., 744-5
Clarke, T. C., 489-90
Claude, Renee, 1012-13
Clearfield, Abraham, 187-8
Clegg, D. Eldon, 1037-8
Clemente, Dore A., 235-6
Clementi, Sergio, 597-8
Cleophax, Jeanine, 771-3, 773-4
Clive, Derrick L. J., 41-2, 356, 379-80, 441-2, 770-1
Cloke, F. Geoffrey N., 72-3, 431
Coates, Harold, 7-9
Cocco, Giorgio, 979-80
Cockrum, Peter A., 423-4
Colburn, Veronica M., 453
Cole-Hamilton, David J., 463-4, 883-4
Colombo, Lino, 434, 679-80
Colomer, Ernesto, 435-6
Colonna, Stefano, 238-9
Colquhoun, Howard M., 322-4
Colvin, Ernest W., 689-91
Commeyras, A., 118-19
Constable, Anthony G., 1061-2
Cook, Diana H., 279-80
Cooke, Frank, 714-16
Cookson, Richard C., 608, 821-2, 822-4, 924-5
Cooper, Mervyn K., 861-3
Corbally, Roger P., 778-9
Corkill, Michael J., 388-9
Corrie, John E. T., 275-6
Corriu, R. J. P., 104-5
Corriu, Robert J. P., 435-6
Cossement, Eric, 46-7
Costa, Giacomo, 339-40
Costes, Rose Marie, 90-2
Coudanne, Hubert, 1012-13
Couldwell, Claire, 1009-11
Coulon, Claude, 337-8
Courtis, Andrew, 994-5
Cowling, Antony P., 1006-7
Cox, A. Peter, 388-9
Coxon, James M., 111-12
Crabbe, Pierre, 601-2
Cragg, Gordon M. L., 510-11
Crawford, E. Sian, 986-7
Creaser, I. I., 289-90
Crocker, Christopher, 1056-7
Crombie, Leslie, 59-60, 107-8
Crombie, W. Mary L., 107-8
Crosby, John, 113-14
Cross, Brian E., 1013-15
Cross, Ronald J., 709, 819-20
Crossland, Noelle M., 660-1, 661-2, 662-4
Csacsko, Bernd, 964-5
Cuffe, John, 641-2
Cullis, Paul M., 512-14, 850-2
Culvenor, Claude C. J., 423-4
Currie, Janie K., 311-12
Curtis, Neville J., 770-1
Cussans, Nigel J., 393-4
Cutler, Timothy P., 232-4
Da Costa Ferreira, Ana Maria, 126-7
Dahlgren, R. Marc, 863-4
Dalaumeny, Jeanne-Marie, 771-3
Damude, Leslie C., 1083-4
Dapporto, Paolo, 788-9
Das, Bhupesh C., 318-19
David, Serge, 535-7
Davidowitz, Bette, 510-11
Davidson, Alan H., 988-9
Davidson, R. Stephen, 911-13, 913-14
Davies, Alwyn G., 353-4, 569-71, 791-2
Davies, Brian, 36-8
Davies, Geoffrey, 1045-6
Davies, Kenneth L., 9-10
Davies, S. Elizabeth, 930-1
Davies, Stephen G., 99-100
Davis, Brian R., 614-15
Davis, Ralph A., 105-6, 714
Dawoodi, Zain, 1035-6
Day, A. Colin, 131-3
Day, Peter, 511-12
De Alvarenga, Marden A., 831-2
De Amici, Marco, 962-3
Dean, Francis M., 265-6, 461-2
Dean, Philip A. W., 1083-4
De Boer, Jan J., 1005-6
Declercq, Jean Paul, 499
Deeming, Antony J., 344-5, 1086-8
Deguchi, Yasuo, 817-19
De Haan, Jan W., 94-5, 1103-5
Delaumeny, Jeanne Marie, 773-4
De Laveleye, Francoise, 46-7
Del Buttero, Paola, 989-90
Delhaes, Pierre, 337-8
Dell'erba, Carlo, 613-14, 886-8
De Mayo, Paul, 1109-10, 1110-11
Denney, Donald B., 854-5
Denney, Dorothy Z., 854-5
Dennis, Nicholas, 316-18
De Rango, Colette, 90-2
Deronzier, Alain, 809-10
Des Abbayes, Herve, 311-12, 1090-1
De Santis, Alberto, 873-4
Deshayes, Henri, 567-8
Desvergne, Jean Pierre, 403-4
De Tannoux, Nancy M., 394-5
Detty, Michael R., 365-6
Deutsch, Edward, 1038-40
De Valera, Eamon, 218-19
De Villardi, George C., 90-2
De Waal, Dirk J. A., 1007-8
Dhal, Robert, 556-7
Diamond, Steven E., 562
Dias, Alberto R., 737
Dietrich, Bernard, 934-6
Dilts, Robert V., 249-50
Diomedi Camassei, Fabio, 207-8
Di Stefano, Maria, 761-2
Diversi, Pietro, 735-6
Dixneuf, Pierre, 552-3, 573-4
Do Khac Duc, 771-3
Dong, Dennis, 11-12
Dorman, Douglas E., 683-4
Dowlatshahi, Hossein A., 316-18
Down, Michael G., 52-3
Downs, Anthony J., 502-4
Draper, Mark R., 445-6
Drew, Michael G. B., 415-16
Driessen-Engels, Jeanne M. G., 1103-5
Duben, Josef, 287
Duddeck, Helmut, 306-8
Dukes, Gary R., 583-4
Dunkin, Ian R., 1020-22
Dunn, Andrew W., 533-4
Dunogues, Jacques, 272
Duong, Thach, 413-14
Dupuis, Paul, 337-8
Dwyer, John, 493-4
Dyke, S. F., 289-90
Eady, Colin R., 421-3
Earnshaw, Chris, 988-9
Earwaker, Lyndsay G., 1011-12
Eaton, Gareth R., 944-5
Eaton, Sandra S., 944-5
Ebata, Mitsuo, 577-8
Ebine, Seiji, 215
Edgar, John A., 423-4
Edwards, John H., 438-9
Edwards, Julian D., 892-4
Einhorn, Jacques, 194-5
Eldeeb, Afaf M., 10-11
El-Feraly, Farouk S., 75-6
Elix, John A., 1041-2
Elliott, C. Michael, 399-400
El Murr, Nabil, 552-3
El-Shazly, Mohamed F., 1045-6
Emsley, John, 658
Endo, Tadashi, 786-8
Engel, Dennis W., 695-6
Engel, Juergen, 33-4
Enkaku, Michiko, 568-9
Ephritikhine, Michel, 694-5
Erasmuson, Anton, 1013-15
Eriksson, Birgitta, 616-17
Ernhoffer, Robert, 859-61
Ershova, T. E., 592-3
Evans, David A., 410-11, 753-4, 981-3
Evans, Gareth, 267-8
Evans, John, 1063-4
Evans, Myron, 267-8
Evans, Stephen, 210-11
Fabbrizzi, Luigi, 833-4
Fachinetti, Giuseppe, 269-70
Fagherazzi, Giuliano, 979-80
Faigle, G., 126-7
Fang, Tai-Shan, 116-17
Farrell, Patrick G., 455-6
Farrugia, Louis J., 260-2
Fazakerley, G. Victor, 510-11
Feakins, David, 218-19
Felkin, Hugh, 694-5
Fell, Elke, 358-9
Fenton, David E., 279-80
Fernandez, Juan M., 421-3, 1015-16
Fernando, Jose, 126-7
Ferran, Herbert E., Jr., 49-50
Ferraris, John P., 992-3
Ferreira, Daneel, 698-700, 700-2
Ferrier, Gordon G., 835-6
Ferrier, Robert J., 1019-20
Ferris, James P., 1094-6
Feutrill, Geoffrey I., 688-9
Field, Lamar, 249-50
Fielding, Harold C., 431-2, 475-6
Fielding, Lee, 212-13
Figliuolo, Roberto, 831-2
Finnegan, T. F., 69-70
Fiorentino, Michele, 93-4
Fischer, Beda E., 1053-5
Fischer, John E., 544-5
Fischer, Robert, 905-6
Fisher, John R., 749-51
Flandrois, Serge, 337-8
Flatman, Ivor J., 900-1
Fleming, Ian, 176-7, 177-8, 178-80, 245-7
Fletcher, Stephen R., 903-4
Floriani, Carlo, 269-70, 921-2
Foglio, Maurizio, 1101-2
Folcher, Gerard, 90-2
Fookes, Christopher J. R., 185-6, 324-5, 1064-6
Foose, Daniel S., 534-5
Forni, Arrigo, 456-7
Forsek, Joze, 916-18
Foucaud, Andre, 274-5
Fox, Hazel, 537-9, 539-40
Foxman, Bruce M., 500-1
Frahn, John L., 423-4
Franceschi, Giovanni, 1101-2
Franklin, Kenneth J., 97-8
Franklin, Susan J., 749-51
Franks, David, 941-3
Fraser-Reid, Bert, 325-6
Freeman, Ray, 684-6
French, Sidney J., 193-4
Friesen, G. Delbert, 349-50
Fry, Albert J., 1040-1
Fu, Peter P., 585-6
Fuganti, Claudio, 299-300
Fujii, Yuki, 266-7
Fujimori, Takane, 563-4
Fujino, Masahiko, 220-1
Fujita, Eiichi, 330
Fujita, Hideo, 817-19
Fujita, Yoshiji, 651-2, 972-3
Fujiwara, Takaji, 197-8
Fukuda, Tsunehiko, 220-1
Fukui, Akio, 121-2
Fumagalli, A., 195-6
Funabiki, Takuzo, 63-5, 1059-61
Furusaki, Akio, 563-4, 800-1
Fyles, Deborah L., 934-6
Fyles, Thomas M., 934-6
Gaete-Holmes, Ricardo, 73-4
Gainsford, Graeme J., 857-8
Galembeck, Sergio E., 126-7
Gallagher, Michael J., 54-5, 324-5

Gallagher, Peter T., 453
Galwey, Andrew K., 273-4
Games, David E., 757-8
Ganem, Bruce, 248, 869-70
Garcia-Alvarez, Maria C., 318-19
Gardner, Sylvia A., 187-8
Garito, Anthony F., 18-19
Garner, C. David, 204-5, 262-3, 740-1
Garrigues, Bernard, 219-20
Garson, Mary J., 158-9
Gates, Bruce C., 540-1
Gaudemer, A., 1084-5
Gedanken, Aharon, 983-4
Gedge, David R., 60-1, 880-2
Geiss, R. H., 489-90
Gemal, Andre Luis, 976-7
Gennari, Cesare, 434, 679-80
Gensmantel, Nigel P., 374-5
Germain, A., 118-19
Germain, Gabriel, 499
Gero, S. D., 771-3, 773-4
Gervasio, Giuliana, 841-3
Geue, Rodney J., 647-9
Ghera, Eugene, 480-1
Giacomello, Pierlugi, 938-40
Giam, Choo Seug, 615-16
Giannini, Ivo, 207-8
Gielen, Marcel, 81-2
Gilbert, Andrew, 129-30
Gilbert, Bruce C., 78-9
Gilchrist, Thomas L., 847-9, 1049-50
Giles, Jeremy R. M., 623-4
Gill, Barbara, 78-9
Gill, G. Bryon, 655-6
Gillard, Robert D., 428-9, 936-7
Gillespie, Roger J., 83-4, 85-6, 641-2
Ginebreda, Antonio, 742-3
Ginsburg, Geoffrey S., 1040-1
Gladysz, J. A., 599-600, 838-9
Gleim, Robert D., 242-4
Glemser, O., 226
Gleria, Mario, 285
Glidewell, Christopher, 652-4
Godfrey, Peter D., 547-8
Goedken, Virgil L., 909-10
Goff, Harold, 777-8
Goggin, Peter L., 1056-7
Gold, Victor, 507-8
Goldborn, Peter, 900-1
Goldhill, Jon, 176-7
Golding, Bernard T., 208-9, 954-6
Goldschmidt, Zeev, 983-4
Goodall, David M., 515-16
Goode, Nigel C., 89-90
Goodfellow, Robin J., 1056-7
Goodwin, Hilary J., 861-3
Gopalakrishna, E. M., 79-80
Gopalan, R., 608, 924-5
Gordon, Janice M., 56
Gordon, Sheffield, 1038-40
Gore, Peter H., 271-2
Gorgues, Alain, 573-4
Goringe, Michael J., 134-5
Goto, Toshio, 781-2
Gottardi, Vittorio, 979-80
Gottlieb, Otto R., 831-2
Gower, John L., 757-8
Gowland, Maxim S., 256-8
Graefing, R., 596-7
Graham, Colin L., 1011-12
Graham, Samuel H., 930-1
Granger, Pierre, 957-60
Grant, Michael W., 157-8
Grasselli, Piero, 299-300
Grayson, B. Terence, 156-7
Grayson, J. Ian, 657
Green, Dennis C., 832-3
Green, Malcolm L. H., 72-3, 99-100, 431, 604-6
Green, Michael, 169-71, 839-41, 1000-1
Greenhough, Trevor J., 322-4, 1036-7
Greenslade, Dennis, 947-8
Greenwood, Andrew J., 580-1
Gregory, Gordon I., 467-8
Greijdanus, Ben, 427-8
Grieco, Paul A., 76-8
Griffith, William P., 853-4
Griffiths, David W., 658
Griffiths, Peter G., 688-9
Grigg, Ronald, 109-11, 571-2
Griller, David, 525-6
Grindley, T. Bruce, 1073-4
Grossel, Martin C., 941-3
Grossi, Anthony V., 401-2
Gruen, Dieter M., 581-2
Gruenbaum, William T., 228-30
Grundon, Michael F., 624-6
Gruner, Gyorgy, 974-5
Gruntz, Urban, 133-4
Guanti, Giuseppe, 613-14, 886-8
Guarini, Giulio G. T., 273-4
Guerney, Philip J., 861-3
Guest, Martyn F., 204-5
Guixer, Joan, 742-3
Gulasekharam, Vijeyalaksmi, 1073-4
Gunatilaka, A. A. Leslie, 980-1
Gupta, S. K., 885-6
Gupta, Y. P., 885-6
Guseinov, M. M., 147-8
Gust, Devens, 681-2
Guzman, Ernesto Carmona, 465-6
Gynane, Michael J. S., 34-6, 192-3
Haddon, Robert C., 429-30
Haines, Raymond J., 510-11
Haines, Robert I., 963-4
Haley, Martin J., 52-3, 580-1
Hall, Elizabeth A. H., 387-8
Hall, M. Sharon, 290-2
Hall, Michael B., 161-2
Halpern, Jack, 44-6
Halpern, Marc, 155-6
Halvorsen, Arne, 327-8
Hamaguchi, Masashi, 247-8
Hamill, Robert L., 683-4
Hanson, James R., 303-4
Harada, Kaoru, 522-3
Harbour, John R., 417-18
Haritos, Demetris, 965-7
Harkiss, Diana, 537-9, 539-40
Harlow, Richard L., 579-80
Harris, R. N., III, 420-1
Harrison, Charles R., 813-15
Harrison, Philip G., 112-13
Hart, F. Alan, 549-50
Hartford, Terry W., 242
Hartshorn, Angus J., 643-4
Haruna, Mitsumasa, 733-4
Harvey, Ronald G., 585-6
Harvie, Ian J., 747-8
Harwood, Laurence M., 712-13
Hashiba, Nobuhiro, 563-4, 800-1
Hashimoto, Harukichi, 446-7
Hata, Tsujiaki, 285-6
Hattingh, Marthinus, 695-6
Hattori, Hideshi, 1091-2
Hattori, Tadashi, 127-8
Hauck, Albert E., 615-16
Hawker, Pelham N., 730-1
Hayashi, Shuichi, 198-200
Haycock, Derek E., 262-3
Haylett, Bernard J., 112-13
Haymore, Barry L., 386-7
Hayward, Rodney C., 941-3
Hazra, Braja G., 491-2
Heaton, B. T., 195-6
Hecht, Hans Juergen, 665-6
Hediger, Markus, 14-15
Hegarty, Anthony F., 871-3
Heimbach, Heinz, 796-7
Heineman, William R., 1038-40
Hemmingson, Jacqueline A., 92-3
Henderson, Keith, 15-16
Henderson, Richard A., 569-71, 1102-3
Hensel, Friedrich, 905-6
Henshaw, Brian G., 1011-12
Herbert, Richard B., 794-5
Hercliffe, Robert D., 304-5, 305-6
Hermanek, Stanislav, 287
Herndon, William C., 933-4
Hettrich, Gernot, 358-9
Heveldt, Paul F., 340-1
Hibbert, Frank, 89-90
Hibino, Satoshi, 414-15
Hiemstra, Henk, 238-9
Higuchi, Kazuaki, 1029-30
Hillier, Ian H., 204-5, 262-3
Hillyard, Raymond W., Jr., 209-10
Hirano, Atsushi, 800-1
Hiraoka, Tetsuo, 517-18
Hirobe, Masaaki, 485-6
Hirose, Yoshiki, 668-7
Hirota, Kosaku, 367
Hodder, D. Jeanne, 688-9
Hodge, Philip, 813-15
Hodgkinson, Leslie C., 712-13
Hoefer, R., 226
Hoefle, Gerhard, 611-12, 665-6, 896-8
Holbert, Gene W., 248
Holker, John S. E., 626-7
Hollander, Frederick J., 534-5
Holloway, John H., 254-5
Hollowood, Frederick, 306-8
Hollywood, Frank, 806-7
Holmes, David R., 113-14
Holton, John, 140-2, 994-5
Holy, Norman L., 1074-5
Hombo, Toshiyasu, 197-8
Honda, Koichi, 589-90
Honegger, Herbert, 54-5, 324-5
Hood, Roger A., 300-1
Hori, Akira, 16-18
Hosokawa, Takahiro, 687-8
Houalla, Doureid, 1022-4
Hough, Leslie, 664-5
Houghton, Leonard E., 461-2
Housecroft, Catherine E., 765-6
Howard, Colin C., 662-4
Howard, Judith A. K., 260-2, 1000-1
Hsu, Shaw L., 1066-7
Huang, Harry C., 1094-6
Huang, Tai-Nang, 582-3
Hubberstey, Peter, 52-3
Hudson, Robert F., 7-9, 156-7
Huettermann, Juergen, 313-14
Hughes, David L., 1001-3
Hui, Raymond A. H. F., 952-4
Hull, Roy, 806-7
Hull, William E., 577-8
Humphreys, Robert W. R., 181-2
Hundt, Hans K. L., 695-6, 696-8
Hunt, Eric, 439-41, 518-19
Hunt, Keith, 10-11
Hunt, W. Edward, 188-90
Hunte, Kenneth P. P., 89-90
Hunter, Brian K., 11-12
Hunter, Geoffrey, 768-9
Hunter, Roger, 843-5
Hunter, William E., 140-2, 451-2, 465-6, 1081-3
Huq, Enamul, 526-8
Hurst, Roger, 1038-40
Hursthouse, Michael B., 62-3, 549-50, 991-2, 1086-8
Husson, Henri-Philippe, 618-19
Hutchins, Robert O., 1088-9
Hutchinson, John, 431-2
Ibrahim, Talib K., 493-4
Ichikawa, Katsuhiko, 65-6
Ichikawa, Masaru, 566-7
Iddon, Brian, 453
Igersheim, Francoise, 559-60
Ihara, Yasuji, 984-5
Iida, Hideo, 766-7
Iino, Kimio, 517-18
Iitaka, Yoichi, 160-1, 364-5
Ikeda, Masazumi, 197-8
Ikeda, Yutaka, 350-1
Ikeguchi, Masahiko, 328-9
Ikehara, Morio, 824-5
Ikemikono, Yukio, 543-4
Ikota, Nobuo, 869-70
Imajo, Seiichi, 810-12
Imanaka, Toshinobu, 47-8, 650-1
Imizu, Yuzo, 1091-2
Inbasekaran, Muthia N., 149-50
Ingleson, David, 870-1
Ingold, Keith U., 525-6
Ingrosso, Giovanni, 735-6
Inkrott, Kenneth E., 866-7
Inoue, Yasuko, 124
Inoue, Yoshihisa, 1024-5
Inubushi, Toshiro, 106-7
Irie, Hiroshi, 717-18
Ishida, Masaru, 12-13
Ishida, Noboru, 517-18
Ishigami, Tatsuzo, 786-8
Isobe, Kimiaki, 1076-7
Ito, Kazuo, 733-4
Itoh, Mitsuomi, 481-2, 812-13
Itoh, Nobuo, 1089-90
Ivin, Kenneth J., 603-4, 604-6
Iwai, Yuzuru, 800-1
Iwakuma, Takeo, 1089-90
Iwamoto, Masakazu, 1058-9
Iwamura, Hiizu, 720-1
Izatt, Neil E., 386-7
Izatt, Reed M., 386-7
Izumi, Yu, 446-7
Jackels, Susan C., 1027-9
Jackson, Anthony H., 645, 734-5, 779-81
Jackson, Peter F., 920-1
Jacob, James N., 49-50
Jacobson, Stephen E., 888-9
Jain, Sudha, 226-8
Jakovac, Ignac J., 722
James, Brian R., 746-7, 929-30
Jameson, Reginald F., 768-9
Janossy, Andras, 974-5
Jarvis, John A. J., 474-5
Jaxa-Chamiec, Albert A., 118
Jeffers, Eamon F., 381
Jefferson, David A., 986-7
Jeffery, John, 34-6, 1081-3

Jeffs, Peter W., 1078-9
Jemmis, Eluvathingal D., 190-1
Jeremic, Dragoslav, 302-3
Jewur, Shantappa S., 801-2
Jick, Bryan S., 838-9
Jindal, Satya P., 333-4
John, Christopher S., 835-6
Johnson, Alan W., 73-4, 643-4
Johnson, Brian F. G., 340-1, 343-4, 421-3, 551-2, 920-1, 1015-16
Johnson, David W., 40-1
Johnson, Howard D., 242
Johnson, Peter R., 606-7
Johnson, Robert S., 461-2
Johnson, Stephen J., 614-15
Johnstone, Robert A. W., 354-5 444-5, 533-4
Jones, C. R., 967-8
Jones, David W., 404-5
Jones, J. Bryan, 722
Jones, John H., 472-3
Jones, Noel D., 377-9
Joniaux, Denise, 125-6
Jonkman, Harry T., 751-2
Jordan, Peter M., 967-8
Joukhadar, Laurette, 68-9
Joule, John A., 309-10
Joyce, Colin J., 113-14
Joyner, Richard W., 548-9
Judy, Kenneth J., 290-2
Julia, Sebastian, 742-3
Jung, Mankil, 609-10
Jung, Michael E., 95-6, 315-16
Kabalka, George W., 726-7
Kabbani, Raifah M., 462-3
Kaberia, Festus, 459-60
Kaden, Thomas A., 14-15
Kagawa, Shuichi, 1058-9
Kagotani, Masahiro, 367-8
Kahn, Olivier, 1012-13
Kaiser, E. T., 457-9
Kaji, Aritsune, 865-6
Kaji, Ryoji, 594-5
Kajiwara, Masahiro, 967-8
Kalbacher, Barbara J., 1027-9
Kalyanam, Nagabushanam, 201-2
Kalyanasundaram, K., 628-30
Kamaras, Katalin, 974-5
Kamboj, Indra K., 523-4
Kamiyama, Yoshiyasu, 80-1
Kanaki, Jun, 482-3
Kaneda, Kiyotomi, 650-1
Kaneda, Miyuki, 160-1
Kaneko, Hajime, 563-4
Kane-Maguire, Leon A. P., 757-8
Kan-Fan, Christiane, 618-19
Kano, Shinzo, 414-15, 785-6
Kan-Woon, Thoe, 1052-3
Kao, H. I., 301-2
Kapil, Randhir S., 226-8, 281-2
Kaplan, Martin L., 429-30
Karban, James, 729-30
Karim, Amna, 306-8
Kasai, H., 798-800
Kasuga, Reiko, 563-4
Katakai, Ryoichi, 692-3
Katakawa, Junichi, 717-18
Kataoka, Fumio, 864-5
Kato, Atsumasa, 810-12
Kato, Masahiro, 478-9
Kato, Tadahiro, 359-60
Kato, Takeshi, 620-1
Katritzky, Alan R., 133-4, 316-18
Kaufmann, D., 496-7
Kawabata, Kohji, 330
Kawamura, Takashi, 65-6, 804
Kay, I. Trevor, 903-4
Kay, Martin H., 22-3
Keasey, Alan, 142-3
Keat, Rodney, 372-3
Keenan, Sheue L., 731-2
Keith, Alison N., 372-3
Keller, Heimo J., 331-2
Keller, Philip C., 971
Kellogg, Richard M., 383-4, 630-1, 923-4
Kelly, Richard P., 329-30
Kemmitt, Raymond D. W., 744-5
Kemp, James, 109-11
Kennedy, John D., 791-2
Kennedy, John J., 1079-80
Kennedy, Lois V. F., 835-6
Kennedy, Shaun M., 643-4
Kennewell, Peter D., 118
Kertesz, Miklos, 575-6
Kessar, S. V., 885-6
Khamsitthideth, Souvanh, 274-5
Khosrowshahi, J. Sattari, 1052-3
Kibayashi, Chihiro, 766-7
Kida, Masaaki, 494-6
Kiel, William A., 379-80
Kieszkowski, Jan, 940-1
Kikuchi, Junichi, 494-6
Killops, Stephen D., 486-8
Kimura, Takahide, 328-9
King, Frank D., 351-2
King, James F., 48-9
King, R. Bruce, 514-15, 898-9
King, Trevor J., 112-13, 533-4, 571-2, 740-1
Kirby, Anthony J., 171-2, 803-4 807-8
Kirby, C., 19-20
Kirby, Gordon W., 275-6
Kirchen, Roger P., 769-70
Kirmse, Wolfgang, 392-3
Kise, Yoko, 348-9
Kiss, Tamas, 768-9
Kitada, Chieko, 220-1
Kitazume, Tomoya, 154-5
Kitchin, Jonathan P., 1099-100
Kitson, David E., 87-8
Klei, Bert, 659-60
Klun, Robert T., 228-30
Knapp, Kraig K., 971
Knecht, Josef, 905-6
Knoechel, Arndt, 595-6
Knox, Selby A. R., 221-3, 486-8, 878-9
Knutsen, Lars J. S., 941-3
Kobayashi, Mitsunobu, 1029-30
Kobayashi, Yoshiro, 509
Koch, Michel, 826-8
Koden, Mitsuhiro, 830
Koehler, J. J., 166-7
Koenig, Max, 219-20
Koeniger-Ahlborn, Elisabeth, 739
Kohmoto, Shigeo, 120-1, 894-5
Kokoszka, G. F., 69-70
Koller, Joze, 575-6
Kolthammer, Brian W. S., 1036-7
Kon, H., 906-7
Kopf, Juergen, 595-6
Korp, James, 729-30
Kotlarek, Wojciech, 153-4
Kovac, Franci, 122-4
Kozikowski, Alan P., 1076-7
Kozuka, Seizi, 312-13
Kraus, George A., 30
Kroto, H. W., 19-20
Kueh, Joseph S. H., 5-6
Kuendig, E. Peter, 730-1
Kulkowit, Sunanta, 1069-70
Kumadaki, Itsumaro, 509
Kumazawa, Toshiaki, 362-3
Kunitomi, Yoko, 1024-5
Kuramoto, Masahiro, 266-7
Kurosawa, Hideo, 716-17
Kushi, Yoshihiko, 266-7
Kutal, Charles, 363-4
Kutner, Wlodzimierz, 244-5
Kuwajima, Isao, 478-9
Kuz'mina, L. G., 27-8
Kwak, J. F., 489-90
Labes, M. M., 301-2
Ladd, Mark F. C., 791-2
Lafferty, Joseph, 51-2
Laguerre, Michel, 272
Laing, Michael, 1035-6
Laird, Ann E., 275-6, 335
Lamaty, Gerard, 678-9
Lamb, John D., 386-7
Lambert, Joseph B., 172-3
Lana, J. Carlos A., 471-2
Langlois, Nicole, 102-3
Lanneau, G. F., 104-5
Lappert, Michael F., 34-6, 140-2, 146-7, 192-3, 643-4, 925-6, 1017-19, 1081-3
Larsen, David W., 1093-4
Larsson, Lars Olof, 616-17
Lassigne, Claude R., 956-7
Lau, Mariana S. W., 891-2
Laurence, Gerald S., 408-9
Law, Kock-Yee, 1110-11
Laye, P. G., 778-9
Leach, H. Frank, 835-6
Leary, Gordon J., 92-3
Le Bozec, Hubert, 573-4
Leclercq, D., 104-5
Leclercq, Jacques, 46-7
Lecomte, M., 38-9
Leconte, Michael, 341-2
Lee, Eun, 290-2
Lee, S. F., 967-8
Lee, Teresa M., 48-9
Leeper, Finian J., 406-7
Leete, Edward, 610-11, 1055-6
Legzdins, Peter, 1036-7
Lehn, Jean Marie, 143-6, 934-6, 949-51
Leigh, G. J., 352-3
Lelandais, Daniel, 194-5
Le Marechal, Alenka, 447-8
Lenhert, P. Galen, 249-50
Lenz, George R., 241
Leonard, John, 725-6
Leriverend, Pierre, 1032-3
Lessinger, Leslie, 533-4
Lester, David J., 130-1, 276-7, 952-4
Letcher, Roy M., 332-3
Levett, Gordon, 82-3, 756-7
Levitin, I. Ya., 44-6
Levsen, Karsten, 796-7
Levy, Louis A., 574-5
Lewis, Edward S., 424-5
Lewis, Jack, 340-1, 343-4, 421-3, 476-8, 551-2, 828-9, 920-1, 1015-16
Lewis, Trevor W., 892-4
Ley, Steven V., 130-1, 276-7, 393-4, 952-4
Libert, Walburgis, 46-7
Lieto, Joseph, 540-1
Liles, David C., 652-4
Lincoln, Stephen F., 1047-8
Lindley, Andrew, 475-6
Lindley, Andrew A., 431-2
Lindsay, Barry G., 919
Lindsay Smith, John R., 329-30, 704-5
Litman, Sara, 983-4
Livinghouse, Tom, 754-6
Livingstone, David A., 1026-7
Lloyd, Douglas, 499
Lobo, Ana M., 884-5
Logan, C. J., 537-9
Logan, Norman, 580-1
Lombardi, Paolo, 1101-2
London, Robert E., 1070-1
Lopez, Luigi, 1085-6
Lopusinski, Andrzej, 450-1
Lorenc, Ljubinka, 916-18
Lotz, T. J., 514-15
Love, P., 301-2
Lovelady, Steve R., 583-4
Lowe, Gordon, 512-14, 565-6, 783-5, 850-2
Lowe, John A., 95-6
Lubineau, Andre, 535-7
Luche, Jean-Louis, 601-2, 976-7
Lucherini, Antonio, 735-6
Lukacs, Gabor, 577-8
Lukas, Rainer, 451-2
Lukehart, Charles M., 183-4
Luong-Thi, N. Tuyet, 1081-3
Lyons, James E., 636-8, 638-9
Lyster, Mark A., 315-16
Mabbs, F. E., 740-1
McAtee, James L., Jr., 729-30
McCann, Malachy, 415-16
McCarthy, Patrick J., 218-19
Macco, Anton A., 1103-5
Macdonald, A. M. G., 1011-12
MacDonald, J. Gavin, 1020-22
Macdonald, Timothy L., 876-7
McDonald, Edward, 150-1, 185-6, 1064-6
McDonald, Walter S., 10-11, 1061-2
McFarlane, H. Christina E., 531-2
McFarlane, William, 531-2, 791-2
McGhie, James F., 68-9
Mackenzie, Grahame, 882-3
McKenzie, William M., 541-3
McKervey, M. Anthony, 306-8, 1069-70
Mackinnon, Linda W., 275-6
McLaughlin, George M., 892-4
MacLeod, John K., 724-5
McMeeking, John, 140-2, 994-5
McMillin, David R., 759-61
McNeese, Timothy J., 500-1
McNeish, Allister, 36-8
McPartlin, Mary, 861-3, 920-1
McPhail, Andrew T., 75-6, 209-10, 1078-9
Macphee, Alistair, 372-3
McQuillan, B. W., 200-1
McQuillin, Francis J., 15-16, 438-9, 747-8
MacQuitty, Jonathan J., 643-4
McSweeney, Peter, 306-8
Maddock, Alfred G., 308-9
Maddocks, Peter J., 805-6
Maeda, Yasuaki, 525-6
Magnus, Philip, 297-8, 714-16
Magnuson, Roy H., 44-6
Magolda, Ronald L., 375-7, 1067-8
Mah, Talat, 961-2
Mahaffey, Robert L., 915-16
Mahtab, Rahina, 604-6
Maiorana, Stefano, 989-90
Maitlis, Peter M., 142-3

Majima, Tetsuro, 490-1
Maki, Yoshifumi, 836-8
Makino, Katsumi, 720-1
Malik, K. M. Abdul, 549-50
Malik, Nouman A., 711-12
Manandhar, Mangala D., 281-2
Mancini, Vittorio, 100-1
Mandelbaum, Asher, 521-2
Manfredotti, Amelia Gaetani, 921-2
Manley, Paul W., 396-7, 902-3
Mann, John, 1006-7
Mao, David T., 479-80
Marangoni, Giampaolo, 235-6
Marazano, Christian, 318-19
Marchese, Giuseppe, 1085-6
Mares, Frank, 562, 888-9
Mark, Harry B., Jr., 244-5
Marongiu, Giaime, 347-8
Marshall, James H., 429-30
Marsich, Nazario, 339-40
Martin, John R., 901-2
Martin, Robert J., 803-4
Martinengo, S., 195-6
Martinus, Nicholas, 56
Maruhashi, Kazuo, 367
Maruyama, Kazuhiro, 702-3
Marziano, Nunziata C., 873-4
Maskiewicz, Richard, 703-4
Masson, C. R., 560-1
Masters, Christopher, 1005-6
Masui, Masaichiro, 407-8
Masui, Takeshi, 361
Matcham, George W. J., 1064-6
Matkin, David A., 265-6
Matlin, Stephen A., 79-80, 645
Matloob, Mohammed H., 40-1
Matsumoto, Akiteru, 407-8
Matsumoto, Hiroyuki, 16-18
Matssumoto, Kiyoshi, 543-4, 817-19
Matsumoto, Takeshi, 563-4, 800-1
Matsumura, Koichi, 1092-3
Matsumura, Yasuo, 926-7
Matsuo, Akihiko, 198-200
Matsushita, Yoshiko, 398-9
Matteson, Donald S., 357-8
Matthew, Jennifer A., 756-7
Mays, Martin J., 1035-6
Mazid, Muhammed A., 744-5
Mazo, G. J., 27-8
Mazur, Yehuda, 554-5
Meegan, Mary J., 185-6
Meij, Ruud, 506-7
Melhuish, W. Hugh, 970-1
Mellor, John M., 557-8, 738
Mellor, Michael, 5-6, 138-40, 526-8, 528-9
Mellows, Graham, 843-5
Meltz, Clifford, 355
Mencarelli, Paolo, 564-5
Menchen, Steven M., 356, 379-80, 770-1
Mendelsohn, Marshall H., 581-2
Mendoza, Abel, 357-8
Menon, Balachandran, 758-9
Mentzen, Bernard F., 1022-4
Merienne, Claude, 318-19, 771-3
Metcalf, Brian W., 914-15
Metts, Lewis L., 588-9
Metz, William, 76-8
Michael, Joseph P., 245-7
Michalski, Jan, 940-1
Micheloni, Mauro, 833-4
Michl, Josef, 751-2
Middleton, Roderick, 305-6
Mihailovic, Mihailo Lj., 302-3, 916-18
Mihaly, Gyorgy, 974-5
Mikes, Frantisek, 173-5
Miki, Masaki, 504-5
Mile, Brynmor, 263-4
Miles, Stuart J., 192-3
Miller, Ian J., 92-3
Miller, Jack M., 466-7
Miller, Nigel, 89-90
Miller, R. D., 496-7
Miller, Richard W., 1078-9
Milligan, W. O., 729-30
Milne, Charles R. C., 925-6
Milner, John A., 113-14
Milosavljevic, Slobodan, 302-3
Mimoun, Hubert, 559-60
Minale, Luigi, 524-5
Minami, Toru, 12-13
Minihan, Alan R., 502-4
Minto, Francesco, 285
Misra, Satish C., 68-9
Mitani, Kazuya, 482-3
Mitchell, Paul R., 428-9
Mitcheson, George R., 204-5, 262-3
Mitrprachachon, Pachanee, 260-2
Mitsudo, Takeaki, 252-3
Miwa, Masahiro, 815-16
Miyagi, Shyogo, 687-8
Miyamae, Hiroshi, 875-6
Miyano, Sotaro, 446-7
Miyashi, Tsutomu, 442-3
Miyashita, Masaaki, 362-3
Mizuno, Kazuhiko, 594-5
Mizuno, Masao, 18-19
Mizuno, Yoshihisa, 124
Mizuno, Yukio, 717-18
Moegel, Liena, 57-8
Moffat, John B., 801-2
Mohanraj, Subramaniam, 423-4
Moilliet, John S., 475-6
Moiseev, I. I., 27-8
Mongelli, Nicola, 133-4
Monstrey, Joost, 796-7
Montevecchi, Pier Carlo, 530-1
Moodie, Roy B., 180-1
Moore, J. A., 1079-80
Moorhouse, Stephen, 549-50
Morchat, Richard M., 743-4
Moreau, Claude, 678-9
Morel, Georges, 274-5
Moretti, Irene, 456-7
Morganti, Gioia, 167-8, 710, 945-6
Mori, Kenya, 764
Morishima, Isao, 106-7
Morita, Tsuyoshi, 874-5
Morita, Yutaka, 620-1
Moriyama, Hiroshi, 348-9
Moroni, Wilko, 331-2
Morris, Caroline, 193-4
Morris, Donald F. C., 271-2
Morris, Edwin R., 515-16
Morris, Gareth A., 684-6
Morris, Gareth M., 263-4
Morris, George E., 72-3
Morris, Jeffrey J., 591-2
Morris, Robert H., 929-30
Morrison, Harry, 558-9, 600-1
Morton, Howard E., 1033-4
Moss, Gerard P., 387-8
Moss, Robert A., 775-6
Motherwell, William B., 1099-100
Mrotzek, Herbert, 820-1
Mudd, Alan, 1075-6
Mueller, Achim, 739
Mueller, Warren, 588-9
Muhs, Wolfgang H., 677-8
Muir, Kenneth W., 372-3
Mujahid, Tasneem G., 807-8
Mukai, Toshio, 442-3
Mulac, William A., 1038-40
Mullane, Maria, 871-3
Mullica, Donald F., 729-30
Munjal, Ramesh C., 775-6
Munoz, Aurelio, 219-20
Murahashi, Shunichi, 687-8
Murakami, Hiroshi, 667-8
Murakami, Yukito, 494-6
Murata, Tomoji, 786-8
Murawski, Hans Ruediger, 392-3
Murray-Rust, Judith, 83-4
Murray-Rust, Peter, 83-4
Mursakulov, I. G., 147-8
Muschiol, Manfred, 691-2
Musgrave, W. Kenneth R., 304-5
Myer, G. H., 301-2
Myers, Harry K., 636-8, 638-9
Naemura, Koichiro, 667-8, 668-7
Nagai, Yoichiro, 1029-30
Nagakura, Naotaka, 896-8
Nagao, Yoshimitsu, 330
Nagaraj, Ramakrishnan, 996-7
Nagashima, Kazuo, 682-3
Naidoo, Balakrishna, 779-81
Nair, Mridula, 793-4
Naish, Pamela J., 878-9
Naito, Shuichi, 175-6, 217-18, 1105-6
Nakadaira, Yasuhiro, 80-1
Nakagawa, Y., 457-9
Nakai, Hiroshi, 682-3
Nakajo, Tetsuo, 442-3
Nakamura, Hideshi, 781-2
Nakamura, Isao, 522-3
Nakamura, Yushin, 620-1
Nakanishi, K., 798-800
Nakasone, Akira, 490-1
Nakatsu, Kazumi, 252-3
Nakayama, Akira, 74-5
Nakayama, Hiroshi, 875-6
Nakayama, Mitsuru, 198-200
Nakazaki, Masao, 667-8, 668-7
Nanda, A. K., 885-6
Narasimham, Lakshmi, 719-20
Nardi, Nicoletta, 788-9
Narisano, Enrica, 613-14
Naso, Francesco, 1085-6
Nassimbeni, Luigi R., 510-11
Natale, Nicholas R., 1088-9
Natile, Giovanni, 654-5
Neal, David N., 681-2
Neary, Noreen, 562
Neidigk, David D., 600-1
Neidle, Stephen, 711-12
Nelson, S. Martin, 415-16
Nelson, William J. H., 920-1
Neumann, Susanne, 946-7
New, Douglas B., 62-3
New, Lucy, 1086-8
Newall, Christopher E., 467-8, 469-70
Newby, Vilas K., 82-3
Newton, M. Gary, 514-15
Newton, Ray J., Jr., 726-7
Newton, Roger F., 660-1, 661-2 662-4
Ngoc-Tuyet Luong-Thi, 918-19
Nguyen, Tam T., 868-9
Nicholson, Philip N., 646-7
Nicolaou, Kyriacos C., 375-7, 1067-8
Niinisto, Lauri, 616-17
Nilsen, Nils O., 128-9
Nishida, Shinya, 864-5, 931-2
Nishida, Takashi, 651-2, 972-3
Nishigaki, Satoshi, 252-3
Nishimura, Edward K., 858-9
Nishino, Masayoshi, 667-8
Nishizawa, Kyojun, 894-5
Nishizawa, Mugio, 76-8
Nitta, Keiichi, 160-1
Noethe, Dietrich, 331-2
Noguchi, Masao, 563-4
Nolte, Magriet J., 973-4
Noltes, Jan G., 250-2
Norman, Joe G., Jr., 1027-9
Norris, James R., 502-4
Norris, Judith A., 388-9
Norris, Timothy, 932-3
Norrish, Howard K., 988-9
Norton, Ian T., 515-16
Nowak, Robert J., 244-5
Nowell, Ian W., 279-80
Nozaki, Hiroshi, 198-200
Nugent, William A., 579-80
Numan, Henk, 259-60
Nunami, Kenichi, 270-1
Nyburg, Stanley C., 555-6
Oberwinkler, Franz, 665-6
Occolowitz, John L., 683-4
Oda, Taiko, 135-6
O'Donoghue, Timothy D., 476-8, 828-9
Oduwole, Duro, 164-5
Oehler, Joachim, 595-6
Ogasawara, Kunio, 943-4
Ogihara, Yukio, 364-5
Ogino, Kenji, 312-13
Ogita, Takeshi, 875-6
Ohmori, Hidenobu, 407-8
Ohno, Atsuyoshi, 328-9
Ohta, Hiromichi, 849-50
Ohtsuka, Eiko, 824-5
Oikawa, Atsushi, 727-8
Oka, Shinzaburo, 328-9
Okabe, Kei, 577-8
Okada, Hiroshi, 594-5
Okahara, Mitsuo, 504-5
Okamoto, Tsutomu, 293-4
Okamoto, Yasuaki, 47-8
Okamoto, Yoshiki, 874-5
Okano, Masaya, 65-6, 926-7
Okano, Tamon, 855-6
Okawara, Makoto, 74-5
Okuhara, Toshio, 53-4
Okunade, Adewole L., 152
Olesker, Alain, 577-8
Olin, George R., 417-18
Ollis, W. David, 670-1, 672-3, 673-5, 675-6
Olsson, Lars Inge, 621-3
Omura, Satoshi, 800-1
Onak, Thomas P., 169-71
Onan, Kay D., 75-6, 209-10
O'Neill, Robert, 218-19
Onishi, Takaharu, 217-18
Onishi, Takashi, 651-2, 972-3
Ono, Isao, 1109-10
Ono, Toshihiro, 414-15
Oritani, Takayuki, 454-5
Orito, Kazuhiko, 812-13
Orpen, A. Guy, 723-4
Ors, Jose A., 400-1
Osaka, Kenji, 717-18
Osborn, Ruth, 658
Oskam, Ad, 1016-17
Otake, Noboru, 875-6
Otieno, Dismas A., 138-40
Otsuji, Yoshio, 594-5
Otsuka, Hideo, 577-8

Otsuka, Sei, 855-6
Otsuki, Tetsuo, 457-9
Ott, Karl H., 612-13
Outram, Jerry R., 707-8
Overhof, Harold, 905-6
Overton, Karl H., 454-5
Pac, Chyongjin, 490-1
Pachl, Anthony, 900-1
Pacut, Ryszard, 153-4
Paddon-Row, Michael N., 296-7
Page, Michael I., 374-5, 591-2
Pakulski, Marek, 940-1
Pallmer, Michael, 558-9
Palmer, Robert J., 338-9
Panteleo, Nantelle S., 514-15
Paoletti, Piero, 833-4
Paolucci, Gino, 235-6
Paquer, Daniel, 1032-3
Paquette, Leo A., 365-6
Parente, Roberta A., 1040-1
Park, B. Kevin, 461-2
Park, Su-Moon, 933-4
Parkinson, Gordon M., 134-5
Parrott, Stephen J., 655-6
Parry, Ronald J., 294-5
Parsons, Philip J., 821-2, 822-4
Parvizi, Bahman, 265-6
Pascard, Claudine, 318-19
Pascard-Billy, Claudine, 125-6
Pasquali, Marco, 921-2
Passini, Paulo, 100-1
Patney, Harish K., 296-7
Paton, R. Michael, 113-14
Patroni, Joseph J., 449-50
Pattenden, Gerald, 5-6, 60-1, 138-40, 880-2
Payne, Alan, 932-3
Peach, Josephine M., 845-6
Pearce, Ronald, 140-2, 994-5
Pease, Lila G., 934-6
Pelter, Andrew, 805-6
Pennings, Marcel L. M., 1103-5
Percival, Alan, 178-80
Perkins, M. John, 778-9
Pero, Francesca, 886-8
Perot, Guy, 114-15
Perutz, Robin N., 762-3
Pesaro, Mario, 203-4
Pesce, Giannangelo, 1085-6
Pete, Jean Pierre, 567-8
Petty, Randall H., 483-5
Pews, R. Garth, 105-6, 714
Pez, Guido P., 1066-7
Phillips, Ian G., 709
Philpot, Paul D., 431-2
Piacenza, Lorenzo P. L., 425-6
Piepers, Oscar, 383-4
Piers, Edward, 1033-4
Pietra, Francesco, 167-8, 710, 945-6
Piette, Lawrence, 215-16
Pike, Stephen, 351-2
Ping-Lin, Kuo, 504-5
Pinkus, A. George, 201-2
Pippard, David, 551-2, 723-4
Pisaniello, Dino L., 1047-8
Plesnicar, Bozo, 122-4
Plurien, Pierre, 90-2
Poilblanc, Rene, 617-18
Pointer, David J., 816-17
Pojer, Peter M., 111-12
Poliakoff, Martyn, 36-8
Pons, B. Stanley, 738
Pople, John A., 137-8, 190-1
Popli, Satya P., 281-2
Porter, Alexander E. A., 83-4, 85-6, 641-2
Porter, Quentin N., 255-6
Potier, Pierre, 102-3
Pousset, Jean Louis, 826-8
Povey, D. C., 791-2
Powell, Richard L., 433
Power, Philip P., 192-3
Prabhakar, Sundaresan, 884-5
Pradat, Christian, 1022-4
Pratt, Albert C., 101-2
Pratt, David W., 394-5
Pratt, John M., 606-7
Price, David H., 431
Priester, Witta, 26-7
Prince, Reg. H., 300-1
Pritchard, Robin G., 288-9
Procter, Garry, 332-3
Proctor, John, 642-3
Prokopiou, Panayiotis A., 68-9
Prout, Keith, 1009-11
Pucci, Sergio, 269-70
Puddephatt, Richard J., 444-5, 749-51
Pulham, Richard J., 52-3
Purcell, Keith F., 497-9
Puxeddu, Anna, 339-40
Pye, Peter L., 1017-19
Pyne, G. S., 791-2
Queau, Rene, 617-18
Quick, James, 355
Raban, Morton, 965-7
Rabinovitz, Mordecai, 155-6
Radford, Curtis, 22-3
Radom, Leo, 724-5
Rafalko, Joseph J., 540-1
Raithby, Paul R., 340-1, 343-4, 421-3, 551-2, 828-9, 991-2, 1015-16
Raithby, Paul, R., 476-8
Rall, Gerhardus J. H., 224-5
Ramage, William I., 472-3
Ramazanov, E. A., 147-8
Ramdas, Subramaniam, 134-5
Ramsden, John N., 828-9
Ranzi, Bianca M., 679-80
Rash, Kenneth F., 284
Rastetter, William H., 377-9
Rauchfuss, Thomas B., 705-7
Rausch, Marvin D., 187-8, 401-2
Rautenstrauch, Valentin, 519-20
Ravichandran, Ramanathan, 249-50
Rawlins, Michael F., 557-8
Raymond, Kenneth N., 501-2
Redman, Richard P., 43-4
Rees, Alun H., 645
Rees, Charles W., 1049-50
Rees, David A., 515-16
Rees, John C., 1096-7
Reese, Colin B., 86-7, 639-40, 1050-2
Reeves, David L. R., 396-7
Reimann, W., 341-2
Reimer, Kenneth J., 746-7
Reisner, George M., 187-8, 691-2
Rey, Max, 675-6
Reynolds, Derek P., 662-4
Rezende, Marcos C., 133-4
Ribeiro Da Silva, Manuel A. V., 737
Riccardi, Gianna, 989-90
Richard, Thomas J., 377-9
Richardson, A. C., 664-5
Richardson, Mary Frances, 97-8
Richtarsky, Gerhard, 946-7
Ridd, John H., 445-6
Ridge, Richard J., 310-11
Riding, Geoffrey H., 486-8
Riederer, Heinz, 313-14
Riess, Jean, 1022-4
Rigny, Paul, 90-2
Ringsdorf, Helmut, 358-9
Ripamonti, Alberto, 927-8
Riveccie, Marcel, 552-3
Rivera, A. Valentina, 723-4
Riveros, Jose M., 126-7
Riviere, Henriette, 918-19
Robbins, Heather J., 89-90
Robert, Albert, 447-8
Roberts, Brian P., 545-6, 623-4, 752-3, 960-1
Roberts, M. Wyn, 40-1
Roberts, Nicholas K., 346-7
Roberts, Rex D., 49-50
Roberts, Stanley M., 660-1, 661-2, 662-4
Roberts, Tony G., 847-9
Robertson, A. S., 200-1
Robin, Jean Pierre, 556-7
Robins, Morris J., 677-8
Robinson, Malcolm L., 265-6
Robinson, Ward T., 111-12
Robinson, William R., 879-80
Rodgers, Alex, 415-16
Rodriguez, Ludovic A. M., 46-7
Rodriguez-Hahn, Lydia, 601-2
Roellgen, Franz W., 612-13
Roeser, Karl, 611-12
Rogers, Robin D., 140-2, 451-2, 465-6
Rolland, Alain, 771-3, 773-4
Rolland, Nicole, 773-4
Rolston, John H., 1037-8
Rooney, John J., 603-4, 604-6
Rosanske, Richard C., 588-9
Roselli, Alberto, 269-70
Rosenblum, Myron, 26-7
Rossetti, Rosanna, 841-3
Rossiter, Bryant E., 386-7
Rotella, Frank J., 1045-6
Rothwell, Ian P., 344-5, 1086-8
Rouse, Keith D., 723-4
Roux, David G., 224-5, 695-6, 696-8, 698-700, 700-2
Rowley, Dennis H., 101-2
Roy, Abhijit, 899-900
Roy, Glenn, 297-8
Rubinson, Kenneth A., 300-1
Rudakova, Inna P., 592-3
Rudolph, Gert, 595-6
Rund, John V., 971
Rupich, Martin W., 1045-6
Russell, David R., 744-5
Rutledge, Peter S., 919
Sachinidis, John, 157-8
Sadler, Peter J., 711-12
Saegusa, Takeo, 815-16
Saeva, Franklin D., 417-18
Saito, Gunzi, 992-3
Saito, Hazime, 135-6
Saito, Yasukazu, 348-9
Saito, Yoshihiko, 875-6
Sakamura, Sadao, 563-4
Sako, Magoichi, 836-8
Sakuma, Yoshiharu, 398-9, 764
Sakurai, Hideki, 80-1
Sakurai, Hiroshi, 16-18, 490-1, 874-5, 1024-5
Sala, Tony, 253-4, 1041-2, 1043-4, 1044-5
Salahub, Dennis R., 385-6
Saltiel, Jack, 588-9
Samaan, H. Joseph, 411-12
Sammes, Peter G., 79-80, 118, 162-4
Sampoli, Marco, 873-4
Sams, John R., 746-7
Sanitra, Robert, 719-20
Sano, Kotaro, 650-1
Santini, Sergio, 100-1
Santos, Albert, 528-9
Sargent, Melvyn V., 253-4, 1041-2, 1043-4, 1044-5
Sargeson, A. M., 289-90
Sargeson, Alan M., 647-9
Sasaki, Teruhiko, 252-3
Sato, Masaaki, 943-4
Sato, Masaru, 215
Sato, Mitsuo, 106-7
Sato, Shoichi, 875-6
Sato, Toshio, 478-9
Sato, Yoshihiro, 135-6
Satoh, James Y., 409-10
Satoh, Shohei, 481-2
Savoia, Diego, 927-8
Sawanishi, Hiroyuki, 568-9
Sawkins, Lynne C., 1061-2
Scarafile, Cosimo, 1101-2
Schaeffer, Evelyne, 937-8
Schantz, Edward J., 889-90
Schaumann, Ernst, 820-1
Scheinmann, Feodor, 900-1
Schilling, Michael D., 744-5
Schipper, Pieter, 382-3
Schleyer, Paul v. R., 137-8, 190-1
Schmid, Peter, 525-6
Schmidpeter, Alfred, 470-1
Schmutzler, Reinhard, 946-7
Schneider, Abraham, 636-8, 638-9
Schneider, Manfred P., 964-5
Schnoes, Heinrich K., 889-90
Schofield, Kenneth, 180-1
Schomburg, Dietmar, 946-7
Schooley, David A., 290-2, 292-3
Schorstein, David, 795-6
Schrader, Glenn L., Jr., 540-1
Schreiner, Paul R., 223-4
Schrobilgen, Gary J., 957-60
Schroeder, Martin, 853-4
Schroth, Werner, 57-8
Schultz, Arthur G., 29
Schwalbe, Carl H., 188-90
Schwarz, Wolfgang, 451-2
Scolastico, Carlo, 434, 679-80
Scott, A. Ian, 947-8, 967-8
Scott, Lawrence T., 633-4
Scovell, Edward G., 526-8, 528-9, 529-30
Scriven, Eric F. V., 806-7
Sebastiani, Giovanni V., 597-8
Seddon, Kenneth R., 749-51
Sedgwick, Brian, 193-4
Seebach, Dieter, 689-91
Segal, Michael G., 1102-3
Seitz, Steven, 1067-8
Sekine, Mitsuo, 285-6
Sellars, Philip J., 954-6
Senda, Shigeo, 367
Seo, Shujiro, 319-20
Sermon, Paul A., 891-2
Seta, Akinori, 350-1
Sexton, Michael D., 78-9
Sghibartz, Cristian M., 507-8
Shahidi, Fereidoon, 455-6
Shamala, Narayanaswamy, 996-7
Shannon, Patrick V. R., 734-5
Shapley, John R., 534-5
Shaw, Bernard L., 1061-2
Shaw, David B., 146-7
Shaw, Gordon, 882-3
Shechter, Harold, 793-4
Sheldrick, George, 109-11

Sheldrick, George M., 340-1, 421-3, 723-4
Shepherd, Rex E., 859-61
Sheppard, Norman, 868-9
Sheppard, P. Julian, 586-7
Sheppard, R. C., 537-9, 539-40
Sherman, Edward O., Jr., 223-4
Sherrington, David C., 541-3
Sheves, Mordechai, 554-5
Shibuya, Shiroshi, 414-15, 785-6
Shih, Li Shang, 854-5
Shimizu, Nobujiro, 931-2
Shimizu, Toru, 668-7
Shimokawa, Takafumi, 47-8
Shingu, Keiji, 810-12
Shinoda, Sumio, 348-9
Shinozuka, Kazuo, 764
Shiozaki, Masao, 517-18
Shiro, Motoo, 682-3
Shishido, Kozo, 943-4
Shoeb, Aboo, 281-2
Shold, David M., 978
Shore, Sheldon G., 866-7
Shreeve, Jean'ne M., 154-5
Sialom, Bonita, 554-5
Sidebottom, Philip J., 753-4
Siebrecht, Barbara, 691-2
Siedle, A. R., 69-70
Siegel, Samuel, 114-15
Sih, Charles J., 242-4
Silber, Ernesto, 933-4
Silva, Mario, 79-80
Silverthorn, William E., 1009-11
Sim, Kim-y, 843-5
Simes, John J. H., 411-12
Simmons, Miriam G., 634-6
Simoes, Jose A. Martinho, 737
Simpson, Colin F., 586-7
Simpson, Thomas J., 626-7, 627-8
Singer, Lawrence A., 116-17
Singh, Awadhesh N., 226-8
Singh, Paramjit, 885-6
Singleton, Eric, 973-4, 1007-8
Sipio, William J., 1067-8
Sirat, Hasnah M., 961-2
Sirlin, Claude, 949-51
Siverns, Michael, 303-4
Skapski, Andrzej C., 463-4, 853-4
Skarnulis, A. Jerome, 1030-2
Skattebol, Lars, 128-9
Sklarz, Benjamin, 533-4
Skowronska, Aleksandra, 940-1
Smart, Lesley E., 839-41
Smith, Allan E., 779-81
Smith, Anthony K., 582-3
Smith, Barry C., 765-6
Smith, David, 369-70
Smith, Donald R., 71-2
Smith, K. M., 906-7
Smith, Keith, 805-6
Smith, Leslie W., 423-4
Smith, Tim, 30-1
Smith, Wayne F., 1017-19
Snow, Michael R., 647-9
So, Kwok-Hung, 466-7
Sodano, Guido, 524-5
Soltz, Barbara A., 1093-4
Soma, Mitsuyuki, 217-18
Somanathan, Ratnasamy, 396-7
Sommerville, Polly, 1035-6
Songstad, Jon, 327-8
Sonoda, Akio, 687-8
Soos, Zolton G., 331-2
Sorensen, Ted S., 769-70
Sotheeswaran, Subramaniam, 980-1
Southby, David T., 932-3
Spangler, Charles W., 242
Speckamp, W. N., 166-7
Spek, Anthony L., 250-2
Spencer, John L., 260-2
Spencer, Thomas A., 49-50
Speranza, Maurizio, 213-14
Springborg, Johan, 647-9
Sprinivasan, Ra., 400-1
Sproat, Brian S., 565-6, 783-5
Stang, Peter J., 1057-8
Stanghellini, Pier Luigi, 841-3
Stansfield, Robert F. D., 221-3
Stanton, James L., 436-8
Stapleton, B. Jane, 24-6
Staron, Thadee, 318-19
Stary, Frank E., 1093-4
Staunton, James, 158-9, 406-7
Stavber, Stojan, 969-70
Steel, Peter J., 111-12
Steele, W. V., 778-9
Stegel, Franco, 564-5
Steglich, Wolfgang, 665-6
Stein, Lawrence, 502-4
Steinmetz, Mark G., 228-30, 230-2
Stevens, Robert V., 754-6
Stevenson, Robert, 491-2
Stewart, Cecil D., 603-4, 604-6
Stewart, Nevin J., 182-3
Stibbard, John H. A., 557-8
Stibr, Bohumil, 287
Stick, Robert V., 449-50
Stirling, Charles J. M., 43-4, 338-9, 975-6
Stoeckigt, Joachim, 1097-9
Stone, F. Gordon A., 169-71, 221-3, 260-2, 1000-1
Stoodley, Richard J., 997-8
Storey, John W. V., 547-8
Storr, Richard C., 9-10, 396-7, 902-3
Street, G. B., 489-90
Stromnova, T. A., 27-8
Strong, Pamela J., 1030-2
Stroud, Mark A., 586-7
Struchkov, Y. T., 27-8
Struckmeier, Gerhard, 33-4
Stufkens, Derk J., 506-7, 1016-17
Subramanian, Polur S., 423-4
Suckling, Colin J., 795-6
Sudoh, Rokuro, 350-1
Sugimoto, Hirohiko, 30
Sugimoto, Toyonari, 926-7
Sugiyama, Yoshio, 804
Sullivan, James C., 1038-40
Sum, F. W., 985-6
Surgenor, Samuel A., 624-6
Suschitzky, Hans, 453, 806-7
Sutherland, Ian O., 670-1, 672-3, 673-5, 675-6
Sutherland, James K., 526-8, 528-9, 529-30, 712-13, 852-3
Sutton, Harry C., 970-1
Suzuki, Fumio, 242-4, 733-4
Suzuki, Kazuo T., 485-6
Suzuki, Mamoru, 270-1
Swenton, John S., 719-20
Sydnes, Leiv Kr., 128-9
Sykes, A. Geoffrey, 1102-3
Sykora, Jan, 207-8
Symons, Martyn C. R., 71-2, 313-14, 418-20, 686-7
Szendrei, Kalman, 107-8
Tachimori, Yoshifusa, 350-1
Tada, Akihiro, 160-1
Tada, Masao, 727-8
Taffer, Ira M., 1088-9
Taga, Tooru, 717-18
Takahashi, Thomas T., 409-10
Takamoto, Tetsuyoshi, 350-1
Takamuku, Setsuo, 16-18, 1024-5
Takano, Seiichi, 943-4
Takaoka, Daisuke, 198-200
Takayanagi, Hisao, 359-60
Takegami, Yoshinobu, 252-3
Takenaka, Shunsuke, 830
Takeyama, Masaharu, 482-3
Tamaru, Kenzi, 217-18, 1105-6
Tamaru, Yoshinao, 367-8
Tamura, Ryosuke, 266-7
Tamura, Yasumitsu, 197-8
Tanabe, Kozo, 1091-2
Tanaka, Hideaki, 589-90
Tanaka, Kazuhiko, 865-6
Tanaka, Kenichi, 53-4
Tanaka, Toshiki, 824-5
Tang, Reginald, 562, 888-9
Tanikaga, Rikuhei, 865-6
Tanimoto, Shigeo, 926-7
Taniyama, Yoshio, 824-5
Tarama, Kimio, 63-5, 1059-61
Tavares, M. Regina, 884-5
Taylor, Donald, 647-9
Taylor, Garry L., 711-12
Taylor, Graham, 433
Taylor, Grahame, 129-30
Taylor, M. J., 19-20
Taylor, Nicholas J., 1017-19
Taylor, Paul W., 734-5
Taylor, Peter J., 369-70
Taylor, Roger, 586-7, 732-3
Telford, Robert P., 354-5
Teranishi, Shiichiro, 47-8, 650-1
Terasawa, Masami, 650-1
Testaferri, Lorenzo, 93-4
Tetsukawa, Hatsuki, 849-50
Teuben, Jan H., 659-60
Thea, Sergio, 886-8
Thebtaranonth, Chachanat, 265-6
Thomas, Desmond R., 806-7
Thomas, Eric J., 474-5, 961-2
Thomas, John M., 134-5, 210-11, 288-9, 930-1, 986-7
Thomas, Patsy J., 43-4, 975-6
Thomas, Wayne A., 92-3
Thompson, A. C., 200-1
Thompson, David G., 372-3
Thompson, Mervyn, 150-1
Thornton, Andrew T., 408-9
Thornton, Peter, 62-3
Thunder, Anne E., 52-3
Tiecco, Marcello, 93-4
Tillequin, Francois, 826-8
Tilley, R. Ian, 606-7
Timko, Joseph M., 436-8
Timmer, Klaas, 250-2
Timms, Peter L., 730-1, 898-9
Ting, Tai L., 1011-12
Tingoli, Marco, 93-4
Tipping, Anthony E., 101-2
Tkatchenko, Igor, 1022-4
Tobin, Geoffrey D., 180-1
Todd, Lee J., 349-50
Tokas, Edward F., 187-8
Tokuda, Masao, 481-2
Tokura, Katsuya, 577-8
Tomita, Kenichi, 197-8
Tomita, Yutaka, 319-20
Tondeur, Yves, 81-2
Toong, Yock C., 205-6
Tori, Kazuo, 319-20, 577-8
Torii, Sigeru, 293-4
Torr, Richard S., 988-9
Torre, Giovanni, 456-7
Torrence, G. Paull, 183-4
Toshimitsu, Akio, 65-6
Towill, Robert, 645
Townsend, David E., 588-9
Toyoshima, Isamu, 121-2
Traiman, S., 798-800
Tranquille, Michel, 36-8
Traverso, Pietro G., 873-4
Trenbeath, Steven, 242-4
Trethewey, Kenneth R., 913-14
Trocha-Grimshaw, Jadwiga, 571-2
Troisi, Luigino, 93-4
Trombini, Claudio, 927-8
Trooster, Jan M., 907-9
Trost, Barry M., 436-8
Trotter, James, 1036-7
Trotter, Jill, 109-11
Truscott, T. George, 51-2
Tsao, J. H., 358-9
Tse, Man-Wing, 353-4, 791-2
Tsin, Tsang Bik, 746-7
Tsuchiya, Takashi, 568-9
Tsuda, Tetsuo, 815-16
Tsuda, Yoshisuke, 160-1
Tsuji, Naoki, 682-3
Tsunetsugu, Josuke, 215
Tucker, P. A., 289-90
Tundo, Antonio, 530-1
Turner, James J., 36-8
Turner, W. Brian, 474-5
Turney, Terence W., 582-3
Tweddle, Neil J., 182-3
Tyler, J. Kelvin, 275-6, 335, 835-6
Tyler, Peter C., 1019-20
Uchida, Kiyoshi, 217-18
Uchida, Takane, 543-4
Udaka, Setsuko, 717-18
Uehara, Masatoshi, 786-8
Uemura, Sakae, 65-6
Ueno, Naoki, 293-4
Ueno, Yoshio, 74-5
Ugo, Renato, 991-2
Umani-Ronchi, Achille, 927-8
Umezawa, Yoshio, 1106-7
Ungermann, Charles B., 169-71
Urch, David S., 262-3
Utley, James H. P., 255-6, 387-8
Uyehara, Tadao, 359-60
Valente, Lydia, 577-8
Van Bergen, T. J., 923-4
Vandenbulcke, Brigitte M. J., 389-91
Van der Helm, Jur, 506-7
Van der Merwe, Pieter J., 224-5
Van der Stok, Erwin, 973-4, 1007-8
Van der Veen, Reinout H., 923-4
Van Derveer, D., 420-1
Van der Velden, Jan W. A., 907-9
Van de Sande, Christian C., 796-7
Van de Ven, Leo J. M., 94-5
Van Doorn, Johannes A., 1005-6
Vandrevala, Marazban H., 779-81, 845-6
Van Duyne, R. P., 69-70
Van Koten, Gerard, 250-2
Van Meerssche, Maurice, 499
Vargaftig, M. N., 27-8
Vatele, Jean Michel, 535-7
Vaughan, David, 1049-50
Vaultier, Michel, 356-7
Vause, John, 369-70

Veracini, Carlo A., 167-8
Verkruijsse, H. D., 596-7
Vickery, Brian, 459-60
Vilkas, Erna, 125-6
Vilkas, Michel, 125-6
Vincent, Colin A., 56, 499
Vitullo, V. P., 98-9
Vollenbroek, Frans A., 907-9
Vol'pin, M. E., 44-6
Von Criegern, Thomas, 470-1
Vos, Aafje, 923-4
Voulgaropoulos, Anastasios N., 244-5
Vrieze, Kees, 506-7
Wade, Kenneth, 765-6
Wade, Roy, 901-2
Wadsworth, Alan H., 662-4
Waghorne, W. Earle, 218-19
Waigh, Roger D., 1026-7
Wakabayashi, Toshiaki, 824-5
Walker, Brian J., 424-5
Walker, Philip E., 279-80
Wallace, Brian, 655-6
Wallbridge, Malcolm G. H., 322-4
Walton, David J., 499
Walton, David R. M., 351-2
Walton, John C., 389-91
Ward, Peter, 467-8
Ward, Robert W., 131-3
Wardman, Peter, 71-2
Waring, Wilson S., 369-70
Warren, Leslie F., 909-10
Warren, Stuart, 657, 988-9
Warrener, Ronald N., 296-7
Wartew, Gary A., 7-9
Washita, Hiroshi, 815-16
Watanabe, Fumiyuki, 361
Watanabe, Hamao, 1029-30
Watanabe, Katsuhiko, 815-16
Watanabe, Masataka, 748-9
Watanabe, Yoshihisa, 252-3
Waters, William A., 741-2
Watson, Douglas J., 343-4
Watson, Nigel S., 467-8, 469-70
Watson, William H., 79-80
Webb, Colin F., 660-1
Weedon, Basil C. L., 387-8
Wehrli, Felix W., 302-3
Wei, Chiau-Yu, 1053-5
Weiler, Larry, 985-6
Weisz, Adrian, 521-2
Welch, Alan J., 169-71, 486-8, 878-9
Wells, E. J., 956-7
Welter, Thomas R., 228-30
Werner, Baldur, 57-8
West, Robert, 1092-3, 1093-4
Wharry, Stephen M., 172-3
Wheatley, Peter J., 1035-6
Whelan, Terence D., 911-13, 913-14
White, Nicolas, 839-41
Whiting, Donald A., 59-60, 107-8
Whittaker, David, 1096-7
Whittaker, Graham, 431-2, 475-6
Whittle, Peter J., 9-10
Wild, Stanley Bruce, 346-7
Wilford, John B., 816-17
Wilkinson, Geoffrey, 463-4, 465-6, 883-4
Williams, B. J., 537-9
Williams, Dudley H., 24-6
Williams, Evan H., 1047-8
Williams, James R., 450-1
Williams, John O., 134-5
Williams, Robert J. P., 1030-2
Willner, Itamar, 155-6
Wilmott, W. Eric, 85-6
Wilson, Catherine, 752-3
Wilson, Lon J., 483-5, 634-6
Wilson, Stephen R., 479-80
Wimmer, Franz L., 936-7
Wingfield, Jonathan N., 1001-3
Winter, Jeremy N., 545-6, 960-1
Winter, Mark J., 221-3
Wiseall, Barrie, 164-5
Wolf, Robert, 1022-4
Wong, Chi Kwong, 41-2, 379-80, 441-2
Wong, Edward H., 462-3
Wong, Kam-Han, 282-3
Wong, Victor K., 838-9
Wong-Ng, Winnie, 555-6
Wood, Michael, 438-9
Woodgate, Paul D., 919
Woodhouse, Anthony D., 92-3
Woodward, Peter, 221-3, 260-2
Woolhouse, Anthony D., 857-8
Woyciesjes, P. M., 69-70
Wrackmeyer, Bernd, 402-3
Wreford, Stan S., 500-1
Wrigglesworth, Roger, 795-6
Wrighton, Mark, 588-9
Wudl, Fred, 429-30
Wynberg, Hans, 238-9, 259-60, 427-8
Yabe, Akira, 589-90
Yager, Thomas D., 944-5
Yajima, Haruaki, 482-3
Yamada, Hiroshi, 485-6
Yamada, Koichiro, 1089-90
Yamagishi, Akihiko, 361
Yamamoto, Makoto, 649-50
Yamamoto, Takakazu, 1003-4
Yamamoto, Yoshinori, 702-3
Yamamoto, Yuzuru, 160-1
Yamamura, Takeshi, 1106-7
Yamazaki, Yasuyuki, 63-5
Yandell, John K., 370-2
Yang, Darchum B., 363-4
Yang, Dominic T. C., 726-7
Yang, Nien-Chu C., 978
Yarbrough, Linton W., II, 161-2
Yasuda, Masahide, 716-17
Yatagai, Hidetaka, 702-3
Yates, Peter, 205-6
Yau, Laval, 1050-2
Yavari, Issa, 58-9
Yeh, C. L., 947-8
Yoder, Claude H., 209-10
Yokomatsu, Tsutomu, 414-15, 785-6
Yoko-o, Seiya, 1058-9
Yoneda, Fumio, 398-9, 764
Yoneda, Hayami, 266-7
Yoneda, Naoto, 270-1
Yonezawa, Teijiro, 65-6, 804
Yoshida, Katsuhisa, 312-13
Yoshida, Kunihisa, 20-2, 1108-9
Yoshida, Massayoshi, 831-2
Yoshida, Satohiro, 1059-61
Yoshida, Toshikatsu, 855-6
Yoshida, Zenichi, 367-8
Yoshikoshi, Akira, 362-3, 748-9
Yoshizawa, Tadashi, 266-7
Youngs, Wiley J., 1048-9
Yu, Yeung S., 599-600
Yuasa, Yoshifumi, 766-7
Yunker, Mark Bernard, 325-6
Yurkevich, A. M., 592-3
Yus, Miguel, 847
Yuta, Kohtaro, 943-4
Zabel, V., 79-80
Zalkow, L. H., 420-1
Zapata, J. P., 497-9
Zaworotko, Michael J., 465-6
Zbaida, Shmuel, 6-7
Zefirov, N. S., 147-8
Zenk, Meinhart H., 896-8
Zentgraf, Rolf, 402-3
Zimmerman, Howard E., 228-30, 230-2, 232-4
Zink, Jeffrey I., 863-4
Ziurys, Lucy M., 424-5
Zuccaro, Camilo I., 991-2
Zupan, Marko, 969-70
Zylber, Jean, 1084-5
Zylber, N., 1084-5

SUBJECT INDEX, 1978

ABS CONFIGURATION
Stereoselective synthesis of (–)-acorenone and (–)-acorenone B; the absolute configuration of natural (–)-acorenone, 203–4
Determination of the absolute configuration of bis(dipeptidato) cobaltate(III) complexes by proton nuclear magnetic resonance spectroscopy, 428–9
Condensed tannins. Circular dichroism method of assessing the absolute configuration at carbon–4 of 4–arylflavan–3–ols, and stereochemistry of their formation from flavan–3,4–diols, 698–700

ABSORPTION
Hydrogen absorption in YNi_4Mn, an alloy with the cubic UNi_5 structure, 581–2
Copper(I) ethylenediamine carbonyl complexes: 'models' for carbon monoxide activation. X–ray structure of the ion–pair carbonylethylenediaminetetraphenylboratocopper, 921–2

ABSTRACTION
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5

ACACIA
Condensed tannins: direct synthesis, structure, and absolute configuration of four biflavonoids from black wattle bark (' mimosa') extract, 700–2

ACETAL
Acetal hydrotrioxides, 122–4
Cleavage of α–(phenylthio)alkylboron compounds to monothioacetals and acetals, 357–8
Spiro(5.5)undecane sesquiterpene analogues. Bridging vinyl ether and vinyl acetal formation via intramolecular attack by an enol during bromination, 425–6
Crown ether acetals: detection of cation binding by kinetic measurements, 507–8
New syntheses of 1– and 2–phenylthiobutadienes, 657
Stereoelectronic control of acetal hydrolysis, 803–4
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5
β–Diphenylphosphinoyl ketones ($Ph_2POCH_2CH_2COR$): stable reagents for β–ketocarbanions, 988–9
Formation of allenes or γ–ketoesters from reactions of oxyallyls with acetylenes or 1,1–dimethoxyethene, 1006–7

ACETALDEHYDE
Light–induced conversion of ethane–1,2–diol or 2–aminoethanol into acetaldehyde in the presence of 8–methoxy–5'–deoxy–5' –adenosylcobalamin or a simpler cobalt(III) alkyl, 643–4

ACETALIZATION
Efficient synthesis of acetals catalysed by rare earth chlorides, 976–7

ACETAMIDATION
Use of ion exchange resins to trap electrogenerated intermediates: acetamidation of hydrocarbons, 738

ACETATE
Regioselective oxidation of unactivated methylene and methine groups by dry ozonation: similarity to microbiological oxidation, 413–14
Reduction of alkyl esters to alkanes by sodium in hexamethylphosphoric triamide. A new method for the deoxygenation of alcohols, 567–8
Oxidative displacement of iodine from vicinal iodocarboxylates and alkyl iodides, 919
Stereospecific synthesis of chiral acetic acid from glycine, 967–8

ACETATOCARBONYLPALLADIUM
New palladium carbonyl clusters: X–ray crystal structure of $(Pd_4(CO)_4(OAc)_4).(AcOH)_2$, 27–8

ACETONE
Selectivity in the addition of organic radicals to the alkene bond, 438–9
X–ray crystal structure of a 1,4–dihydropyridine–crown ether–sodium perchlorate complex crystallized with a molecule of acetone, 923–4
Maleic anhydride–benzene and maleic anhydride–acetone molecular complexes, 933–4

ACETONE ARYLSULPHONYLHYDRAZONE
Novel synthesis of α–methylene–γ–lactones, 1071–2

ACETONITRILE
Pulsed laser photolysis of chlorocopper(II) complexes in acetonitrile: evidence for chlororadical formation, 207–8
Inter– and intramolecular condensations of cyanide and amide ions with coordinated acetonitrile: an amido acid synthesis. X–ray crystal structure of $((NH_3)_3Co((Me)C(NH_2)(NH_2{:}CNH_2)_2))Br_3$ $2/3H_2O$, 289–90
Experimental determination of the standard reduction potential of the gold(I) ion, 606–7
Reduction of tris(triphenylphosphine)dichlororuthenium(II) in acetonitrile: reformulation of the nature of the product; detection of the first paramagnetic d^8 complex, 883–4

ACETOPHENONE
Photolysis of α–chloro–o–methylacetophenones, 61–2
Electrochemical removal of 1,3–dithiane protecting groups, 255–6
New method of access to selenoacetal chemistry: use of tris(phenylseleno)borane, 356
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9

ACETOPHENONE HYDROXY
Reaction of o–hydroxyacetophenone with dichlorophenylphosphine X–ray crystal and molecular structure of an unusual tricyclic tetraoxaphospha–undecane, 510–11

ACETOXYMETHYLPHENYLBENZOTRIAZOLE
Action of chlorine on a 2–substituted benzotriazole, 932–3

ACETOXYOCTYNE
Direct displacement and coupling of prop–2–ynylic acetates with organocuprates, 876–7

ACETYLACETONE
1–Nitro–1–phenylthiopropene, a new reagent for 3–methylfuran synthesis, 362–3

ACETYLATION
Acetylation of 2,3–dimethylbenzofuran. The first example of a ' non–conventional' Friedel–Crafts reaction, 597–8
Difluor reagents: non–hygroscopic sources of the fluoride ion, 789–91

ACETYLENE
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
Acetylene linkage at a di–metal centre: X–ray crystal structures of $(Cr_2(CO)(\eta\text{–}C_5H_5)_2(PhC_2Ph)_2)$ and $(Mo_2(\eta\text{–}C_5H_5)$ $_2((MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2))$, 221–3
Production, in electrical discharges, of fluorine cyanide, fluoroacetylene, and related substances as monitored by microwave spectroscopy, 335
$(Ir_4(CO)_8((MeCO_2)_2C_2)_4)$: a rectangular cluster, 340–1
Conversion of aldehydes and ketones into chloroolefins and acetylenes using chloroiodomethane as a chloromethylene source, 446–7
Some epoxy–acetylene cyclizations, 528–9
Selective homo Diels–Alder addition of acetylenic hydrocarbons to norbornadiene catalysed by a cobalt complex, 636–8
New synthesis of dienals, 924–5
A novel conducting polyacetylene derivative, 1066–7

ACETYLENE POLY
Highly conducting transition metal derivatives of polyacetylene, 489–90

ACETYLENECARBOXYLATE
High–pressure reaction of 2–halogenopyridines with dimethyl acetylenedicarboxylate, 543–4
Versatility of cycloaddition of electrophilic alkynes to η^2–CS_2 metal complexes. Reversible isomerization of 1,3–dithiol 2–ylideneiron and heterometallocyclic complexes, 573–4
Cyclization of acetylenecarboxylic acids; a novel route to γ–methylenebutyrolactones, 649–50

ACETYLENEDICARBOXYLATE
1,3–Dipolar cycloaddition reactions of imines of α–amino acid esters: X–ray crystal and molecular structure of methyl 4–(2–furyl)–2,7–diphenyl–6,8–dioxo–3,7–diazabicyclo(3.3.0)octane–2–carboxylate, 109–11
Some novel transformations in indole chemistry, 332–3

ACETYLIDE
Synthesis of the dilithium salt of cyanamide in liquid lithium; X-ray crystal structure of Li_2NCN, 52–3
Carbon–carbon bond-making by trapping of a nucleophilic carbene (from an electron-rich olefin) by a σ–π-acetylido(hexacarbonyl) di-iron complex; X-ray crystal and molecular structure, 1017–19
ACETYLNAPHTHALENE
Photochemical reactions of 1,8-diacetylnaphthalene and 1,3-dimethoxy-1,3-dimethyl-1H,3H-naphtho(1,8-cd)pyran, 589–90
ACID CATALYSIS
1,2-Hydrogen shifts during acid-catalyzed hydrogen exchange, 586–7
Intramolecular nucleophilic and general acid catalysis in the hydrolysis of an amide, 591–2
ACID SENSITIVE
The acid-sensitive proton nuclear magnetic resonance spectra of tocopherols and other derivatives of 6-hydroxychroman, 265–6
ACIDITY
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave spectroscopic analyses, 835–6
ACIDO
Absence of common five-coordinate intermediates in the induced reactions of some cobalt(III)-acido complexes, 892–4
ACORENONE
Stereoselective synthesis of (–)-acorenone and (–)-acorenone B; the absolute configuration of natural (–)-acorenone, 203–4
ACRYLAMIDE
Reaction of isopropylidenecarbene with isonitriles. Evidence for the formation of alkadienylideneamine, 1057–8
ACRYLATE
Regioselectivity in the Diels–Alder reactions of 3- and 4-substituted 1-trimethylsilylbutadienes, 178–80
ACRYLONITRILE
A general route to substituted naphthols, 162–4
ACRYLONITRILE CHLORO
Production, in electrical discharges, of fluorine cyanide, fluoroacetylene, and related substances as monitored by microwave spectroscopy, 335
ACTIVATION PARAMETER
Ring inversion in the cyclohexenyl radical, 394–5
ACYL
Convenient synthesis of unesterified acylphosphonic acids, 285–6
Efficient method for the preparation of trimethylsilyl enol ethers of acyltrimethylsilanes, 478–9
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9
ACYL CHLORIDE
New photochemical reaction of 6-azido-1,3-dimethyluracil with acyl halides to give 5-acylamino-6-chloro-1,3-dimethyluracils, 367
ACYLAMINOURACIL
New photochemical reaction of 6-azido-1,3-dimethyluracil with acyl halides to give 5-acylamino-6-chloro-1,3-dimethyluracils, 367
ACYLATION
A mild, regiospecific but-2-enolide synthesis and a convenient preparation of acylated dienes, 311–12
Silylhydroxylamines as reagents for high-yield RCOCl→RNCO conversions, 351–2
Electrochemical reductive acylation of astacene; a route to the carotenoid astaxanthin, 387–8
Selective acylation of amines using 18-crown-6, 471–2
Formation of an acyl species from hept-1-ene and carbon monoxide on an evaporated nickel surface, 617–18
Formation of abnormal products in the aluminium chloride-catalysed ene additions of chloral and bromal to mono- and 1,2-dialkyl ethylenes, 655–6
A simple route to α-aminoketones and related derivatives by dianion acylation reactions; an improved preparation of δ-aminolevulinic acid, 753–4
The acylation of 3-alkyl-indoles, 779–81
Novel synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts via ligand substitution. Versatile reagents for converting hydroxy groups into thiocyanate and isothiocyanate functions, 940–1
ACYLPHENYLALANINE
Stereoselective reaction of p-nitrophenyl N-acyl-phenylalanines with N-acyl-L-histidine in mixed micelles, 984–5
ADAMANTANONE
Raman optical activity due to isotopic substitution: (1S)-4,4-dideuterioadamantan-2-one, 259–60
New method of access to selenoacetal chemistry: use of tris(phenylseleno)borane, 356
ADAMANTYL
Radical alkyldenitration. A synthetically useful example of homolytic aromatic ipso-substitution reactions, 93–4
ADAMANTYLACETAMIDE
Use of ion exchange resins to trap electrogenerated intermediates: acetamidation of hydrocarbons, 738
ADAMANTYLIDENEADAMANTANE
Preparation of some S-methyl thiiranium salts of adamantylideneadamantane. Demethylation and desulphurization with nucleophiles, 630–1
ADDN
Solvent effects in homogeneous asymmetric catalysis, 427–8
Unexpected regioselective nucleophilic addition to 3-(4,4-dimethyloxazolin-2-yl)pyridine: formation of stable 1,4-dihydropyridines, 615–16
Formation of abnormal products in the aluminium chloride-catalysed ene additions of chloral and bromal to mono- and 1,2-dialkyl ethylenes, 655–6
Ortho ester hydrolysis: rate determining addition of water to a carboxonium ion intermediate, 678–9
Regiospecific carbon-2-addition of thiolates to methoxytropenylium ion. The first practical entry to the monocyclic 1,7-difunctionalized cycloheptatriene series, 710
Homoconjugate addition of Grignard reagents spiroactivated cyclopropanes. An approach to the total synthesis of (±)-brefeldin A, 754–6
Homolytic addition to N-methylene-tert-butylamine: a new route to aminyl radicals, 960–1
ADENINE
New synthesis of 4′,5′-unsaturated nucleosides, 1084–5
ADENOSINE
Reactions of methylhydrazine and hydrazine with 8-bromo-2′-O-toluene-p-sulphonyladenosine, 86–7
Synthesis of (5′R)-(5′-$^2H_1$)adenosine, 294–5
New synthesis of 4′,5′-unsaturated nucleosides, 1084–5
ADENOSYLCOBALAMIN
Light-induced conversion of ethane-1,2-diol or 2-aminoethanol into acetaldehyde in the presence of 8-methoxy-5′-deoxy-5′-adenosylcobalamin or a simpler cobalt(III) alkyl, 643–4
ADSORBATE
Luminescence from $Ru(^5bipyridyl)_3^{2+}$ ions adsorbed on ion exchange surfaces. Dynamic quenching reactions between adsorbed cations, 408–9
ADSORPTION
Adsorption of nitric oxide on copper(100) surfaces; an electron spectroscopic study, 40–1
AGERATUM
Structure of conyzorigun, a new chromone from Ageratum conyzoides, 152
AJMALICINE
Indirect involvement of geissoschizine in the biosynthesis of ajmalicine and related alkaloids, 1097–9
ALANGIUM
Deacetylisoipecoside: the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine, 896–8
ALANINE
Stereoselective chelate and amino acid synthesis with chelated 2-iminopropionate; crystal and molecular structures of α-(N^2-2-aminoethylamidino)alaninato-ONN″N‴-(ethylenediamine) cobalt(III) and α-(N^2-2-aminoethylamidino)alanine-NN″N‴-(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
Phenyl trans-2-chlorovinyl sulphone, a vinyl cation equivalent, 914–15
ALBUMIN
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
ALC
Trifluoroacetylation of alcohols: a newly detected reaction of trifluoroperacetic acid, 248
Efficiently monitored reduction of carboxylic acids into alcohols or aldehydes via 2-thiazoline-2-thiol esters by sodium borohydride or diisobutylaluminium hydride, 330
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562

Reduction of natural enones in the presence of cerium trichloride, 601–2
A new synthesis of conjugated dienones, 608
Silyl nitronates: improved nitro–aldol reactions and reductive routes to 2–aminoalcohols, 689–91
Increase in reaction rate consequent on the use of a polymer–supported reagent. Evidence for interaction between a high proportion of the groups of a polymer–supported reagent, 813–15
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave spectroscopic analyses, 835–6
Oxidative displacement of iodine from vicinal iodocarboxylates and alkyl iodides, 919
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
Solvent transfer hydrogenation of αβ–unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
Gas–phase condensation of tert–butyl cations with Lewis bases, 938–40
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
μ–Oxo–bis(chlorotriphenylbismuth): a mild reagent for the oxidation of the hydroxy group, especially in allylic alcohols, 1099–100

ALC DEHYDROGENASE
Latent inhibition of liver alcohol dehydrogenase by a substituted allyl alcohol, 795–6

ALDEHYDE
Oxidation of aldehyde hydrazones, hydrazo compounds, and hydroxylamines with benzeneseleninic anhydride, 276–7
Efficiently monitored reduction of carboxylic acids into alcohols or aldehydes via 2–thiazoline–2–thiol esters by sodium borohydride or diisobutylaluminium hydride, 330
Metal–assisted borohydride reduction of acid chlorides to aldehydes 354–5
Conversion of aldehydes and ketones into chloroolefins and acetylenes using chloroiodomethane as a chloromethylene source, 446–7
Silyl nitronates: improved nitro–aldol reactions and reductive routes to 2–aminoalcohols, 689–91
Solvent transfer hydrogenation of αβ–unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
Efficient synthesis of acetals catalysed by rare earth chlorides, 976–7

ALDEHYDE CYCLOPROPYL
Cyclopropylidene insertion. Evidence for bicyclo(1.1.0)butan–2–olate formation, 128–9

ALDEHYDE SYNTHESIS
Vacuum pyrolysis of salts of 1–acyl–2–arylsulphonylhydrazines; a general McFadyen–Stevens aldehyde synthesis, 793–4

ALDER AMINOBUTADIENE
Novel conversion of a 3–oxidopyridinium into a 4–oxidoisoquinolinium, 316–18

ALDOPYRANOSE
Introduction, substitution, and elimination of bromine at C–5 of aldopyranose peresters, 1019–20

ALDRIN
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5

ALK EARTH
Alkaline earth metal complexes of pyridinyl containing Schiff base macrocycles: X–ray crystal and molecular structures of the calcium and strontium complexes, 279–80

ALKADIENAL
New synthesis of dienals, 924–5

ALKADIENE
Regioselectivity in the di–π–methane rearrangement; alternative processes in the photochemistry of halogeno–1,4–dienes, 101–2
Anti–Markownikoff 1,2–hydrosulphonylation of 1,3–dienes via π–allylpalladium complexes, 367–8
Synthesis of fluorinated dienes and cyclobutenes, 475–6
Role of exciplex in the photocycloaddition of 2,5–dimethylhexa–2,4–diene to anthracene, 978

ALKADIENONE
A new synthesis of conjugated dienones, 608
New synthesis of conjugated ketones from 2–phenylthioallyl and –allenyl alcohols, 821–2

ALKALI
Evidence of halogen exchange between gaseous halogenated alkanes and solid alkali halides obtained by field desorption mass spectrometry, 612–13

ALKALI METAL
Novel carbon–carbon reductive cleavage of terphenyls with alkali metal–hexamethylphosphoric triamide, 153–4
Reduction of the carboxyl–function in aromatic carboxylic acids by alkali metal–liquid ammonia solutions, 941–3

ALKALI METAL EFFECT
Crown ether acetals: detection of cation binding by kinetic measurements, 507–8

ALKALI METAL HALIDE
Partition of viscosity B–coefficients into ionic components, 56

ALKALOID
Heteroatom directed photoarylation; an approach to the synthesis of Aspidosperma alkaloids, 29
New alkaloids from Aristotelia chilensis (Mol.) Stunz, 79–80
Antitumour alkaloids of the vinblastine–type: is leurosine an artefact, 102–3
Structures of cathedulin alkaloids from Catha edulis (khat) of Kenyan and Ethiopian origin, 107–8
Absolute configuration and biosynthesis of tiliacorine and tilacorinine, 226–8
Curassavine, an alkaloid from Heliotropium curassavicum Linn. with a C_8 necic acid skeleton, 423–4
Stereochemistry of the reduction of nicotinic acid when it serves as a precursor of anatabine, 610–11
Stereochemical control in the biomimetic conversion of heteroyohimbine alkaloid precursors. Isolation of a novel key intermediate, 618–19
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
Stereoconservative transformation of secologanin into meroquinene and its derivatives, 725–6
Novel total synthesis of (±)–erysotramidine, an oxo–erythrinan alkaloid, 733–4
X–ray structure of staurosporine: a new alkaloid from a Streptomyces strain, 800–1
New route to the protopanes, 812–13
Biomimetic synthesis of borreverine and isoborreverine, 826–8
Deacetylisoipecoside: the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine, 896–8
New synthetic routes to synthons for the synthesis of functionalized Aspidosperma alkaloids, 943–4
X–ray crystal and molecular structure of channaine, an unusual alkaloid, probably an artefact from Sceletium strictum, 1078–9
Indirect involvement of geissoschizine in the biosynthesis of ajmalicine and related alkaloids, 1097–9

ALKALOIDS
An economical synthesis of the alkaloids, 3,4–dimethoxy–ω–(2–piperidyl)acetophenone, julandine, and cryptopleurine, 794–5

ALKANAL
Vacuum pyrolysis of salts of 1–acyl–2–arylsulphonylhydrazines; a general McFadyen–Stevens aldehyde synthesis, 793–4

ALKANE
Evidence of halogen exchange between gaseous halogenated alkanes and solid alkali halides obtained by field desorption mass spectrometry, 612–13

ALKANOATE
Phase–transfer catalysis using chiral catalysts. Synthesis of optically active 2–phthalimido–esters, 742–3

ALKANOL
Methyltriphenoxyphosphonium trifluoromethanesulphonate: a new versatile synthetic reagent, 424–5

ALKANONE
New method of access to selenoacetal chemistry: use of tris(phenylseleno)borane, 356
β–Diphenylphosphinoyl ketones ($Ph_2POCH_2CH_2COR$): stable reagents for β–ketocarbanions, 988–9

ALKANOYL CHLORIDE
Metal–assisted borohydride reduction of acid chlorides to aldehydes 354–5

ALKENE
Hydrometallation of alkenes and alkynes with magnesium hydride, 30–1
Unusual stereoselectivities in olefin metathesis, 341–2

Anti–Markownikoff 1,2–hydrosulphonylation of 1,3–dienes via π–allylpalladium complexes, 367–8
Activation and transfer of molecular oxygen. Oxidation of terminal olefins to methyl ketones by rhodium dioxygen complexes, 559–60
Formation of abnormal products in the aluminium chloride–catalysed ene additions of chloral and bromal to mono– and 1,2–dialkyl ethylenes, 655–6
Protonolysis of alkenylboranes under neutral conditions by treatment with catalytic amounts of palladium diacetate, 702–3
Interception of alkylchlorocarbenes, 775–6
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave spectroscopic analyses, 835–6
Convenient 'one–flask' synthesis of olefins. Reaction of α–chloroketones with Grignard reagents and lithium, 847
Addition of 3–nitrosobut–3–en–2–one to olefins and to electron–rich heterocycles, 847–9
Palladium–promoted vinylic hydrogen substitution of alkenes by Grignard reagents. Stoicheiometric and catalytic reactions, 918–19
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6

ALKENE TERMINAL
Microbial epoxidation of long–chain terminal olefins, 849–50

ALKENOL
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5

ALKENONE
A silicon–based protecting group for the αβ–unsaturation of αβ–unsaturated ketones, 177–8

ALKENYL
Some epoxy–acetylene cyclizations, 528–9
Synthesis of 2–alkenyl–3–methylcyclohex–2–en–1–ones, 852–3
Synthesis and x–ray crystal and molecular structure of tetrakis(2,2–dimethyl–1–phenylethenyl)chromium(IV), the first structurally–characterized homoleptic alkenyl compound of a transition metal 899–900

ALKOXYCARBONYLMETHYLIDE
Formation of a novel complex between pyridinium bis(alkoxycarbonyl)methylides and diphenylcyclopropenone; trapping of pyridinium bis(alkoxycarbonyl)methylide cation radicals, 817–19

ALKOXYLATION
Direct formation of trialkyl phosphites from elemental phosphorus, 7–9
Novel synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts via ligand substitution. Versatile reagents for converting hydroxy groups into thiocyanate and isothiocyanate functions, 940–1

ALKYL
Aromatic hydroxylation by $O(^3P)$ atoms on γ–radiolysis of liquid carbon dioxide solutions of alkylbenzenes, 16–18
Reduction of alkyl esters to alkanes by sodium in hexamethylphosphoric triamide. A new method for the deoxygenation of alcohols, 567–8
The acylation of 3–alkyl–indoles, 779–81
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5
Alkyl bridged complexes of the group 3A and lanthanoid metals as homogeneous ethylene polymerization catalysts, 994–5

ALKYL IODIDE
Oxidative displacement of iodine from vicinal iodocarboxylates and alkyl iodides, 919

ALKYL RADICAL
Bromodemetallation of β–methoxyphenethylthallium(III) diacetate and β–methoxyphenethylmercury(II) acetate with copper–(I) and –(II) bromide, direct evidence for alkyl radicals in bromodethallation by the spin trapping technique, 65–6

ALKYLAMINOMETHOXYNAPHTHALENE
Extremely strong but sluggish amine bases, 89–90

ALKYLAMINYL
Homolytic addition to N–methylene–tert–butylamine: a new route to aminyl radicals, 960–1

ALKYLATION
Hydrogen bond assisted organic reactions: C– and O–alkylations, sulphenylations, and Michael additions aided by polymer immobilized fluoride ion, 466–7
Unusual reactivity of the 2H–thiopyran anion in alkylation with tert–butyl bromide and cyclohexyl bromide, 596–7
Amino acid–catalysed alkylation of hydroxyanthraquinones with 2–hydroxytetrahydropyrans, 951–2

ALKYLATIVE
New 1,2–transpositions and alkylative 1,2–transpositions of a carbonyl group, 414–15

ALKYLCHLOROCARBENE
Interception of alkylchlorocarbenes, 775–6

ALKYLIDENE COMPLEX
A new approach to cationic transition metal alkyls: $(M(\eta\text{–}C_5H_5)_2(CH_2SiMe_3)_2)^+(Y)^-$ (M = Nb or Ta, Y = BF_4 or SbF_6) and their conversion into the alkylidene complexes $(M(\eta\text{–}C_5H_5)_2(CHSiMe_3)(CH_2SiMe_3))$, 925–6

ALKYLNICKEL
Insertion of the carbene $:CH_2$ into Ni–R bonds of mono– and di–alkylnickel(II) complexes, 1003–4

ALKYLTHIO
$(Os_3(CO)_9H(SR))$, a highly reactive molecule. The X–ray structure of a π–bound ethylene adduct $(Os_3(CO)_9H(C_2H_4)(SMe))$, 551–2

ALKYLTHIOTROPENYLIUM
Regiospecific synthesis of 1,7–dialkylthiocycloheptatrienes. A case of rapid (1,7) sigmatropic migration of unhindered alkylthio–groups, 945–6

ALKYNE
Hydrometallation of alkenes and alkynes with magnesium hydride, 30–1
A mild, regiospecific but–2–enolide synthesis and a convenient preparation of acylated dienes, 311–12
Protonolysis of alkenylboranes under neutral conditions by treatment with catalytic amounts of palladium diacetate, 702–3
Evidence for the ready insertion of rhodium into a carbon–hydrogen bond of ethylene; crystal and molecular structure of μ–but–2–ene–μ–ethylenebis–(η^5–1–methylindenyl)dirhodium, 839–41
Direct displacement and coupling of prop–2–ynylic acetates with organocuprates, 876–7
Formation of allenes or γ–ketoesters from reactions of oxyallyls with acetylenes or 1,1–dimethoxyethene, 1006–7

ALKYNONE
Synthesis of allenes via reduction of acetylenic p–tolylsulphonylhydrazones, 726–7

ALKYNYL
Novel synthesis of substituted allenes via organoboration of alkynylstannanes, 402–3

ALKYNYLSTANNANE
Novel synthesis of substituted allenes via organoboration of alkynylstannanes, 402–3

ALLATUM
Juvenile hormone biosynthesis: homomevalonate and mevalonate synthesis by insect corpus allatum enzymes, 290–2

ALLENE
Novel synthesis of substituted allenes via organoboration of alkynylstannanes, 402–3
Synthesis of allenes via reduction of acetylenic p–tolylsulphonylhydrazones, 726–7
Formation of allenes or γ–ketoesters from reactions of oxyallyls with acetylenes or 1,1–dimethoxyethene, 1006–7

ALLENYL
A new synthesis of conjugated dienones, 608
Convenient synthesis of allenyl sulphides; application to the synthesis of αβ–unsaturated ketones, 822–4

ALLOY
Hydrogen absorption in YNi_4Mn, an alloy with the cubic UNi_5 structure, 581–2

ALLYL
Anti–Markownikoff 1,2–hydrosulphonylation of 1,3–dienes via π–allylpalladium complexes, 367–8
Stereochemistry of the S_N2' reaction with acyclic allylic esters, 454–5
Reduction of natural enones in the presence of cerium trichloride, 601–2
A new synthesis of conjugated dienones, 608
Palladium(II)–catalysed asymmetric cyclization of 2–allylphenols by the use of optically active β–pinene, 687–8

Isomerization of allyl ethers catalysed by the cationic iridium complex (Ir(cyclo–octa–1,5–diene)($PMePh_2$)$_2$)PF_6. A highly stereoselective route to trans–propenyl ethers, 694–5
Raman spectra of molecules adsorbed on heavy metal oxides. Propylene on zinc oxide: the anionic nature of the adsorbed allyl species, 868–9
Formation of allenes or γ–ketoesters from reactions of oxyallyls with acetylenes or 1,1–dimethoxyethene, 1006–7
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
ALLYL ALC
New synthesis of dienals, 924–5
ALLYLIC
Oxidative–addition of tertiary phosphine–ruthenium complexes to allylic carbon–hydrogen bonds, 223–4
ALLYLIC ISOMERIZATION
Versatile deuterium exchange and isomerization of hydrocarbons via phase transfer catalysis, 155–6
ALLYLIC REARRANGEMENT
1,3–Transposition of primary allylic alcohols: a new application of selenoxide chemistry, 770–1
ALLYLOXY
Elimination of an allyloxy–group during the Claisen rearrangement of 1,2–diallyloxyanthraquinone, 900–1
ALOESAPONARIN
Synthesis of the insect dyestuff kermesic acid and related anthraquinones, 688–9
ALTERNARIOL
Biomimetic syntheses of heptaketide metabolites: alternariol and a derivative of rubrofusarin, 406–7
ALUM
The role of stress in nucleus development during dehydration of certain alums, 273–4
ALUMINIUM
Phosphorus–31 nuclear magnetic resonance and infrared spectroscopic evidence for coordinatively unsaturated zerovalent tungsten generated by interaction of $W(CO)_5L$ (L PPh_3 or PBu^n_3) with aluminium tribromide, 38–9
The role of stress in nucleus development during dehydration of certain alums, 273–4
ALUMINIUM CHLORIDE
Ring opening polymerization of norbornene catalysed by ethyl aluminium dichloride; olefin metathesis in the absence of a transition metal, 603–4
Formation of abnormal products in the aluminium chloride–catalysed ene additions of chloral and bromal to mono– and 1,2–dialkyl ethylenes, 655–6
ALUMINIUM HYDRIDE DIISOBUTYL
Efficiently monitored reduction of carboxylic acids into alcohols or aldehydes via 2–thiazoline–2–thiol esters by sodium borohydride or diisobutylaluminium hydride, 330
ALUMINOHYDRIDE
Preparation and molecular structure of $(Ta(H_2Al(OC_2H_4OMe)_2)(Me_2PC_2H_4PMe_2)_2)_2$, a coordinatively unsaturated aluminohydride adduct of tantalum(I), 500–1
AMBERLYST
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9
AMICETOSE
Stereospecific synthesis from noncarbohydrate precursors of the deoxy and methyl branched deoxy sugars L–amicetose, L–mycarose, and L–olivomycose, 299–300
AMIDE
Intramolecular nucleophilic and general acid catalysis in the hydrolysis of an amide, 591–2
AMIDINE
Stereoselective chelate and amino acid synthesis with chelated 2–iminopropionate; crystal and molecular structures of α–(N^2–2–aminoethylamidino)alaninato–ONN′N″–(ethylenediamine) cobalt(III) and α–(N^2–2–aminoethylamidino)alanine–NN′N″–(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
AMIDINECOBALT
Inter– and intramolecular condensations of cyanide and amide ions with coordinated acetonitrile: an amido acid synthesis. X–ray crystal structure of $((NH_3)_3Co((Me)C(NH_2)(NH_2{:}CNH_2)_2))Br_3$ $2/3H_2O$, 289–90
AMIDOIMIDOMETAL
Structure and reactivity in the group 5B tert–butylimido complexes $(Me_2N)_3M{=}NCMe_3$; X–ray crystal and molecular structure of N–tert–butylimidotris(dimethylamido)tantalum, 579–80
AMINATION
Different behaviour of cis– and trans–aminedichloro(π–ethene) platinum(II) complexes in their reaction with the free amine, 654–5
AMINE
Resolved nitrogen–14 hyperfine coupling for surface electrons on magnesium oxide in the presence of ammonia and amines, 71–2
Conversion of primary aliphatic amines into thiocyanates and thiocarbonate esters, 133–4
Catalytic conversion of nitric oxide into nitrogen and dinitrogen oxide by dinitrobis(ethylenediamine)cobalt(III) cation, 175–6
Conversion of alkyl carbamates into amines via treatment with trimethylsilyl iodide, 315–16
The β–(trimethylsilyl)ethoxycarbonyl amino–protecting group, 358–9
Selective acylation of amines using 18–crown–6, 471–2
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562
Rapid formation of N–nitrosamines from nitric oxide in the presence of silver(I) salts, 707–8
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16
AMINE AROM
Synthesis of intercalating and carcinogenic nitroxide spin labels, 215–16
AMINE PHENYL ETHYL
Asymmetric substituent effect on the reaction of (R)– and (S)–indan–1–carboxylic acids with (S)–α–phenylethylamine derivatives, 830
AMINIUM
Stabilizing influence of a strong acid medium on tertiary aminium radicals, 329–30
AMINO
p–Tolylmethylsulphonyl: a new amino–protecting group in peptide synthesis, 220–1
A mild procedure for solid phase peptide synthesis: use of fluorenylmethoxycarbonylamino–acids, 537–9
Silyl nitronates: improved nitro–aldol reactions and reductive routes to 2–aminoalcohols, 689–91
Novel synthesis of pyrimido(4,5–b)quinoline–2(3H),4(10H)–diones (5–deazaflavins), 764
AMINO ACID
A mild procedure for solid phase peptide synthesis: use of fluorenylmethoxycarbonylamino–acids, 537–9
Application of polyamide resins to polypeptide synthesis: an improved synthesis of β–endorphin using fluorenylmethoxycarbonylamino–acids, 539–40
Amino acid–catalysed alkylation of hydroxyanthraquinones with 2–hydroxytetrahydropyrans, 951–2
AMINO GROUP
Polymeric de–blocking agents for the fluoren–9–ylmethoxycarbonyl (FMOC) amino–protecting group, 450–1
AMINO KETONE
A simple route to α–aminoketones and related derivatives by dianion acylation reactions; an improved preparation of δ–aminolevulinic acid, 753–4
AMINOALKANE
The quenching of aromatic hydrocarbon fluorescence by α,ω–diaminoalkanes and the formation of excited ternary complexes, 911–13
The quenching of excited singlet states of Rose Bengal by bifunctional compounds, 913–14
AMINOCYCLITOL
Synthesis of α–linked 3′–deoxy–cyclitol and –aminocyclitol glycosides, 771–3
Synthesis of α–linked 3′–deoxy–pseudo–di– and –tri–saccharides related to aminocyclitol–glycoside antibiotics, 773–4
AMINOETHANE
Light–induced conversion of ethane–1,2–diol or 2–aminoethanol into acetaldehyde in the presence of 8–methoxy–5′–deoxy–5′–adenosylcobalamin or a simpler cobalt(III) alkyl, 643–4
AMINOETHANOL
Light–induced conversion of ethane–1,2–diol or 2–aminoethanol into acetaldehyde in the presence of 8–methoxy–5′–deoxy–5′–adenosylcobalamin or a simpler cobalt(III) alkyl, 643–4
AMINOETHYLAMIDINE
Stereoselective chelate and amino acid synthesis with chelated 2–

iminopropionate; crystal and molecular structures of α-(N^2-2-aminoethylamidino)alaninato-ONN″N‴-(ethylenediamine) cobalt(III) and α-(N^2-2-aminoethylamidino)alanine-NN″N‴-(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
AMINOETHYLBENZOATE ANION
Nucleophilic attack by amine nitrogen on the ionized carboxy group, 807–8
AMINOISOBUTYRATE
The 3_{10} helical conformation of a pentapeptide containing α-aminoisobutyric acid (Aib): X-ray crystal structure of tos-(Aib)$_5$-OMe, 996–7
AMINOLYSIS
A tetrahedral intermediate in the aminolysis of benzylpenicillin, 374–5
Stereochemistry of the S_N2' reaction with acyclic allylic esters, 454–5
Neighbouring carboxylate group participation in ester aminolysis in nonhydroxylic solvents. The n-butylaminolysis of aspirin in acetonitrile, 886–8
AMINOMETHYLTOLUENEIODOPLATINUM
A novel type of platinum–carbon interaction and a model for the final stage in reductive elimination processes involving carbon–carbon coupling at platinum; synthesis and molecular geometry of (1,N,N′-η-2,6-bis((dimethylamino)methyl)toluene) iodoplatinum(II) tetrafluoroborate, 250–2
AMINOPHTHALIMIDE
Preparation and thermal rearrangement of an azaanalogue of 4,5-homotropone (bicyclo(5.1.0)octa-3,5-dien-2-one), 404–5
AMINOPROPANOATE METHYLIDENE
Total synthesis of clavulanic acid analogues from 7-oxo-3-vinyl-4-oxa-1-azabicyclo(3.2.0)heptanes, 439–41
AMINOTHYMINE
Synthesis of a photoproduct from ultraviolet irradiation of bacterial spores: 5,6-dihydro-5-(α-thyminyl)thymine, 284
AMINOTRIOXAUNDECANE
Alkaline earth metal complexes of pyridinyl containing Schiff base macrocycles: X-ray crystal and molecular structures of the calcium and strontium complexes, 279–80
AMINYL
Generation and some reactions of the bis(trimethylsilyl)aminyl radical, 545–6
Homolytic addition to N-methylene-tert-butylamine: a new route to aminyl radicals, 960–1
AMMINECOBALT
Inter- and intramolecular condensations of cyanide and amide ions with coordinated acetonitrile: an amido acid synthesis. X-ray crystal structure of $((NH_3)_3Co((Me)C(NH_2)(NH_2{:}CNH_2)_2))Br_3\ 2/3H_2O$, 289–90
AMMONIA
Resolved nitrogen-14 hyperfine coupling for surface electrons on magnesium oxide in the presence of ammonia and amines, 71–2
Reduction of the carboxyl-function in aromatic carboxylic acids by alkali metal–liquid ammonia solutions, 941–3
AMMONIA SYNTHESIS
Ammonia synthesis from methane, water, and nitrogen over silica-supported ruthenium, 1105–6
AMMONIOSULPHATE
Trimethylammoniosulphate esters, 48–9
AMMONIUM
Asymmetric induction in the base-catalysed Michael addition of nitromethane to chalcone, 238–9
Radical coupling products derived from ammonium ylides. Competing (1,2), (1,3), and (1,4) anionic rearrangements, 670–1
Stereoselectivities in competing (1,2) and (1,3) rearrangements, 672–3
The thermal rearrangements of pentadienylammonium ylides. Competing (1,2), (3,2), and (5,2) rearrangements, 673–5
AMMONIUM REDN
'One-pot' conversion of Mannich bases via quaternary ammonium salts into the corresponding methyl compounds with sodium cyanoborohydride in hexamethylphosphoramide, 1089–90
AMP
Oxygen-18 isotope shifts on the phosphorus-31 nuclear magnetic resonance of adenosine-5′-phosphate and inorganic phosphate, 565–6
ANAGASTA
Novel β-triketones from Lepidoptera, 1075–6
ANATABINE
Stereochemistry of the reduction of nicotinic acid when it serves as a precursor of anatabine, 610–11
Biomimetic synthesis of anatabine from 2,5-dihydropyridine produced in situ by the action of sodium hypochlorite on baikiain 1055–6
ANCHIMERIC
Intramolecular nucleophilic and general acid catalysis in the hydrolysis of an amide, 591–2
ANCISTROFURAN
Total synthesis of ancistrofuran, a defensive compound from the termite Ancistrotermes cavithorax, 981–3
ANCISTROTERMES
Chemical defence in the termite Ancistrotermes cavithorax: ancistrodial and ancistrofuran, 410–11
Total synthesis of ancistrofuran, a defensive compound from the termite Ancistrotermes cavithorax, 981–3
ANDIBENIN
Biosynthesis of andibenin, a novel polyketide terpenoid metabolite of Aspergillus variecolor, 626–7
ANDILESIN
Andilesin, a C_{25} polyisoprenoid from Aspergillus sp. X-ray crystallographic and spectroscopic determination of the structure, 533–4
ANGULAR METHYL FUNCTIONALIZATION
Synthesis of tetrahydrosantonin derivatives functionalized at their angular methyl groups, 748–9
ANHYDRIDE
Oxidation of aldehyde hydrazones, hydrazo compounds, and hydroxylamines with benzeneseleninic anhydride, 276–7
A simple route to α-aminoketones and related derivatives by dianion acylation reactions; an improved preparation of δ-aminolevulinic acid, 753–4
Synthesis and reactions of an insoluble polymeric yneamine, 1079–80
ANHYDROVINBLASTINE
Antitumour alkaloids of the vinblastine-type: is leurosine an artefact, 102–3
ANIL
Novel ring transformation of a thiophene into a pyrrole, 453
ANILINE
The β-(trimethylsilyl)ethoxycarbonyl amino-protecting group, 358–9
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16
ANILINE CHLORO
Polymeric de-blocking agents for the fluoren-9-ylmethoxycarbonyl (FMOC) amino-protecting group, 450–1
ANILINIUM
Thermodynamics of formation of 18-crown-6 complexes with arenediazonium and anilinium salts in methanol at 25 °C, 386–7
ANILINOCYCLOHEXENONE
Heteroatom directed photoarylation; an approach to the synthesis of Aspidosperma alkaloids, 29
ANION
Detection of organic dianions by carbon-13 nuclear magnetic resonance spectroscopy, 172–3
X-ray crystal structure of $(AsPh_4)^+(NSF_2NSO_2F)^-$: three different types of sulphur–nitrogen bonds in the anion, 226
Electron-transfer reactions between the semiquinone anion radical and metallo-tetraphenylporphyrins, 361
Anion receptor molecules. Synthesis and some anion binding properties of macrocyclic guanidinium salts, 934–6
ANISOLE
Mechanism of formation of 4-methyl- and 4-chloro-2-nitrophenol in the nitration of 4-methyl- and 4-chloro-anisole, respectively, in aqueous sulphuric acid, 180–1
The NIH shift of deuterium during the oxidation of aromatic compounds by iron perchlorate and hydrogen peroxide in acetonitrile, 704–5
ANODIC
Stereochemical control of anodic cyanomethoxylation, 20–2
Regiospecific anodic pyridination of 2-hydroxy-3-methoxy-5-methylbenzaldehyde Schiff bases, 407–8
ANODIC DECOMPN
Anodically induced decomposition of some arylnickel(II) phosphine complexes, 66–8
ANOMERIC EFFECT
Unusual population of the axial–equatorial conformation in NN′-dichloropiperazine, 58–9

ANTHRACENE
A new phase of crystalline anthracene: its importance in solid–state photodimerization, 134–5
Role of exciplex in the photocycloaddition of 2,5–dimethylhexa–2,4–diene to anthracene, 978
ANTHRACENETETRONE
4a,9a–Epoxy–4a,9a–dihydroanthracene–1,4,9,10–tetrone: a versatile synthon in anthracyclinone synthesis, 997–8
ANTHRACYCLINONE SYNTHON
4a,9a–Epoxy–4a,9a–dihydroanthracene–1,4,9,10–tetrone: a versatile synthon in anthracyclinone synthesis, 997–8
ANTHRAQUINONE
Synthesis of the insect dyestuff kermesic acid and related anthraquinones, 688–9
Elimination of an allyloxy–group during the Claisen rearrangement of 1,2–diallyloxyanthraquinone, 900–1
Amino acid–catalysed alkylation of hydroxyanthraquinones with 2–hydroxytetrahydropyrans, 951–2
ANTI MARKOVNIKOV
Photosensitized anti–Markovnikov addition of methanol to homoconjugated aryl olefins, 600–1
ANTIBIOTIC K41
X–ray determination of the structure of the polyether antibiotic K–41, 682–3
Structure of the polyether antibiotic K–41 by mass and nuclear magnetic resonance spectrometry, 683–4
ANTIBIOTIC 6016
X–ray crystal structure of the thallium salt of antibiotic–6016, a new polyether ionophore, 875–6
ANTIBIOTICS
Natural abundance nitrogen–15 nuclear magnetic resonance spectroscopic evidence for the structural relation between the peptide antibiotics thiostrepton and siomycin–A, 577–8
Striatin A, B, and C: novel diterpenoid antibiotics from Cyathus striatus X–ray crystal structure of striatin A, 665–6
Synthesis of α–linked 3′–deoxy–pseudo–di– and –tri–saccharides related to aminocyclitol–glycoside antibiotics, 773–4
ANTIFEEDANT
X–ray crystal structure of canellal, a novel antimicrobial sesquiterpene from Canella winterana, 75–6
ANTIFERROMAGNETISM
Metal–metal interactions in 2–Fe ferredoxins; SCF–Xα–SW calculations, 1027–9
ANTIFOLATE DRUG
Cycloguanil hydrochloride: X–ray crystal structure of the antifolate drug, 188–90
ANTIGENIC
Chemical synthesis of 2–O–(α–L–fucopyranosyl)–3–O–(2–acetamido–2–deoxy–α–D–galactopyranosyl)–D–galactose, the terminal structure in the blood–group A antigenic determinant, 535–7
ANTIGORITE
Investigation of structure composition relationships in the serpentine minerals by combined X–ray K–emission spectrometry and high–resolution electron microscopy, 986–7
ANTIMICROBIAL
X–ray crystal structure of canellal, a novel antimicrobial sesquiterpene from Canella winterana, 75–6
APERGILLUS
Biosynthesis of andibenin, a novel polyketide terpenoid metabolite of Aspergillus variecolor, 626–7
AQ SOLVOLYSIS
Mechanisms of aqueous solvolyses, 418–20
AQUA
First case of an eleven coordinated trivalent lanthanoid: X–ray crystal structure of pentaaquatri(nitrato)lanthanum(III) monohydrate, 616–17
AQUATION
Absence of common five–coordinate intermediates in the induced reactions of some cobalt(III)–acido complexes, 892–4
ARABINOFURANOSYL
New synthesis of 1–β–D–arabinofuranosyl–aminoimidazoles and of related purine nucleosides, 882–3
ARALIOPSINE
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
ARALIOPSIS
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
ARALKENYL
Synthesis of 2–alkenyl–3–methylcyclohex–2–en–1–ones, 852–3
ARALKYL
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9
ARALKYL ALC
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
ARALKYLCYANOSULPHONIUM
Evidence for the participation of a nitrile group in (2,3) sigmatropic rearrangements of sulphonium ylides, 274–5
ARBUZOV
Methyltriphenoxyphosphonium trifluoromethanesulphonate: a new versatile synthetic reagent, 424–5
ARENE
Arene–tungsten chemistry: bis(arene)tungsten hydride derivatives; co–condensation of tungsten atoms from an electron gun source with aromatic hydrocarbons, 72–3
Synthesis of zerovalent bis–areneniobium compounds using niobium vapour, 431
Recovery of the chromium tricarbonyl unit in the removal of organic ligands from their chromium carbonyl complexes, 989–90
Synthesis and solution stoicheiometries and stabilities of mercury(II)–arene complexes, 1083–4
ARENE METAL
Preparation of diarenemetal complexes by potassium atom reduction, 730–1
ARENESULPHENYL CHLORIDE
Convenient synthesis of allenyl sulphides; application to the synthesis of αβ–unsaturated ketones, 822–4
ARENETHIOSULPHONATE
Detection of aromatic sulphinyl (ArSO•) radicals during the photolysis and thermolysis of S–aryl arenethiosulphonates and diaryl sulphoxides, 78–9
ARGININE
The mesitylene–2–sulphonyl group, a acidolytically removable N^G–protecting group for arginine, 482–3
ARISTOTELININE
New alkaloids from Aristotelia chilensis (Mol.) Stunz, 79–80
AROM
Addition of furans to electron rich olefins through photo–induced electron transfer in the presence of electron acceptors, 594–5
The NIH shift of deuterium during the oxidation of aromatic compounds by iron perchlorate and hydrogen peroxide in acetonitrile, 704–5
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
AROM COMPD
Tetrabutylammonium permanganate; an efficient oxidant for organic substrates, 253–4
AROM HYDROCARBON
The quenching of aromatic hydrocarbon fluorescence by α,ω–diaminoalkanes and the formation of excited ternary complexes, 911–13
AROMATIZATION
New approach to the aromatization of ring B in 19–norsteroids and to the synthesis of equilenin–type compounds, 916–18
ARSENATE
Novel salts of graphite and a boron nitride salt, 200–1
ARSENIC
X–ray crystal structure of $(AsPh_4)^+(NSF_2NSO_2F)^-$: three different types of sulphur–nitrogen bonds in the anion, 226
Insertion of selenium, tellurium, or arsenic atoms into borane cage compounds using element oxide reagents, 349–50
Formation of platinum(II) compounds containing isomeric σ–vinylic and σ–allylic six–membered chelate rings by deprotonation of the coordinated isopropenyl group: X–ray structure of the σ–vinylic complex di–μ–acetato–bis(o–isopropenylphenyl(diphenyl)arsineplatinum(II)), 861–3
ARSENIC FLUORIDE
Acid salts of graphite: large or small fractional ionization, 544–5
ARSONIUM
Partial asymmetric synthesis of substituted trans–2,3–diaryloxiranes using optically active arsonium ylides, 346–7

ARYL
Intramolecular homolytic aromatic ipso substitution in halogenobenzenes by aryl radicals, 530–1
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5
ARYL ALC
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
ARYLATION
Intramolecular photochemical arylation of N–substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
Palladium–promoted vinylic hydrogen substitution of alkenes by Grignard reagents. Stoicheiometric and catalytic reactions, 918–19
ARYLBENZAMIDINE
New syntheses of 1λ^4,2,4–benzothiadiazines, 1049–50
ARYLHYDROXYINDAZOLE
Auwers's 2–hydroxy–3–arylindazoles: a structure revision, 1052–3
ARYLNITRILE
Benzazetes as precursors for benzotriazepines, 396–7
ARYLSULPHONYL
Linear free energy relations in intramolecular aromatic ipso–substitutions by substituted methyl radicals, 166–7
ASCORBIC ACID
Reductant–induced homolysis of the thallium–carbon bond: novel oxygenation of alkylthallium(III) compounds with ascorbic acid, 716–17
ASPERGILLUS
Aspterric acid, a new sesquiterpenoid of the carotane group, a metabolite from Aspergillus terreus IFO–6123. X–ray crystal and molecular structure of its p–bromobenzoate, 160–1
Andilesin, a C_{25} polyisoprenoid from Aspergillus sp. X–ray crystallographic and spectroscopic determination of the structure, 533–4
Use of long range proton–carbon–13 couplings in structure determination: stellatin, a novel dihydroisocoumarin from Aspergillus variecolor, 627–8
ASPIDOSPERMA
Heteroatom directed photoarylation; an approach to the synthesis of Aspidosperma alkaloids, 29
New synthetic routes to synthons for the synthesis of functionalized Aspidosperma alkaloids, 943–4
ASPIRIN
Neighbouring carboxylate group participation in ester aminolysis in nonhydroxylic solvents. The n–butylaminolysis of aspirin in acetonitrile, 886–8
ASPTERRATE
Aspterric acid, a new sesquiterpenoid of the carotane group, a metabolite from Aspergillus terreus IFO–6123. X–ray crystal and molecular structure of its p–bromobenzoate, 160–1
ASTACENE
Electrochemical reductive acylation of astacene; a route to the carotenoid astaxanthin, 387–8
ASYM
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
Solvent effects in homogeneous asymmetric catalysis, 427–8
Asymmetric reduction of trifluoromethyl ketones by actively fermenting yeast, 456–7
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
ASYM ALKYLATION
Phase–transfer catalysis using chiral catalysts. Synthesis of optically active 2–phthalimido–esters, 742–3
ASYM INDUCTION
Asymmetric induction in the base–catalysed Michael addition of nitromethane to chalcone, 238–9
Synthesis and circular dichroism of methyl (R)–(^{16}O,^{17}O,^{18}O) phosphate, 512–14
ASYM PREPN
Synthesis of (5′R)–($^2H_1$)adenosine, 294–5
Phase–transfer catalysis using chiral catalysts. Synthesis of optically active 2–phthalimido–esters, 742–3
Microbial epoxidation of long–chain terminal olefins, 849–50
Stereospecific synthesis of chiral acetic acid from glycine, 967–8
ASYM REDN
Asymmetric reduction of methyl benzoylformate with a chiral NAD(P)H model compound, 328–9
ASYM SYNTHESIS
Asymmetric synthesis of aziridine–2–carboxylic acid and the formation of chiral serine, 522–3
ATLANTONE
Convenient synthesis of allenyl sulphides; application to the synthesis of $\alpha\beta$–unsaturated ketones, 822–4
ATP
Evidence for a dissociative S_N1(P) mechanism of phosphoryl transfer by rabbit muscle pyruvate kinase, 783–5
AURATE
ESCA study of compounds of gold in the oxidation state–1, 905–6
AUWERS
Auwers's 2–hydroxy–3–arylindazoles: a structure revision, 1052–3
AXINELLA
Investigations on the ring contraction step in the biosynthesis of A–nor–stanols by the marine sponge Axinella verrucosa, 524–5
AZA
(2+2) Cycloadducts from isocyanates and azaphospholes, 470–1
Enthalpy of formation of copper(II) complexes with 14–membered tetraaza macrocycles, 833–4
AZAANNULENE
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(III) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo–tetra–aza(14)annulene ligand, 909–10
AZABICYCLOOCTADIENONE
Preparation and thermal rearrangement of an azaanalogue of 4,5–homotropone (bicyclo(5.1.0)octa–3,5–dien–2–one), 404–5
AZABICYCLOPENTENE
Phototransposition of 2–cyanopyrroles: evidence for the intermediacy of 5–azabicyclo(2.1.0)pent–2–enes, 131–3
Synthesis of the N–unsubstituted Dewar pyrrole 1,2,3,4–tetrakistrifluoromethyl–5–azabicyclo(2.1.0)pent–2–ene, 509
AZACHOLESTANONE
Dehydrogenation of hydrazines and of 4–azacholestan–3–one with benzeneseleninic acid and benzeneseleninic anhydride, 278–9
AZADIOXABICYCLOHEPTANONE
1,3–Dipolar cycloaddition of anhydro–4–hydroxy–1,3–oxazolium hydroxides with carbonyl compounds, 247–8
AZADISILABICYCLOOCTADIENE
Photochemical reactions of a silacyclopropene with nitriles leading to new organosilicon ring systems, 80–1
AZATHIABENZENE OXIDE
X–ray crystal structures of a thiabenzene 1–oxide and its 2–azathia–analogues, 197–8
AZATRICYCLE SYNTHON
Preparation and chemoselective thermolysis of potential azatricyclic synthons containing an eight–membered nucleus, 915–16
AZATRICYCLODECADIENE
Preparation and chemoselective thermolysis of potential azatricyclic synthons containing an eight–membered nucleus, 915–16
AZEPINOINDOLE
Some novel transformations in indole chemistry, 332–3
AZETIDINONE
New synthesis of α–methylenecyclobutanones and α–methylenazetidin–2–one derivatives, 12–13
Preparation of a penicillin–derived 4–mercaptoazetidin–2–one, 239–40
Conversion of penicillins into biosynthetically significant peptides, 609–10
Concentration–dependent photoreaction of benzothiazolyldithioazetidinones: novel photochemical formation of penam derivatives, 836–8
AZIDE
Inverse substituent effect in an imidoyl azide to tetrazole cyclization limited by nitrogen inversion, 871–3
AZIDO
Novel carbon–carbon bond cleavage of α–azido steroidal ketones, 409–10
Matrix photolysis of trimethylazidosilane: silicon–hydrogen bond formation, 762–3
Ring expansion of azidoquinolines to benzo–1,4–diazepines, 806–7
AZIDOPHENOL
Phosphorus–containing heterocycles from phosphorus(III) reagents and ortho–azidoaromatic compounds: synthesis of 2,2–

di(dimethylamino)–1,3,2–benzoxazaphosphole and various 2,3–dihydro–1,3,2–benzoxazaphosph(V)oles, 182–3
AZIDOSTYRENE
Benzazetes as precursors for benzotriazepines, 396–7
AZIRIDINE
Formation of a 1,2,4–oxadiazoline from an aziridine: mechanism of the reaction and photochemical conversion into a benzimidazole derivative, 356–7
AZIRIDINECARBOXYLATE
Asymmetric synthesis of aziridine–2–carboxylic acid and the formation of chiral serine, 522–3
AZIRINYLACRYLOPHENONE
Novel type of transformation of a 2H–azirine in the presence of $Fe_2(CO)_9$, 998–9
AZONIABICYCLOOCTANE
Limited rotational equilibration in reactions involving diradical intermediates, 675–6
BACTERIAL HYDROXYLATION
Carboxyl–migration facilitated by bacterial hydroxylation of 4–hydroxybenzoate, 731–2
BAIKIAIN
Biomimetic synthesis of anatabine from 2,5–dihydropyridine produced in situ by the action of sodium hypochlorite on baikiain 1055–6
BASE
Effects of structural distortion on the ligand exchange reactions of copper(II) Schiff base complexes, 583–4
BASICITY
Extremely strong but sluggish amine bases, 89–90
Determination of the basicity of nitric acid in concentrated sulphuric acid by Raman and ultraviolet spectroscopy, 873–4
BENZALDEHYDE
Tetrabutylammonium permanganate; an efficient oxidant for organic substrates, 253–4
Partial asymmetric synthesis of substituted trans–2,3–diaryloxiranes using optically active arsonium ylides, 346–7
Regiospecific anodic pyridination of 2–hydroxy–3–methoxy–5–methylbenzaldehyde Schiff bases, 407–8
Reaction of some arylacetic acids and related compounds with alkaline sodium hypochlorite solution, 459–60
Vacuum pyrolysis of salts of 1–acyl–2–arylsulphonylhydrazines; a general McFadyen–Stevens aldehyde synthesis, 793–4
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5
β–Diphenylphosphinoyl ketones ($Ph_2POCH_2CH_2COR$): stable reagents for β–ketocarbanions, 988–9
Novel synthesis of phenyltrimethylsilyldiazene and generation of the phenyl anion synthon therefrom, 990
BENZAMIDE
Synthesis and reactions of an insoluble polymeric yneamine, 1079–80
BENZAMIDINE
New syntheses of 1λ^4,2,4–benzothiadiazines, 1049–50
BENZAMIDO
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
BENZANTHRACENE
A triplet state path for adduct formation between benz(a) anthracene and the penta–1,3–dienes, 588–9
BENZANTHRACENYL
Two micromethods for determining the linkage of adducts formed between polyaromatic hydrocarbons and nucleic acid bases, 798–800
BENZAZETE
Benzazetes as precursors for benzotriazepines, 396–7
BENZENE
Aromatic hydroxylation by O(^{3}P) atoms on γ–radiolysis of liquid carbon dioxide solutions of alkylbenzenes, 16–18
Arene–tungsten chemistry: bis(arene)tungsten hydride derivatives; co–condensation of tungsten atoms from an electron gun source with aromatic hydrocarbons, 72–3
Cis–trans isomerism in bis(trihalogenoacetyl)polymethylbenzenes resulting from restricted rotation about carbonyl groups: proton nuclear magnetic resonance evidence, 201–2
Production, in electrical discharges, of fluorine cyanide, fluoroacetylene, and related substances as monitored by microwave spectroscopy, 335
Synthesis of zerovalent bis–areneniobium compounds using niobium vapour, 431
An arene hydrido complex of ruthenium(II) as catalyst for the homogeneous hydrogenation of benzene and olefins, 582–3
Maleic anhydride–benzene and maleic anhydride–acetone molecular complexes, 933–4
Recovery of the chromium tricarbonyl unit in the removal of organic ligands from their chromium carbonyl complexes, 989–90
BENZENEDICARBOXYLATE
Synthesis of 'crown ether' macrocyclic bislactones using caesium carboxylates of pyridine and of benzene dicarboxylic acids, 383–4
BENZENEDITHIOL
A new and versatile chelating dithio ligand: X–ray crystal structure of ($Ru(CO)(SC_6H_3Me$–o–$SC_6H_4Me)(\eta$–$C_5H_5)$), 486–8
BENZENEMETHANOL
A new class of linkage between carbohydrates and lignin model compounds, 92–3
BENZENERUTHENIUM
Preparative applications of metal vapours obtained by evaporation of metal powders from coated filaments: a new preparation of dibenzeneruthenium and observation of its limiting NMR spectrum, 898–9
BENZENESELENIC ANHYDRIDE
Oxidation of aldehyde hydrazones, hydrazo compounds, and hydroxylamines with benzeneseleninic anhydride, 276–7
BENZENESELENINATE
Dehydrogenation of hydrazines and of 4–azacholestan–3–one with benzeneseleninic acid and benzeneseleninic anhydride, 278–9
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4
BENZENESELENINIC ANHYDRIDE
Dehydrogenation of steroidal ketones using benzeneseleninic anhydride, 130–1
Oxidation of aldehyde hydrazones, hydrazo compounds, and hydroxylamines with benzeneseleninic anhydride, 276–7
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
BENZENESELENYL
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80
BENZENESULPHONAMIDE
Coordination chemistry of macrocyclic polyethers. An unusual conformation of complexed 18–crown–6; X–ray crystal and molecular structure of a 1:2 host–guest complex of 18–crown–6 with benzenesulphonamide, 595–6
BENZENETHIOL
Rate acceleration by steric inhibition to solvation of sulphur nucleophiles in acyl transfer processes. A comparison of steric effect in nucleophilic substitutions at carbonyl and aromatic carbon atoms, 613–14
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
BENZIL
Perturbation of the benzil ground and excited state geometries at low temperatures in hydrocarbon glasses, 116–17
1,3–Dipolar cycloaddition of anhydro–4–hydroxy–1,3–oxazolium hydroxides with carbonyl compounds, 247–8
Photolysis of imidazole N(3)–oxides. Formation of unsymmetrical benzil di–imines; X–ray crystal structure of one such di–imine, 857–8
BENZIL DIIMINE
Photolysis of imidazole N(3)–oxides. Formation of unsymmetrical benzil di–imines; X–ray crystal structure of one such di–imine, 857–8
BENZIMIDAZOLE
Biosynthesis of 5,6–dimethylbenzimidazole from 6,7–dimethyl–10–(1′–^{14}C)formylmethylisoalloxazine, 22–3
BENZIMIDAZOLECARBOXYLATE
Formation of a 1,2,4–oxadiazoline from an aziridine: mechanism of the reaction and photochemical conversion into a benzimidazole derivative, 356–7
BENZINDENOAZEPINE
New route to the protopanes, 812–13
BENZISOXAZOLE
Ring transpositions in the pyrolysis of benzisoxazoles and 2,3–benzoxazin–1–ones, 9–10
BENZISOXAZOLOPYRIDINE
Benzisoxazolo(2,3–a)pyridinium tetrafluoroborates. Possible generation of an aryloxenium ion, 149–50
BENZOANTHRACENEDIONE
5,8–Dihydroxy–9,10–dihydro–9,10–(1,2)benzenoanthracene–1,4–

dione. An intramolecular triptycene quinhydrone, 720–1
BENZOATE
Reaction of some arylacetic acids and related compounds with alkaline sodium hypochlorite solution, 459–60
Asymmetric cis–trans photoisomerization of cyclo–octene sensitized by chiral aromatic esters, 1024–5
Biphasic photochemistry: the photo–Fries rearrangement on silica gel, 1109–10
BENZOAXAZOLE
Reaction of diborane with benzoxazole and its sulphur and selenium analogues. A novel rearrangement to benzoxazaboroles benzothiazaboroles, and benzoselenazaboroles, 971
BENZOCYCLOBUTENEQUINONE
Small ring–annulated nonbenzenoid aromatic compounds: 1,2–dihydrocyclobuta(e)tropolone, 215
BENZODIAZEPINE
Synthesis of bridged 1,5–benzodiazepines by condensation of o–phenylenediamines with 4,6–dimethylbicyclo(3.3.1)nona–3,6–diene–2,8–dione, 557–8
Ring expansion of azidoquinolines to benzo–1,4–diazepines, 806–7
BENZODITHIOLE
Tetrathio–derivatives of quinodimethane. Synthesis and ion–radical complex formation of cyclohexa–2,5–diene–1,4–diylidenebis–1,3–benzodithiole derivative, 74–5
BENZOFURAN
Acetylation of 2,3–dimethylbenzofuran. The first example of a 'non–conventional' Friedel–Crafts reaction, 597–8
Palladium(II)–catalysed asymmetric cyclization of 2–allylphenols by the use of optically active β–pinene, 687–8
BENZOFURANOID
Hydrobenzofuranoid–bicyclo(3.2.1)octanoid neolignan rearrangement, 831–2
BENZOFURANONE
1–Nitro–1–phenylthiopropene, a new reagent for 3–methylfuran synthesis, 362–3
BENZOFUROPYRIDINE
Benzisoxazolo(2,3–a)pyridinium tetrafluoroborates. Possible generation of an aryloxenium ion, 149–50
BENZOIC
Synthesis and reactions of an insoluble polymeric yneamine, 1079–80
BENZOINDOLE
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80
BENZONITRILE
Study of the distribution of metals on the surface of polymer–bound palladium(II) complexes by X–ray photoelectron spectroscopy, 650–1
Ready hydrogenation of nitrobenzene and benzonitrile with a polymer–bound palladium catalyst, 1074–5
BENZOPHENONE
Regioselectivity in the di–π–methane rearrangement; alternative processes in the photochemistry of halogeno–1,4–dienes, 101–2
Selectivity in the addition of organic radicals to the alkene bond, 438–9
Ready conversion of 1,1–diphenylethylene into benzophenone and 1 1–diphenylethane over a synthetic hectorite, 930–1
BENZOPORPHYRIN
Cyclizations involving meso–substituents of crowded porphyrins, 73–4
BENZOPYRANYL
New method for reduction of ketones and primary alcohols to hydrocarbons: reaction of the derived selenides with tin hydrides, 41–2
BENZOPYRENYLGUANOSINE
Two micromethods for determining the linkage of adducts formed between polyaromatic hydrocarbons and nucleic acid bases, 798–800
BENZOQUINONE
Electron–transfer reactions between the semiquinone anion radical and metallo–tetraphenylporphyrins, 361
Diels–Alder reaction of o–benzoquinones with acyclic dienes, 397
Synthesis of the insect dyestuff kermesic acid and related anthraquinones, 688–9
BENZOSELENAZABOROLE
Reaction of diborane with benzoxazole and its sulphur and selenium analogues. A novel rearrangement to benzoxazaboroles benzothiazaboroles, and benzoselenazaboroles, 971
BENZOTHIADIAZINE
New syntheses of $1\lambda^4$,2,4–benzothiadiazines, 1049–50
BENZOTHIAZABOROLE
Reaction of diborane with benzoxazole and its sulphur and selenium analogues. A novel rearrangement to benzoxazaboroles benzothiazaboroles, and benzoselenazaboroles, 971
BENZOTHIAZOLYL
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
BENZOTHIAZOLYLDITHIO
Concentration–dependent photoreaction of benzothiazolyldithioazetidinones: novel photochemical formation of penam derivatives, 836–8
BENZOTRIAZEPINE
Benzazetes as precursors for benzotriazepines, 396–7
BENZOTRIAZOLE
Action of chlorine on a 2–substituted benzotriazole, 932–3
BENZOTRICYCLONONENE
Novel reaction of 2–aryl–3,3–dimethylbicyclo(2.2.1)heptan–2–yl cations; X–ray crystal and molecular structure of 11–fluorosulphonyl–7,8,12–trimethyltetracyclo(7.4.0.$0^{2,7}$.$0^{4,8}$) trideca–1(9),10,12–triene, 111–12
BENZOTRIHALIDE
Novel synthesis of benzotrihalides: the pyrolysis of phenyl trihalogenoacetates, 714
BENZOXAZABOROLE
Reaction of diborane with benzoxazole and its sulphur and selenium analogues. A novel rearrangement to benzoxazaboroles benzothiazaboroles, and benzoselenazaboroles, 971
BENZOXAZAPHOSPHOLE
Phosphorus–containing heterocycles from phosphorus(III) reagents and ortho–azidoaromatic compounds: synthesis of 2,2–di(dimethylamino)–1,3,2–benzoxazaphosphole and various 2,3–dihydro–1,3,2–benzoxazaphosph(V)oles, 182–3
BENZOXAZINONE
Ring transpositions in the pyrolysis of benzisoxazoles and 2,3–benzoxazin–1–ones, 9–10
BENZOXAZOLE
Ring transpositions in the pyrolysis of benzisoxazoles and 2,3–benzoxazin–1–ones, 9–10
BENZOYL CHLORIDE
Metal–assisted borohydride reduction of acid chlorides to aldehydes 354–5
BENZOYLFORMATE
Asymmetric reduction of methyl benzoylformate with a chiral NAD(P)H model compound, 328–9
BENZOYLOXYETHYL INDOLECARBOXYLATE
2–(1–Methylindol–3–yl)–3–phenyldihydro–1,4–dioxin 2,3–epidioxide, a dioxetan resulting in efficient ultraviolet chemiluminescence, 781–2
BENZYL
A tetrahedral intermediate in the aminolysis of benzylpenicillin, 374–5
BENZYL CHLORIDE
High catalytic activity of calcined iron sulphates for the polycondensation of benzyl chloride, 121–2
Double carbonylation of substituted benzyl chlorides with cobalt carbonyl anion by phase transfer catalysis to give arylpyruvic acids, 1090–1
BENZYLAMINE
Selective acylation of amines using 18–crown–6, 471–2
BENZYLATION
Kinetics of the esterification of potassium p–nitrobenzoate by benzyl bromide using dicyclohexyl–18–crown–6 as phase transfer agent, 282–3
BENZYLIDENE
Solvolysis of substituted benzylidene chlorides in dioxane–water; an unusual role for a distant carboxy–group in a carbonium ion reaction, 98–9
BENZYLIDENEACETONE
A new route to 5–substituted resorcinols, 118
BENZYLIDENEACETONETRICARBONYLIRON
Electrochemical reduction of a heterodienetricarbonyliron(0) complex as a route to novel tricarbonyliron anions, 552–3
BENZYLIDENEAMINE
Unusual incorporation of the cyano group of tert–butylcyanoketene into a cycloadduct. X–ray structure of the pyrimido(1,6–e)(1,3–s) dioxazine formed, 820–1

BENZYLIDENEURACIL
Novel synthesis of pyrimido(4,5–b)quinoline–2(3H),4(10H)–diones (5–deazaflavins), 764
BENZYLIDYNE
Bromide catalysis in the preparation of benzylidyne trichlorides via photochlorination, 105–6
BENZYLMAGNESIUM
Copper–catalysed 1,6–addition of a benzyl Grignard reagent to a dienone: a new synthesis of ring C aromatic diterpenoids, 614–15
BENZYLOXYCINNAMATE
Treatment of cinnamic acids with polyphosphoric acid, 355
BICYCLE REACTION
Topology of the photochemical 'bicycle' reaction. Mechanistic and exploratory organic photochemistry, 232–4
BICYCLOALKANE
Synthesis of α–alkoxycarbonylcycloalkanones by electrolysis of 1–trimethylsiloxybicyclo(n.1.0)alkanes, 293–4
BICYCLOALKANONE
Organosilicon chemistry in synthesis: silylcyclopropanation, 714–16
BICYCLOBUTANOLATE
Cyclopropylidene insertion. Evidence for bicyclo(1.1.0)butan–2–olate formation, 128–9
BICYCLOHEPTADIENE
Diversity of behaviour of bicyclo(2.2.1)heptadiene–bisphosphine–rhodium complexes on hydrogenation in methanol, 646–7
BICYCLOHEPTANONE
α–Ketol rearrangements involving small rings: the formation and rearrangement of 1–hydroxy–6–isopropylbicyclo(3.2.0)heptan–7–one, 87–8
BICYCLOHEPTENE
Carbonium ion rearrangements in the norbornyl series controlled by a silyl group, 245–7
BICYCLOHEPTENOL
(1.3) Shifts of potassium alkoxides: the bicyclo(3.2.0)heptene–norbornene transformation, 479–80
BICYCLOHEPTYL CATION
Novel reaction of 2–aryl–3,3–dimethylbicyclo(2.2.1)heptan–2–yl cations; X–ray crystal and molecular structure of 11–fluorosulphonyl–7,8,12–trimethyltetracyclo(7.4.0.0^{2,7}.0^{4,8})trideca–1(9),10,12–triene, 111–12
BICYCLOHEXENE
Topology of the photochemical 'bicycle' reaction. Mechanistic and exploratory organic photochemistry, 232–4
BICYCLONONADIENE
3–Methylenebicyclo(3.2.2)nona–6,8–diene, 964–5
BICYCLONONADIENEDIONE
Synthesis of bridged 1,5–benzodiazepines by condensation of o–phenylenediamines with 4,6–dimethylbicyclo(3.3.1)nona–3,6–diene–2,8–dione, 557–8
BICYCLONONANE
An unexpected cyclization of an olefinic epoxy–ketone, 529–30
Standard enthalpies of formation of cis– and trans–bicyclo(6.1.0)nonanes, 778–9
BICYCLOOCTANOID
Hydrobenzofuranoid–bicyclo(3.2.1)octanoid neolignan rearrangement, 831–2
BICYCLOOCTENONE
Intramolecular photochemical cycloadditions involving enolized cyclopentane–1,3–diones. A new approach to the bicyclo(3.2.1)octane ring system, 138–40
BICYCLOPHETANONE
Synthesis of prostaglandin E_2 and prostaglandin C_2 from 5–endo, 7–anti–disubstituted bicyclo(2.2.1)heptan–2–ones, 660–1
BIFLAVONOID
Condensed tannins: direct synthesis, structure, and absolute configuration of four biflavonoids from black wattle bark ('mimosa') extract, 700–2
BIINDAN
Circular dichroism of diastereomeric 3,3'–di–tert–butyl–1,1'–spirobiindans, 810–12
BILANE
Biosynthesis of type–III porphyrins: proof of intact enzymic conversion of the head–to–tail bilane into uro'gen–III by intramolecular rearrangement, 185–6
BILANE CYCLIZATION
Biosynthesis of natural porphyrins: enzymic experiments on isomeric bilanes, 1064–6
BILATRIENE
X–ray crystal and molecular structure of 1,19–diethoxycarbonyl–2,3,7,8,12,13,17,18–octamethylbilatriene–abc hydrobromide, 33–4
BINAPHTHYL
Binaphthyl–2,2'–diyl hydrogen phosphate. A new chiral atropisomeric selector for the resolution of helicenes using high performance liquid chromatography, 173–5
BINARY
Relative solvent transport of ions in binary aqueous mixtures: an unambiguous assignment to ionic constituents, 218–19
BINDING
Anion receptor molecules. Synthesis and some anion binding properties of macrocyclic guanidinium salts, 934–6
BIOL SPACE
Mapping organic molecules in biological space by high resolution NMR spectroscopy and electron microscopy, 1030–2
BIOMIMETIC
Stereochemical control in the biomimetic conversion of heteroyohimbine alkaloid precursors. Isolation of a novel key intermediate, 618–19
BIOMIMETIC PREPN
Biomimetic syntheses of heptaketide metabolites: alternariol and a derivative of rubrofusarin, 406–7
Biomimetic synthesis of borreverine and isoborreverine, 826–8
Biomimetic synthesis of anatabine from 2,5–dihydropyridine produced in situ by the action of sodium hypochlorite on baikiain 1055–6
BIOSYNTHESIS
Biosynthesis of 5,6–dimethylbenzimidazole from 6,7–dimethyl–10–(1'–^{14}C)formylmethylisoalloxazine, 22–3
Deuterium nuclear magnetic resonance studies on biosynthesis: stereochemistry of the 5'–hydrogen atoms of griseofulvin derived from griseophenone B and 4–demethyldehydrogriseofulvin, 135–6
Biosynthesis of vitamin B_{12}: proof of A–B structure for sirohydrochlorin by its specific incorporation into cobyrinic acid, 150–1
Biosynthesis of sclerin: incorporation studies with advanced precursors, 158–9
Biosynthesis of type–III porphyrins: proof of intact enzymic conversion of the head–to–tail bilane into uro'gen–III by intramolecular rearrangement, 185–6
Absolute configuration and biosynthesis of tiliacorine and tilacorinine, 226–8
Juvenile hormone biosynthesis: homomevalonate and mevalonate synthesis by insect corpus allatum enzymes, 290–2
Juvenile hormone biosynthesis: identification of 3–hydroxy–3–ethylglutarate and 3–hydroxy–3–methylglutarate in cell–free extracts from Manduca sexta incubation with propionyl– and acetyl–CoA, 292–3
Biosynthesis of illudin sesquiterpenoids from (1,2–$^{13}C_2$)acetate, 303–4
Biosynthesis of β–sitosterol from (4–^{13}C)mevalonic acid and sodium (1,2–^{13}C)acetate in tissue cultures of Isodon japonicus hara, 319–20
Nonoxidative cyclization of squalene by Tetrahymena pyriformis. The incorporation of a 3β–hydrogen (deuterium) atom into tetrahymanol, 333–4
Biosynthesis of mycophenolic acid. Oxidation of 6–farnesyl–5,7–dihydroxy–4–methylphthalide in a cell–free preparation from Penicillium brevicompactum, 434
Investigations on the ring contraction step in the biosynthesis of A–nor–stanols by the marine sponge Axinella verrucosa, 524–5
Conversion of penicillins into biosynthetically significant peptides, 609–10
Biosynthesis of andibenin, a novel polyketide terpenoid metabolite of Aspergillus variecolor, 626–7
Biosynthesis of cochlioquinones, 679–80
Use of deuterium as a tracer with carbon–13 nuclear magnetic resonance spectroscopy in following deuteride migration in terpenoid biosynthesis: mechanism of geranylgeranyl pyrophosphate cyclization in fusicoccin biosynthesis, 843–5
Laboratory model for the biosynthesis of vallesemine, apparicine, and related alkaloids, 947–8
Biosynthesis of natural porphyrins: enzymic experiments on isomeric bilanes, 1064–6
Indirect involvement of geissoschizine in the biosynthesis of ajmalicine and related alkaloids, 1097–9
BIPHENYL
Novel carbon–carbon reductive cleavage of terphenyls with alkali metal–hexamethylphosphoric triamide, 153–4

BIPHENYL CYANOHEPTYL
Far infrared spectra of nematic 4-cyano-4′-n-heptylbiphenyl aligned with electric fields, 267–8
BIPHENYLCARBOXYLATE
Reduction of the carboxyl–function in aromatic carboxylic acids by alkali metal–liquid ammonia solutions, 941–3
BIPYRIDINE
Photochemistry of tris(2,2′-bipyridine)ruthenium(II) in chlorinated solvents, 285
BIPYRIDYL
Luminescence from $(Ru(bipyridyl)_3)^{2+}$ ions adsorbed on ion exchange surfaces. Dynamic quenching reactions between adsorbed cations, 408–9
Photoredox reaction in micellar solutions sensitized by surfactant derivative of tris(2,2′-bipyridyl)ruthenium(II), 628–30
Initial state and transition state solvation in the peroxodisulphate oxidation of dicyanobis(2,2′-bipyridyl)iron(II), 963–4
BIPYRIMIDINE
Cytochrome oxidase models: a binuclear iron–copper site with a bipyrimidine bridge, 483–5
BISALKYLIDENE
Evidence for an almost 'T-shaped' coordination geometry for carbon in the bis(alkylidene) complex $Ta(CHCMe_3)_2(2,4,6\text{-}Me_3C_6H_2)(PMe_3)_2$: X-ray crystal structure, 1048–9
BISANTHRACENE
Cation complexing photochromic materials involving bisanthracenes linked by a polyether chain. Preparation of a crown–ether by photocycloisomerization, 403–4
BISHOMOCYCLOHEPTATRIENE
Stereospecific double rearrangement of anti-1,5-bishomocycloheptatriene. A rebound path of thermal rearrangement involving intermediate geminal hydrogen interchange, 365–6
BISMUTH
μ-Oxo-bis(chlorotriphenylbismuth): a mild reagent for the oxidation of the hydroxy group, especially in allylic alcohols, 1099–100
BLOOD GROUP
Chemical synthesis of 2-O-(α-L-fucopyranosyl)-3-O-(2-acetamido-2-deoxy-α-D-galactopyranosyl)-D-galactose, the terminal structure in the blood-group A antigenic determinant, 535–7
BLOOD PLATELET AGGREGATION INHIBITOR
Total synthesis of carboprostacyclin, a stable and biologically active analogue of prostacyclin (PGI_2), 1067–8
BOND
Unexpectedly strong hydrogen bonding in some tetrahydro-4,7-phenanthroline-1,10-dione-3,8-dicarboxylic acids, 369–70
Bond strengths in metal carbonyl clusters, 765–6
Metal–metal interactions in 2-Fe ferredoxins; SCF-Xα-SW calculations, 1027–9
BOND CLEAVAGE
Opening of the phosphorus–nitrogen bond of bicyclic phosphoranes Synthesis and X-ray crystal and molecular structure of rhodium complexes of perhydro-1,3,6,2-dioxazaphosphocine, 1022–4
Reaction of ozone with vinyl sulphides. Reactions retaining hydrocarbon chains, 1032–3
BOND STRENGTH
Bond strengths in metal carbonyl clusters, 765–6
BORANE
Reaction of bis(triethylphosphine)platinum and pentakis(tert-butyl isocyanide)ruthenium with dicarba-nido-hexaboranes(8): molecular structures of (nido-$\mu_{4,5}$-(trans-$(Et_3P)_2Pt(H)$)-$\mu_{5,6}$-H-2,3-$C_2B_4H_6$), (closo-1,1-$(Et_3P)_2$-2,3-Me_2-1,2,3-$PtC_2B_4H_4$) and $(RuH(Bu^tNC)_5)^+$ (nido-2,3-Me_2-2,3-$C_2B_4H_5^-$), 169–71
Fluxional cyclopentadienylboranes, 242
Insertion of selenium, tellurium, or arsenic atoms into borane cage compounds using element oxide reagents, 349–50
New method of access to selenoacetal chemistry: use of tris(phenylseleno)borane, 356
Cleavage of α-(phenylthio)alkylboron compounds to monothioacetals and acetals, 357–8
Electronic structure of $B_4H_8Fe(CO)_3$. Comparison of SCF-Xα-SW molecular orbital theory with the ultraviolet photoelectron spectrum, 385–6
Protonolysis of alkenylboranes under neutral conditions by treatment with catalytic amounts of palladium diacetate, 702–3
Structural consequences of electron 'deficiencies' in metallaheteroboranes; hyperpolyhedral metal–metal bonding, 858–9
Bistriphenylphosphinecuprapentaborane, an unusual copper-borane, 866–7
BORANE CARBA
The first hypho carbaborane $Me_3N\text{-}CB_5H_{11}$, 287
BORANE CARBA PALLADA
Structural consequences of ligand and metal substitution in metallacarbaboranes; the crystal and molecular structures of 3-$(C_2H_4(NMe_2)_2)$-3,1,2-$PdC_2B_9H_{11}$ and 3,3-$(PMe_3)_2$-3,1,2-$PdC_2B_9H_{11}$, 322–4
BORAPHENALENE
Preparation of trans,trans,trans- and cis,cis,trans-perhydrophenalen-9-ols by application of the three-migration cyanoborate process to isomeric perhydro-9b-boraphenalenes: differences between the cyanaborate and carbonylation reactions, 805–6
BORATE
Copper(I) ethylenediamine carbonyl complexes: 'models' for carbon monoxide activation. X-ray structure of the ion-pair carbonylethylenediaminetetraphenylboratocopper, 921–2
BOROHYDRIDE
Efficiently monitored reduction of carboxylic acids into alcohols or aldehydes via 2-thiazoline-2-thiol esters by sodium borohydride or diisobutylaluminium hydride, 330
Metal-assisted borohydride reduction of acid chlorides to aldehydes 354–5
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
BORON
Detection of the new reactive molecule methyl(sulphido)boron, MeBS, by microwave spectroscopy, 19–20
Novel salts of graphite and a boron nitride salt, 200–1
Selective synthesis of the nonachlorononaborate clusters nonachlorononaboron and nonachlorononaborate dianion, 462–3
Boron complexes as control synthons in photocyclizations: an improved phenanthridine synthesis, 884–5
BORON PHOSPHATE
A relation between the product distribution from the dehydration of dimethylbutan-2-ols and catalytic acidity, 801–2
BORON TRIFLUORIDE
Regiospecific boron trifluoride catalysed fluorine addition to fluoro-substituted benzene derivatives using xenon difluoride, 969–70
BORREVERINE
Biomimetic synthesis of borreverine and isoborreverine, 826–8
BOVINE
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
BREFELDIN A
Homoconjugate addition of Grignard reagents spiroactivated cyclopropanes. An approach to the total synthesis of (±)-brefeldin A, 754–6
BROADENING
$(Cr(oxalate)_3)^{3-}$ as a broadening agent in nitroxyl spin probe studies, 944–5
BROENSTED
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave spectroscopic analyses, 835–6
BROENSTED ACID
Direct evidence of neighbouring group participation in the gas phase, 213–14
BROENSTED BASICITY
Gas phase Broensted basicity of $((\eta^5\text{-}MeC_5H_4)Mn(CO)_3)$, 126–7
BROMAL
Formation of abnormal products in the aluminium chloride-catalysed ene additions of chloral and bromal to mono- and 1,2-dialkyl ethylenes, 655–6
BROMINATION
β-Silylketones as masked αβ-unsaturated ketones, 176–7
Spiro(5.5)undecane sesquiterpene analogues. Bridging vinyl ether and vinyl acetal formation via intramolecular attack by an enol during bromination, 425–6
Radical chain bromination of hydrocarbons using bis(trimethylsilyl) bromamine, 752–3

BROMINE
Bromide catalysis in the preparation of benzylidyne trichlorides via photochlorination, 105–6
BROMO
Phase–transfer catalysis using chiral catalysts. Synthesis of optically active 2–phthalimido–esters, 742–3
BROMOALKANECARBOXYLATE
Electrochemical reductive cyclization of dimethyl 2,(ω – 1) –dibromoalkanedioates, 481–2
BROMOBENZENE
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
BROMOETHANE
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
BROMOFLUOROPHOSPHINOMETHYLAMINODICOBALT
Retention of the cobalt–cobalt bond in $(MeN(PF_2)_2)_3Co_2(CO)_2$ upon halogenation: the X–ray crystal structure of $(MeN(PF_2)_2)_3Co_2Br_4$, 514–15
BROMOGLUCOPYRANOSE
Introduction, substitution, and elimination of bromine at C–5 of aldopyranose peresters, 1019–20
BROMOIODONAPHTHACENOBISDITHIOLE
Highly conducting organic alloys $(NBDT)_2I_xBr_{3-x}$ (NBDT = naphthaceno(5,6–cd:11,12–c′d′)bis(1,2)dithiole), 974–5
BROMOLACTONE
Applications of bromolactones in synthesis. Stereospecific syntheses of cis–2–hydroxy–1–methylcyclohex–5–ene–1–carboxylic acid and related compounds, 961–2
BROMOPENTANONE
Reduction of α,α′–dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4–isopropylidene–1,3–dioxolans, 1040–1
BROMOSTYRENE
Selective cyanation of bromostyrenes by pentacyanocobaltate(II) and nuclear magnetic resonance evidence for the formation of intermediate σ–styryl–cobalt(III) and η–cinnamonitrile–cobalt(I) cyano–complexes, 1059–61
BUELLIA
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2
BUELLOLIDE
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2
BUTADIENE
Diels–Alder reaction of o–benzoquinones with acyclic dienes, 397
New syntheses of 1– and 2–phenylthiobutadienes, 657
An easy vinylcyclobutane–cyclohexane rearrangement, 931–2
BUTANOL
Direct evidence of neighbouring group participation in the gas phase, 213–14
Ipso–attack in the cyclization of 4–(α–naphthyl)butan–1–ol to 1,2,3,4–tetrahydrophenanthrene, 734–5
A relation between the product distribution from the dehydration of dimethylbutan–2–ols and catalytic acidity, 801–2
BUTENAL
New syntheses of 1– and 2–phenylthiobutadienes, 657
BUTENE
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
BUTENOLIDE
General route to γ–alkylidene butenolides, 30
A mild, regiospecific but–2–enolide synthesis and a convenient preparation of acylated dienes, 311–12
Rearrangement of 4–ylidenebutenolides to cyclopentene–1,3–diones: synthesis of calythrone and related compounds, 880–2
BUTENYL
Rearrangement of cyclopropylmethyl and but–3–enyl cobaloximes, 954–6
BUTENYL CATIONIC COMPLEX
Metallacycloalkane chemistry: synthesis of the first palladacyclopentane derivative and its transformation into a η^3–butenyl cationic complex, 735–6
BUTENYLPHENOL
Palladium(II)–catalysed asymmetric cyclization of 2–allylphenols by the use of optically active β–pinene, 687–8
BUTYL BROMIDE
Unusual reactivity of the 2H–thiopyran anion in alkylation with tert–butyl bromide and cyclohexyl bromide, 596–7
BUTYLCYANOKETENE
Stereochemistry of the adduct from tert–butylcyanoketene and 2–methylbut–2–ene; X–ray crystal and molecular structure of 2–cyano–3,3,4–trimethyl–2–tert–butylcyclobutyl p–chlorobenzoate, 10–11
Additions of tert–butylcyanoketene to activated olefins. Structure and mechanism, 237–8
Unusual incorporation of the cyano group of tert–butylcyanoketene into a cycloadduct. X–ray structure of the pyrimido(1,6–e)(1,3–s) dioxazine formed, 820–1
BUTYLIUM
Gas–phase condensation of tert–butyl cations with Lewis bases, 938–40
BUTYLMAGNESIUM
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
BUTYLSPIROBIINDAN
Circular dichroism of diastereomeric 3,3′–di–tert–butyl–1,1′ –spirobiindans, 810–12
BUTYNE
Synthesis and molecular structure of $(Os_6(CO)_{16}(CMe)_2)$ and $(Os_6(CO)_{16}(MeC{:}CMe)C)$, derivatives of ethylene and hexaosmium octadecacarbonyl, 421–3
BUTYROLACTONE
Synthesis of (±)–podorhizone via intermediate α–hydroxyalkylation of a β–benzyl γ–butyrolactone, 556–7
Cyclization of acetylenecarboxylic acids; a novel route to γ–methylenebutyrolactones, 649–50
Formation of allenes or γ–ketoesters from reactions of oxyallyls with acetylenes or 1,1–dimethoxyethene, 1006–7
CADMIUM
Metal–assisted borohydride reduction of acid chlorides to aldehydes 354–5
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18
CAESIUM
Synthesis of 'crown ether' macrocyclic bislactones using caesium carboxylates of pyridine and of benzene dicarboxylic acids, 383–4
ESCA study of compounds of gold in the oxidation state–1, 905–6
CAGE
Insertion of selenium, tellurium, or arsenic atoms into borane cage compounds using element oxide reagents, 349–50
CALCIUM
Alkaline earth metal complexes of pyridinyl containing Schiff base macrocycles: X–ray crystal and molecular structures of the calcium and strontium complexes, 279–80
CALYTHRONE
Rearrangement of 4–ylidenebutenolides to cyclopentene–1,3–diones: synthesis of calythrone and related compounds, 880–2
CANELLAL
X–ray crystal structure of canellal, a novel antimicrobial sesquiterpene from Canella winterana, 75–6
CANESOLIDE
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2
CANNELLEL
X–ray crystal structure of canellal, a novel antimicrobial sesquiterpene from Canella winterana, 75–6
CARBABORANE
Reaction of bis(triethylphosphine)platinum and pentakis(tert–butyl isocyanide)ruthenium with dicarba–nido–hexaboranes(8): molecular structures of (nido–$\mu_{4,5}$–(trans–$(Et_3P)_2Pt(H)$)–$\mu_{5,6}$–H–2,3–$C_2B_4H_6$), (closo–1,1–$(Et_3P)_2$–2,3–Me_2–1,2,3–$PtC_2B_4H_4$) and $(RuH(Bu^tNC)_5)^+$ (nido–2,3–Me_2–2,3–$C_2B_4H_5)^-$, 169–71
The first hypho carbaborane Me_3N–CB_5H_{11}, 287
Structural consequences of ligand and metal substitution in metallacarbaboranes; the crystal and molecular structures of 3–$(C_2H_4(NMe_2)_2)$–3,1,2–$PdC_2B_9H_{11}$ and 3,3–$(PMe_3)_2$–3,1,2–$PdC_2B_9H_{11}$, 322–4
CARBAMATE
Conversion of alkyl carbamates into amines via treatment with trimethylsilyl iodide, 315–16
Bis(organodiazenido)–complexes of molybdenum, 352–3
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80

CARBAMATO
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16
CARBANION
Ion pairing in triphenylmethyl and diphenylmethyl carbanions from spectrophotometric studies, 758–9
Orientation in elimination from carbanions, 975–6
β–Diphenylphosphinoyl ketones ($Ph_2POCH_2CH_2COR$): stable reagents for β–ketocarbanions, 988–9
CARBAZOLE
Heteroatom directed photoarylation; an approach to the synthesis of Aspidosperma alkaloids, 29
Intramolecular photochemical arylation of N–substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
CARBAZOLE PYRIDAZO
Synthesis of pyridazo(4,5–b)carbazoles, 309–10
CARBENE
Olefin metathesis: preparation of a carbene–olefin–metal complex, 26–7
Carbene photocycloelimination from a vinyl–cyclopropane, 558–9
Interception of alkylchlorocarbenes, 775–6
Insertion of the carbene :CH_2 into Ni–R bonds of mono– and di–alkylnickel(II) complexes, 1003–4
Carbon–carbon bond–making by trapping of a nucleophilic carbene (from an electron–rich olefin) by a σ–π–acetylido(hexacarbonyl) di–iron complex; X–ray crystal and molecular structure, 1017–19
Reaction of isopropylidenecarbene with isonitriles. Evidence for the formation of alkadienylideneamine, 1057–8
CARBENE COMPLEX
Aspects of the coordination chemistry of some electron–rich polyorganosulphur compounds; bis(ethylthio)carbene complexes ($M(CO)_5(C(SEt)_2)$) (M = Cr or W) from $Na(TosNNC(SEt)_2)$ (Tos = p–$MeC_6H_4SO_2$), 146–7
CARBENE INSERTION
Insertion of the carbene :CH_2 into Ni–R bonds of mono– and di–alkylnickel(II) complexes, 1003–4
CARBIDE
X–ray crystal structures of two products formed in the reaction of dicobalt octacarbonyl with carbon disulphide: dodecacarbonylcarbidohexacobalt disulphide, $Co_6C(CO)_{12}S_2$, and bis(enneacarbonyltricobaltcarbon) disulphide, $(CO)_9Co_3CSSCCo_3(CO)_9$, 841–3
CARBOHYDRATE
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4
CARBON
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
Carbon–carbon coupling in (90%–^{13}C–2)histidine, 1070–1
CARBON COORDINATION GEOMETRY
Evidence for an almost 'T–shaped' coordination geometry for carbon in the bis(alkylidene) complex $Ta(CHCMe_3)_2(2,4,6\text{–}Me_3C_6H_2)(PMe_3)_2$: X–ray crystal structure, 1048–9
CARBON DIOXIDE
Aromatic hydroxylation by $O(^3P)$ atoms on γ–radiolysis of liquid carbon dioxide solutions of alkylbenzenes, 16–18
Stoicheiometric reduction of carbon monoxide and carbon dioxide to methanol: evidence for carbon monoxide insertion into zirconium–hydrogen bond, 269–70
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16
CARBON DISULFIDE
X–ray crystal structures of two products formed in the reaction of dicobalt octacarbonyl with carbon disulphide: dodecacarbonylcarbidohexacobalt disulphide, $Co_6C(CO)_{12}S_2$, and bis(enneacarbonyltricobaltcarbon) disulphide, $(CO)_9Co_3CSSCCo_3(CO)_9$, 841–3
CARBON MONOXIDE
Stoicheiometric reduction of carbon monoxide and carbon dioxide to methanol: evidence for carbon monoxide insertion into zirconium–hydrogen bond, 269–70
A mild, regiospecific but–2–enolide synthesis and a convenient preparation of acylated dienes, 311–12
Formation of an acyl species from hept–1–ene and carbon monoxide on an evaporated nickel surface, 617–18
Copper(I) ethylenediamine carbonyl complexes: 'models' for carbon monoxide activation. X–ray structure of the ion–pair carbonylethylenediaminetetraphenylboratocopper, 921–2
CARBON TETRACHLORIDE
Carbon–13–labelling study of the reaction between 2–(methylthio) ethanol and carbon tetrachloride–phosphines, 208–9
CARBONIUM
Nonconcerted unimolecular reactions of ions in the gas phase: isomerization of weakly coordinated carbonium ions, 24–6
CARBONYL
New palladium carbonyl clusters: X–ray crystal structure of $(Pd_4(CO)_4(OAc)_4).(AcOH)_2$, 27–8
Infrared lasers: a new tool for studying the diazotization of matrix isolated tetracarbonyliron(0), 36–8
Phosphorus–31 nuclear magnetic resonance and infrared spectroscopic evidence for coordinatively unsaturated zerovalent tungsten generated by interaction of $W(CO)_5L$ (L PPh_3 or PBu^n_3) with aluminium tribromide, 38–9
Gas phase Broensted basicity of $((\eta^5\text{–}MeC_5H_4)Mn(CO)_3)$, 126–7
Mixed rhodium–platinum carbonyl clusters: synthesis and X–ray crystallographic characterization of $(Rh_5Pt(CO)_{15})^-((Ph_3P)_2N)^+$, 195–6
Acetylene linkage at a di–metal centre: X–ray crystal structures of $(Cr_2(CO)(\eta\text{–}C_5H_5)_2(PhC_2Ph)_2)$ and $(Mo_2(\eta\text{–}C_5H_5)_2((MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2))$, 221–3
Reactions of nitrogen oxides with di(cyclopentadienyl)titanium complexes, 234–5
Carbonylation of the η^3–vinylcarbene ligand. Synthesis and X–ray crystal and molecular structure of an '$(\eta^4$–vinylketene)' iron complex, 252–3
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu\text{–}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{–}H)_2(CO)_8(Ph_3P)_2)$, 260–2
Spin trapping experiments on NADH analogues and the role of radicals in carbonyl reductions, 300–1
$(Ir_4(CO)_8((MeCO_2)_2C_2)_4)$: a rectangular cluster, 340–1
Unusual stereoselectivities in olefin metathesis, 341–2
Preparation and X–ray structure determination of the mixed cluster $(H_3CoOs_3(CO)_{12})$, 343–4
Electronic structure of $B_4H_8Fe(CO)_3$. Comparison of SCF–Xα–SW molecular orbital theory with the ultraviolet photoelectron spectrum, 385–6
(η^4–Cyclobutadiene)(η^5–cyclopentadienyl)dicarbonylvanadium, 401–2
Synthesis and molecular structure of $(Os_6(CO)_{16}(CMe)_2)$ and $(Os_6(CO)_{16}(MeC{:}CMe)C)$, derivatives of ethylene and hexaosmium octadecacarbonyl, 421–3
Use of triorganogermyllithium compounds in transition metal chemistry. Application to the synthesis of optically active anions containing a transition metal–germanium bond, 435–6
X–ray structure of $(\eta^5\text{–}C_5H_5)W(CO)_2C_{15}H_{15}$): a compound containing three unusually bonded five–membered rings, 451–2
Synthesis and molecular structures of chloro(trimethylphosphine) tris(trimethylsilylmethyl)molybdenum(IV) and di–μ–chloro–bis(η_2–trimethylsilylmethylcarbonylbis(carbonyl) trimethylphosphinemolybdenum(II)), 465–6
A new and versatile chelating dithio ligand: X–ray crystal structure of $(Ru(CO)(SC_6H_3Me\text{–}o\text{–}SC_6H_4Me)(\eta\text{–}C_5H_5))$, 486–8
Synthesis and molecular geometry of novel di– and tri–nuclear iron complexes resulting from the interaction of $(Fe_2(CO)_9)$ with R–N=S=N–R (R = tert–butyl or p–tolyl); X–ray crystal structures of $(Fe_2(CO)_6(RNC(O)S))$ and $(Fe_3(CO)_9(RNS)S)$, 506–7
New mixed–metal clusters via metal hydride coupling. Synthesis and crystal structures of $((\mu_2\text{–}H)Os_3W(CO)_{12}(\eta^5\text{–}C_5H_5))$ and $((\mu_2\text{–}H)_3Os_3W(CO)_{11}(\eta^5\text{–}C_5H_5))$, 534–5
Polymer–bound tetranuclear iridium carbonyl catalyst, 540–1
$(Os_3(CO)_9H(SR))$, a highly reactive molecule. The X–ray structure of a π–bound ethylene adduct $(Os_3(CO)_9H(C_2H_4)(SMe))$, 551–2
Electrochemical reduction of a heterodienetricarbonyliron(0) complex as a route to novel tricarbonyliron anions, 552–3
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
Bridging hydrides in $(H_2Os_3(CO)_{10})$ and $((C_2H_3)HOs_3(CO)_{10})$: a combined X–ray–neutron diffraction study, 723–4
Bond strengths in metal carbonyl clusters, 765–6
X–ray crystal structures of two products formed in the reaction of dicobalt octacarbonyl with carbon disulphide: dodecacarbonylcarbidohexacobalt disulphide, $Co_6C(CO)_{12}S_2$,

and bis(enneacarbonyltricobaltcarbon) disulphide, $(CO)_9Co_3CSSCCo_3(CO)_9$, 841–3
Effect of cation on the quantum efficiency and the photoreaction paths of $(W(CO)_5X)^-$ anions, 863–4
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(III) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo–tetra–aza(14)annulene ligand, 909–10
$(H_3Ru_4(CO)_{12})^-$: the X-ray crystallographic determination of two structural isomers, 920–1
Organometallic photochemistry with circularly polarized light. Synthesis of optically active tropone–iron tricarbonyl complex by asymmetric destruction, 983–4
Recovery of the chromium tricarbonyl unit in the removal of organic ligands from their chromium carbonyl complexes, 989–90
Novel type of transformation of a 2H–azirine in the presence of $Fe_2(CO)_9$, 998–9
Synthesis and molecular structure of $(Os_5(CO)_{15}POMe)$, 1015–16
New mode of bonding of a vinyl ligand to an osmium cluster: the X–ray crystal structure of $(HOs_3(CO)_{10}(CF_3CCHCF_3))$, 1035–6
Thionitrosyl ligand; X–ray molecular structure of dicarbonyl(η^5–cyclopentadienyl)thionitrosylchromium, 1036–7
Organometallic compounds in organic synthesis: nucleophilic substitution reactions of N–methylindoletricarbonylchromium(0) 1076–7
Interconversion of μ_2–phenolato and μ_3–oxodienediyl ligands in triosmium clusters: X–ray crystal structure of 1,1,1,2,2,2,3,3,3–nonacarbonyl–1,2:2,3–di–μ–hydrido–(μ_3–3–benzyl–2–oxocyclohexa–3,5–diene–1,1–diyl–1,2–C^1–3–O)–triangulo–triosmium(3Os–Os), 1086–8

CARBONYL COMPD
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
β–Diphenylphosphinoyl ketones ($Ph_2POCH_2CH_2COR$): stable reagents for β–ketocarbanions, 988–9

CARBONYL GROUP
New 1,2–transpositions and alkylative 1,2–transpositions of a carbonyl group, 414–15

CARBONYL INSERTION
Carbonyl insertion at chloro(alkyl– or –aryl)(methyldiphenylphosphine)carbonylplatinum: critical effects of stereochemistry and the nature of the alkyl or aryl group, 819–20

CARBONYLATION
A mild, regiospecific but–2–enolide synthesis and a convenient preparation of acylated dienes, 311–12
Double carbonylation of substituted benzyl chlorides with cobalt carbonyl anion by phase transfer catalysis to give arylpyruvic acids, 1090–1

CARBONYLCOPPER
Copper(I) ethylenediamine carbonyl complexes: 'models' for carbon monoxide activation. X–ray structure of the ion–pair carbonylethylenediaminetetraphenylboratocopper, 921–2

CARBONYLCYCLOPENTADIENYLRHODIUM
Formation and molecular structure of (η^5–cyclopentadienyl)–(η^4–cyclobuta(l)phenanthrene)rhodium: a cyclobutadiene–metal complex derived from the intramolecular cyclodimerization of an acyclic diacetylene, 187–8

CARBONYLCYCLOPENTADIENYLTHIONITROSYLCHROMIUM
Thionitrosyl ligand; X–ray molecular structure of dicarbonyl(η^5–cyclopentadienyl)thionitrosylchromium, 1036–7

CARBONYLIRON
Infrared lasers: a new tool for studying the diazotization of matrix isolated tetracarbonyliron(0), 36–8

CARBONYLOSMIUM
Anchoring of osmium clusters to silica, 1063–4

CARBONYLPLATINUM
Platinum(IV) complexes with π–acceptor ligands, 1056–7

CARBONYLRHODIUM
Opening of the phosphorus–nitrogen bond of bicyclic phosphoranes Synthesis and X–ray crystal and molecular structure of rhodium complexes of perhydro–1,3,6,2–dioxazaphosphocine, 1022–4

CARBONYLSILYLPHOSPHINERUTHENIUM
'Capped' tri–ruthenium carbonyl cluster: X–ray crystal structure of $(Ru_3(CO)_9(MeSi(PBu_2)_3))$, 1005–6

CARBOPROSTACYCLIN
Total synthesis of carboprostacyclin, a stable and biologically active analogue of prostacyclin (PGI_2), 1067–8

CARBOXONIUM ION
Ortho ester hydrolysis: rate determining addition of water to a carboxonium ion intermediate, 678–9

CARBOXY MIGRATION
Carboxyl–migration facilitated by bacterial hydroxylation of 4–hydroxybenzoate, 731–2

CARBOXYALKYLATION
Alkylrhodium(III) porphyrins from rhodium(III) porphyrins and diazoalkanes, 937–8

CARBOXYLATE
New palladium carbonyl clusters: X–ray crystal structure of $(Pd_4(CO)_4(OAc)_4).(AcOH)_2$, 27–8
Increase in reaction rate consequent on the use of a polymer–supported reagent. Evidence for interaction between a high proportion of the groups of a polymer–supported reagent, 813–15
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5

CARBOXYLATE PARTICIPATION
Neighbouring carboxylate group participation in ester aminolysis in nonhydroxylic solvents. The n–butylaminolysis of aspirin in acetonitrile, 886–8

CARBOXYMETHOXYBENZYLIDENE
Solvolysis of substituted benzylidene chlorides in dioxane–water; an unusual role for a distant carboxy–group in a carbonium ion reaction, 98–9

CAROTANE SESQUITERPENE
Aspterric acid, a new sesquiterpenoid of the carotane group, a metabolite from Aspergillus terreus IFO–6123. X–ray crystal and molecular structure of its p–bromobenzoate, 160–1

CAROTENOID
Electrochemical reductive acylation of astacene; a route to the carotenoid astaxanthin, 387–8

CARRAGEENAN
Dynamics of the salt–induced random coil to helix transition in segmented ι–carrageenan, 515–16

CARVONE
Reduction of natural enones in the presence of cerium trichloride, 601–2

CARYOLANE ACETATE
Metal–amine reduction of sterically hindered esters to alkanes, a new method for the deoxygenation of hindered alcohols, 68–9

CATABOLITE
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2

CATALYSIS
Versatile deuterium exchange and isomerization of hydrocarbons via phase transfer catalysis, 155–6
Stereochemical course of dehydration catalysed by the yeast fatty acid synthetase, 193–4
Polymeric sulphur nitride electrode: an example of electrocatalysis by surface chemical modification, 244–5
A mild, regiospecific but–2–enolide synthesis and a convenient preparation of acylated dienes, 311–12
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
Electrocatalytic formation of superoxides in the presence of cobalt chelates, 339–40
Redox–photosensitized cleavage of indene dimers using aromatic hydrocarbon–dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave spectroscopic analyses, 835–6
Double carbonylation of substituted benzyl chlorides with cobalt carbonyl anion by phase transfer catalysis to give arylpyruvic acids, 1090–1
Stereochemistry of 1,4–addition of molecular deuterium to 2–methylbuta–1,3–diene over thorium dioxide, magnesium oxide, and dilanthanum trioxide, 1091–2
Mechanism of acid catalysed opening of the cyclopropane ring in the thujols, 1096–7

CATALYSIS BASE
Base catalysed and thermal rearrangements of grisadiendiones to depsidones, 1043–4

CATALYST
Hydrometallation of alkenes and alkynes with magnesium hydride, 30–1
Phosphorus–31 nuclear magnetic resonance and infrared spectroscopic evidence for coordinatively unsaturated zerovalent

tungsten generated by interaction of $W(CO)_5L$ (L PPh_3 or PBu^n_3) with aluminium tribromide, 38–9
Changes in surface composition of a cobalt–molybdenum binary oxide catalyst during various treatments studied by X-ray photoelectron spectroscopy, 47–8
Selective hydrogenation of the internal double bond of penta-1,3-diene on a zinc oxide catalyst, 53–4
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
Metal ion–catalysed oxidation of linoleic acid. Lipoxygenase-like regioselectivity of oxygenation, 82–3
Rhodium(II)–catalysed addition of dimethyl diazomalonate to thiophene: a simple synthesis of thiophenium bismethoxycarbonylmethylides and crystal and molecular structure of the unsubstituted methylide, 83–4
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
Bromide catalysis in the preparation of benzylidyne trichlorides via photochlorination, 105–6
Stereochemistry of hydrogenation of cyclonona-1,2-diene with supported platinum metals and soluble rhodium complexes as evidence for allylic intermediates, 114–15
High catalytic activity of calcined iron sulphates for the polycondensation of benzyl chloride, 121–2
Catalytic sites in the hydrogenolysis of cyclopropane on platinum, 127–8
Catalytic conversion of nitric oxide into nitrogen and dinitrogen oxide by dinitrobis(ethylenediamine)cobalt(III) cation, 175–6
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
Asymmetric induction in the base-catalysed Michael addition of nitromethane to chalcone, 238–9
Acetyl exchange between acetylmesitylene and acetyl chloride under Friedel–Crafts conditions, 271–2
Kinetics of the esterification of potassium p-nitrobenzoate by benzyl bromide using dicyclohexyl-18-crown-6 as phase transfer agent, 282–3
Unusual stereoselectivities in olefin metathesis, 341–2
Metal-assisted borohydride reduction of acid chlorides to aldehydes 354–5
Selective acylation of amines using 18-crown-6, 471–2
Polymer-bound tetranuclear iridium carbonyl catalyst, 540–1
Activation and transfer of molecular oxygen. Oxidation of terminal olefins to methyl ketones by rhodium dioxygen complexes, 559–60
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
An arene hydrido complex of ruthenium(II) as catalyst for the homogeneous hydrogenation of benzene and olefins, 582–3
Reduction of natural enones in the presence of cerium trichloride, 601–2
Ring opening polymerization of norbornene catalysed by ethyl aluminium dichloride; olefin metathesis in the absence of a transition metal, 603–4
Mechanism for the stereospecific polymerization of olefins by Ziegler–Natta catalysts, 604–6
Copper-catalysed 1,6-addition of a benzyl Grignard reagent to a dienone: a new synthesis of ring C aromatic diterpenoids, 614–15
Stereochemistry of the organocuprate reactions of two cis–trans isomeric allylic ethers, 621–3
Selective homo Diels–Alder addition of acetylenic hydrocarbons to norbornadiene catalysed by a cobalt complex, 636–8
Stereoselective cobalt-catalysed (2+2+2) cross-addition of norbornadiene and norbornene, 638–9
Cyclization of acetylenecarboxylic acids; a novel route to γ-methylenebutyrolactones, 649–50
Formation of abnormal products in the aluminium chloride-catalysed ene additions of chloral and bromal to mono- and 1,2-dialkyl ethylenes, 655–6
Palladium(II)-catalysed asymmetric cyclization of 2-allylphenols by the use of optically active β-pinene, 687–8
Isomerization of allyl ethers catalysed by the cationic iridium complex (Ir(cyclo-octa-1,5-diene)($PMePh_2)_2$)PF_6. A highly stereoselective route to trans-propenyl ethers, 694–5
Protonolysis of alkenylboranes under neutral conditions by treatment with catalytic amounts of palladium diacetate, 702–3
Rapid formation of N-nitrosamines from nitric oxide in the presence of silver(I) salts, 707–8
Regio-selective synthesis of 2- and 3-alkyl-5-hydroxyquinizarins, 712–13
Phase-transfer catalysis using chiral catalysts. Synthesis of optically active 2-phthalimido-esters, 742–3
Evidence for a dissociative S_N1(P) mechanism of phosphoryl transfer by rabbit muscle pyruvate kinase, 783–5
Difluor reagents: non-hygroscopic sources of the fluoride ion, 789–91
A relation between the product distribution from the dehydration of dimethylbutan-2-ols and catalytic acidity, 801–2
Evidence for the ready insertion of rhodium into a carbon–hydrogen bond of ethylene; crystal and molecular structure of μ-but-2-ene-μ-ethylenebis-(η^5-1-methylindenyl)dirhodium, 839–41
Oxidation of cyclic ketones by hydrogen peroxide catalysed by Group 6 metal peroxo complexes, 888–9
Continuous hydrogenation of ethene using spilt-over hydrogen, 891–2
Palladium-promoted vinylic hydrogen substitution of alkenes by Grignard reagents. Stoicheiometric and catalytic reactions, 918–19
Solvent transfer hydrogenation of αβ-unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
Ready conversion of 1,1-diphenylethylene into benzophenone and 1 1-diphenylethane over a synthetic hectorite, 930–1
Molecular catalysis: enhanced rates of thiolysis with high structural and chiral recognition in complexes of a reactive macrocyclic receptor molecule, 949–51
Amino acid–catalysed alkylation of hydroxyanthraquinones with 2-hydroxytetrahydropyrans, 951–2
Regiospecific boron trifluoride catalysed fluorine addition to fluoro-substituted benzene derivatives using xenon difluoride, 969–70
Efficient synthesis of acetals catalysed by rare earth chlorides, 976–7
Very active hydrogenation catalyst composed of extremely dispersed palladium on vitreous supports, 979–80
Convenient preparation of esters of testosterone and 19-norethisterone with hindered acids, 980–1
Stereoselective reaction of p-nitrophenyl N-acyl-phenylalanines with N-acyl-L-histidine in mixed micelles, 984–5
Alkyl bridged complexes of the group 3A and lanthanoid metals as homogeneous ethylene polymerization catalysts, 994–5
Synthesis, X-ray crystal structure, and properties of a tetranuclear complex formed by oxidation of copper(I) chloride with molecular dioxygen in N-methylpyrrolidin-2-one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
Activity of copper(II)-exchanged Y-type zeolites in the catalytic decomposition of nitrogen monoxide, 1058–9
Selective cyanation of bromostyrenes by pentacyanocobaltate(II) and nuclear magnetic resonance evidence for the formation of intermediate σ-styryl-cobalt(III) and η-cinnamonitrile-cobalt(I) cyano-complexes, 1059–61
Synthesis of some medium- and large-ring cycloalk-2-ene-1,4-diones by intramolecular coupling of αω-bis-diazoketones, 1069–70
Ready hydrogenation of nitrobenzene and benzonitrile with a polymer-bound palladium catalyst, 1074–5
Ammonia synthesis from methane, water, and nitrogen over silica-supported ruthenium, 1105–6

CATALYST SUPPORTED
Polymer-supported phase transfer catalysts in solid–liquid reactions 541–3

CATALYSTS
Macrocyclic enzyme model system: catalysis of ester degradation by a (20)paracyclophane bearing nucleophilic and metal-binding sites, 494–6

CATALYTIC
Photo-enhanced production of hydrogen by liquid-phase catalytic dehydrogenation of propan-2-ol with rhodium–tin chloride complexes, 348–9

CATECHIN
X-ray structure, conformation, and absolute configuration of 8-bromotetra-O-methyl-(+)-catechin, 695–6
Condensed tannins: determination of the point of linkage in 'terminal' (+)-catechin units and degradative bromination of 4-flavanylflavan-3,4-diols, 696–8
Condensed tannins: direct synthesis, structure, and absolute configuration of four biflavonoids from black wattle bark ('mimosa') extract, 700–2
CATECHOLAMINES
Proton nuclear magnetic resonance study of the deprotonation of the catecholamines in solution: the microconstants for the dedeuteronation of L-dopa in D_2O, 768–9
CATHA
Structures of cathedulin alkaloids from Catha edulis (khat) of Kenyan and Ethiopian origin, 107–8
CATHARANTHUS
Antitumour alkaloids of the vinblastine-type: is leurosine an artefact, 102–3
Indirect involvement of geissoschizine in the biosynthesis of ajmalicine and related alkalooids, 1097–9
CATHEDULIN
Structures of cathedulin alkaloids from Catha edulis (khat) of Kenyan and Ethiopian origin, 107–8
CATION
'Methoxy cation' and protonated formaldehyde: high barriers to isomerization, 190–1
Redox-photosensitized cleavage of indene dimers using aromatic hydrocarbon-dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1
Gas-phase condensation of tert-butyl cations with Lewis bases, 938–40
Identification of the species $(Te_nSe_{4-n})^{2+}$ by high resolution tellurium-125 and tellurium-123 Fourier transform NMR spectroscopy, 956–7
125-Tellurium and 77-selenium multinuclear magnetic resonance studies of Te_6^{4+}, $Te_{4-n}Se_n^{2+}$, $Te_2Se_4^{2+}$, and $Te_3Se_3^{2+}$ polyatomic cations, 957–60
CATION EFFECT
Effect of cation on the quantum efficiency and the photoreaction paths of $(W(CO)_5X)^-$ anions, 863–4
CATION EXCHANGER
Luminescence from $(Ru(bipyridyl)_3)^{2+}$ ions adsorbed on ion exchange surfaces. Dynamic quenching reactions between adsorbed cations, 408–9
CATION RADICAL
Nitration of mesitylene: comparison with reactions of the cation-radical $C_6H_3Me_3^{\cdot+}$, 445–6
CATIONIC COMPLEX
A new approach to cationic transition metal alkyls: $(M(\eta\text{-}C_5H_5)_2(CH_2SiMe_3)_2)^+(Y)^-$ (M = Nb or Ta, Y = BF_4 or SbF_6) and their conversion into the alkylidene complexes $(M(\eta\text{-}C_5H_5)_2(CHSiMe_3)(CH_2SiMe_3))$, 925–6
CEFOXITIN
Cleavage of the aminoadipoyl side chain of cephamycin C to the (6R,7S)-7-amino-7-methoxy derivative, 517–18
CEMBRENE
Alternative synthetic route to the cembrene skeleton, 359–60
CEPHAELINE
Deacetylisoipecoside: the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine, 896–8
CEPHAELIS
Deacetylisoipecoside: the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine, 896–8
CEPHAM
Concentration-dependent photoreaction of benzothiazolyldithioazetidinones: novel photochemical formation of penam derivatives, 836–8
CEPHAMYCIN C
Cleavage of the aminoadipoyl side chain of cephamycin C to the (6R,7S)-7-amino-7-methoxy derivative, 517–18
CERIUM
Reduction of natural enones in the presence of cerium trichloride, 601–2
CHAIN END
Chain ends as supports for α-helical structures in oligopeptides, 692–3
CHALCONE
Asymmetric induction in the base-catalysed Michael addition of nitromethane to chalcone, 238–9
Solvent effects in homogeneous asymmetric catalysis, 427–8
Organosilicon chemistry in synthesis: silylcyclopropanation, 714–16
Drifluor reagents: non-hygroscopic sources of the fluoride ion, 789–91
CHANNAINE
X-ray crystal and molecular structure of channaine, an unusual alkaloid, probably an artefact from Sceletium strictum, 1078–9
CHARGE TRANSFER
Tetrathio-derivatives of quinodimethane. Synthesis and ion-radical complex formation of cyclohexa-2,5-diene-1,4-diylidenebis-1,3-benzodithiole derivative, 74–5
Evidence of electronic interaction between classically nonconjugated aromatic systems, 100–1
Acid salts of graphite: large or small fractional ionization, 544–5
Photoluminescence from copper(I) complexes with low-lying metal-to-ligand charge transfer excited states, 759–61
Solution properties of $((CO)_5Mo(pz))$ and $(((CO)_5Mo)_2(pz))$: organometallic analogues of $((NH_3)_5Ru(pz))^{2+}$ and $(((NH_3)_5Ru)_2(pz))^{4+}$ (pz = pyrazine), 859–61
Combined use of M.c.d. and resonance Raman spectra for the detection of different electronic transitions in a charge-transfer band of $(Mo(CO)_4L)$ (L = 2-iminomethylpyridine), 1016–17
CHELATING DRUG
Synthesis and characterization of iron complexes of rhodotorulic acid: a novel dihydroxamate siderophore and potential chelating drug, 501–2
CHELATION
Steric effects on chelation in carbon-13 nuclear magnetic resonance spectra of β-diketone enolates, 965–7
CHEMILUMINESCENCE
2-(1-Methylindol-3-yl)-3-phenyldihydro-1,4-dioxin 2,3-epidioxide, a dioxetan resulting in efficient ultraviolet chemiluminescence, 781–2
CHEMISORBED
Formation of an acyl species from hept-1-ene and carbon monoxide on an evaporated nickel surface, 617–18
CHEMISORPTION
Raman spectra of molecules adsorbed on heavy metal oxides. Propylene on zinc oxide: the anionic nature of the adsorbed allyl species, 868–9
CHIRAL
An enantioconvergent approach to prostanoids, 436–8
Asymmetric synthesis of aziridine-2-carboxylic acid and the formation of chiral serine, 522–3
Stereoselectivities in competing (1,2) and (1,3) rearrangements, 672–3
General method for determining enantiomeric purities of chiral lactones, 722
Phase-transfer catalysis using chiral catalysts. Synthesis of optically active 2-phthalimido-esters, 742–3
Molecular catalysis: enhanced rates of thiolysis with high structural and chiral recognition in complexes of a reactive macrocyclic receptor molecule, 949–51
Stereospecific synthesis of chiral acetic acid from glycine, 967–8
Asymmetric cis-trans photoisomerization of cyclo-octene sensitized by chiral aromatic esters, 1024–5
CHLORAL
Formation of abnormal products in the aluminium chloride-catalysed ene additions of chloral and bromal to mono- and 1,2-dialkyl ethylenes, 655–6
CHLORIDE
Selective esterification of sucrose using pivaloyl chloride, 664–5
CHLORINATION
Bromide catalysis in the preparation of benzylidyne trichlorides via photochlorination, 105–6
Carbon-13-labelling study of the reaction between 2-(methylthio) ethanol and carbon tetrachloride-phosphines, 208–9
Increase in reaction rate consequent on the use of a polymer-supported reagent. Evidence for interaction between a high proportion of the groups of a polymer-supported reagent, 813–15
Action of chlorine on a 2-substituted benzotriazole, 932–3
Multiple chlorinations of the cyclometallated ring in iridium triaryl phosphite complexes: the crystal and molecular structure of $(IrCl_2(P(OC_6Cl_3Me\text{-}o)(OC_6H_4Me\text{-}o)_2)(pyridine)(PMe_3))$, 973–4

CHLORINE
Pulsed laser photolysis of chlorocopper(II) complexes in acetonitrile: evidence for chlororadical formation, 207–8
CHLORO
A novel chain structure in the $(Pb_2Cl_9)_n^{5n-}$ anion; crystal and molecular structure of $(Co(NH_2CH_2CH_2NH_2)_3)_2(Pb_2Cl_9)Cl.3H_2O$, 347–8
Study of the distribution of metals on the surface of polymer–bound palladium(II) complexes by X–ray photoelectron spectroscopy, 650–1
CHLORO KETONE
Convenient 'one–flask' synthesis of olefins. Reaction of α–chloroketones with Grignard reagents and lithium, 847
CHLOROACETATE
Novel synthesis of benzotrihalides: the pyrolysis of phenyl trihalogenoacetates, 714
CHLOROALKENE
Conversion of aldehydes and ketones into chloroolefins and acetylenes using chloroiodomethane as a chloromethylene source, 445–7
CHLOROBENZOATE
Stereochemistry of the S_N2' reaction with acyclic allylic esters, 454–5
CHLOROCOPPER
Synthesis, X–ray crystal structure, and properties of a tetranuclear complex formed by oxidation of copper(I) chloride with molecular dioxygen in N–methylpyrrolidin–2–one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
CHLOROCRUOROPORPHYRIN
New syntheses of chlorocruoro– and isochlorocruoro–porphyrins from protoporphyrin–IX, 645
CHLOROFLUORINATION
Fluorinated dichloro hexa– and penta–coordinated sulphur(VI) compounds, 154–5
CHLOROMETHYLENATION
Conversion of aldehydes and ketones into chloroolefins and acetylenes using chloroiodomethane as a chloromethylene source, 446–7
CHLOROMETHYLSILANE
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5
CHLOROPALLADATION
Mechanism of formation of 4–6η–3–oxo steroid–PdCl complexes, 15–16
CHLOROPIPERAZINE
Unusual population of the axial–equatorial conformation in NN'–dichloropiperazine, 58–9
CHLOROPLUMBATE
A novel chain structure in the $(Pb_2Cl_9)_n^{5n-}$ anion; crystal and molecular structure of $(Co(NH_2CH_2CH_2NH_2)_3)_2(Pb_2Cl_9)Cl.3H_2O$, 347–8
CHLOROSUCCINIMIDE
New syntheses of $1\lambda^4$,2,4–benzothiadiazines, 1049–50
CHLOROURANIUM
Uranium(IV)–crown–ether complexes and cryptates. Proton nuclear magnetic resonance study, and X–ray crystal and molecular structure of tetrachloro(2,5,8,15,18,21–hexaoxatricyclo(20.4.0.0^{9,14})hexacosane)uranium(IV), 90–2
CHLOROVINYL
Phenyl trans–2–chlorovinyl sulphone, a vinyl cation equivalent, 914–15
CHOLESTADIENONE
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
CHOLESTANE
Metal–amine reduction of sterically hindered esters to alkanes, a new method for the deoxygenation of hindered alcohols, 68–9
CHOLESTANOL
Trifluoroacetylation of alcohols: a newly detected reaction of trifluoroperacetic acid, 248
CHOLESTANONE
New method for reduction of ketones and primary alcohols to hydrocarbons: reaction of the derived selenides with tin hydrides, 41–2
Electrochemical removal of 1,3–dithiane protecting groups, 255–6
New method of access to selenoacetal chemistry: use of tris(phenylseleno)borane, 356
Novel carbon–carbon bond cleavage of α–azido steroidal ketones, 409–10
CHOLESTANYL
Reduction of alkyl esters to alkanes by sodium in hexamethylphosphoric triamide. A new method for the deoxygenation of alcohols, 567–8
CHOLESTENE
Steric mechanism of formation of the PdCl π–allyl derivative from (6β–2H)cholest–4–ene, 747–8
CHOLESTENOL
μ–Oxo–bis(chlorotriphenylbismuth): a mild reagent for the oxidation of the hydroxy group, especially in allylic alcohols, 1099–100
CHOLESTENONE
Mechanism of formation of 4–6η–3–oxo steroid–PdCl complexes, 15–16
Dehydrogenation of steroidal ketones using benzeneseleninic anhydride, 130–1
A silicon–based protecting group for the αβ–unsaturation of αβ–unsaturated ketones, 177–8
CHOLESTEROL
Investigations on the ring contraction step in the biosynthesis of A–nor–stanols by the marine sponge Axinella verrucosa, 524–5
CHROMAN
The acid–sensitive proton nuclear magnetic resonance spectra of tocopherols and other derivatives of 6–hydroxychroman, 265–6
CHROMATE
Correlation of magnetic and optical properties in the organic–intercalated two–dimensional ionic ferromagnet bis(monomethylammonium) tetrachlorochromate(II), 511–12
CHROMATOG
Binaphthyl–2,2'–diyl hydrogen phosphate. A new chiral atropisomeric selector for the resolution of helicenes using high performance liquid chromatography, 173–5
Trimethylgermyl derivatives for the study of silicate structures, 560–1
CHROMENYLATION
Chromenylation of 2–naphthol and alkylhydroquinones: short syntheses of (2RS,4'R,8'R)–α–tocopherol (vitamin E) and (2RS,4'R,8'R)–β–tocopherol, 59–60
CHROMIUM
Aspects of the coordination chemistry of some electron–rich polyorganosulphur compounds; bis(ethylthio)carbene complexes $(M(CO)_5(C(SEt)_2))$ (M = Cr or W) from $Na(TosNNC(SEt)_2)$ (Tos = p–$MeC_6H_4SO_2$), 146–7
Acetylene linkage at a di–metal centre: X–ray crystal structures of $(Cr_2(CO)(\eta\text{–}C_5H_5)_2(PhC_2Ph)_2)$ and $(Mo_2(\eta\text{–}C_5H_5)_2((MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2))$, 221–3
The role of stress in nucleus development during dehydration of certain alums, 273–4
Evidence for a second photoactive excited state in a tris(β–diketonate)chromium(III) complex, 363–4
Preparation of diarenemetal complexes by potassium atom reduction, 730–1
Synthesis and x–ray crystal and molecular structure of tetrakis(2,2–dimethyl–1–phenylethenyl)chromium(IV), the first structurally–characterized homoleptic alkenyl compound of a transition metal 899–900
$(Cr(oxalate)_3)^{3-}$ as a broadening agent in nitroxyl spin probe studies, 944–5
Recovery of the chromium tricarbonyl unit in the removal of organic ligands from their chromium carbonyl complexes, 989–90
Thionitrosyl ligand; X–ray molecular structure of dicarbonyl(η^5–cyclopentadienyl)thionitrosylchromium, 1036–7
Organometallic compounds in organic synthesis: nucleophilic substitution reactions of N–methylindoletricarbonylchromium(0) 1076–7
CHROMONE
Structure of conyzorigun, a new chromone from Ageratum conyzoides, 152
CHRYSENE DIOLEPOXIDE
Synthesis of the chrysene bay region anti–diolepoxide from chrysene 585–6
CHRYSOPHANOL
Synthetic approaches to aclacinomycin and pyrromycin antitumour antibiotics via Diels–Alder reactions of 6–alkoxy–2–pyrones: total synthesis of chrysophanol, helminthosporin and pachybasin, 95–6
CHRYSOTILE
Investigation of structure composition relationships in the serpentine minerals by combined X–ray K–emission spectrometry

and high–resolution electron microscopy, 986–7
CIDNP
Anodic functionalization of 1H–perfluoroalkanes. Observation of fluorine–19 chemically induced dynamic nuclear polarization, 118–19
CINCHONA
Stereoconservative transformation of secologanin into meroquinene and its derivatives, 725–6
CINCHONIDINIUM
Phase–transfer catalysis using chiral catalysts. Synthesis of optically active 2–phthalimido–esters, 742–3
CINE SUBSTITUTION
Unusual conditions for cine–substitution in the pyrrole ring: isolation of a pyrroline as an intermediate, 564–5
CINNAMATE
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
Treatment of cinnamic acids with polyphosphoric acid, 355
Correlation between selectivity in photochemical cross–cycloaddition and ionization potential of the reacting olefins, 786–8
CINNAMONITRILE
Selective cyanation of bromostyrenes by pentacyanocobaltate(II) and nuclear magnetic resonance evidence for the formation of intermediate σ–styryl–cobalt(III) and η–cinnamonitrile–cobalt(I) cyano–complexes, 1059–61
CINNAMOYLOXYALKYL
Synthesis of macrocyclic rings by internal photocycloaddition of α, ω–dicinnamates, 400–1
CINNAMYL
μ–Oxo–bis(chlorotriphenylbismuth): a mild reagent for the oxidation of the hydroxy group, especially in allylic alcohols, 1099–100
CLAISEN REARRANGEMENT
A new synthesis of conjugated dienones, 608
Elimination of an allyloxy–group during the Claisen rearrangement of 1,2–diallyloxyanthraquinone, 900–1
CLATHRATE
A novel tunnel structure containing enclathrated hydrogen peroxide: $4Na_2SO_4.2H_2O_2.NaCl$, 288–9
CLAUSENA
Clausmarins A and B: two novel spasmolytic terpenoid coumarins from Clausena pentaphylla (Roxb.)DC, 281–2
CLAUSMARIN
Clausmarins A and B: two novel spasmolytic terpenoid coumarins from Clausena pentaphylla (Roxb.)DC, 281–2
CLAVANULANATE
Reactions of sulphur nucleophiles with activated derivatives of clavulanic acid, 467–8
CLAVULANATE
Total synthesis of clavulanic acid analogues from 7–oxo–3–vinyl–4–oxa–1–azabicyclo(3.2.0)heptanes, 439–41
Reactions of sulphur nucleophiles with activated derivatives of clavulanic acid, 467–8
Preparation of the 7–oxo–4–oxa–1–azabicyclo(3.2.0)hept–2–ene system and the reversible cleavage of its oxazoline ring, 469–70
Total synthesis of methyl (2RS,5RS)–3–methylene–7–oxo–4–oxa–1–azabicyclo(3.2.0)heptane–2–carboxylate, a novel clavulanic acid analogue, 518–19
CLEAVAGE
Novel carbon–carbon reductive cleavage of terphenyls with alkali metal–hexamethylphosphoric triamide, 153–4
CLUSTER
New palladium carbonyl clusters: X–ray crystal structure of $(Pd_4(CO)_4(OAc)_4).(AcOH)_2$, 27–8
Preparation, crystal structure, and magnetic properties of a trinuclear mixed–valence manganese carboxylate, 62–3
X–ray crystal structure of $Sn_6O_4(OMe)_4$: an intermediate in the hydrolysis of tin(II) dimethoxide, 112–13
Mixed rhodium–platinum carbonyl clusters: synthesis and X–ray crystallographic characterization of $(Rh_5Pt(CO)_{15})^-((Ph_3P)_2N)^+$, 195–6
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu\text{–}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{–}H)_2(CO)_8(Ph_3P)_2)$, 260–2
Preparation and X–ray structure determination of the mixed cluster $(H_3CoOs_3(CO)_{12})$, 343–4
Synthesis and molecular structure of $(Os_6(CO)_{16}(CMe)_2)$ and $(Os_6(CO)_{16}(MeC{:}CMe)C)$, derivatives of ethylene and hexaosmium octadecacarbonyl, 421–3
Selective synthesis of the nonachlorononaborate clusters nonachlorononaboron and nonachlorononaborate dianion, 462–3
New mixed–metal clusters via metal hydride coupling. Synthesis and crystal structures of $((\mu_2\text{–}H)Os_3W(CO)_{12}(\eta^5\text{–}C_5H_5))$ and $((\mu_2\text{–}H)_3Os_3W(CO)_{11}(\eta^5\text{–}C_5H_5))$, 534–5
Polymer–bound tetranuclear iridium carbonyl catalyst, 540–1
$(Os_3(CO)_9H(SR))$, a highly reactive molecule. The X–ray structure of a π–bound ethylene adduct $(Os_3(CO)_9H(C_2H_4)(SMe))$, 551–2
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
Solvation as the determining factor for the redox potential of $Fe_4S_4(S(CH_2)_nCO_2)^{6-}$ cluster ions, 703–4
Bridging hydrides in $(H_2Os_3(CO)_{10})$ and $((C_2H_3)HOs_3(CO)_{10})$: a combined X–ray–neutron diffraction study, 723–4
X–ray crystal and molecular structure of $(W_2S_8Ag_4(PPh_3)_4)$, a compound having a novel metal–sulphur cage fused by two connected six–membered WS_3Ag_2 rings, 739
Crystal structure of tris(tetra–n–butylammonium) tri–μ–benzenethiolatobis(tri–μ–sulphido–(μ_3–sulphido–tris(benzenethiolatoiron))molybdenum) $(Bu^n_4N)_3(((PhSFe)_3MoS_4)_2(SPh)_3)$; an Fe_3MoS_4 cubic cluster dimer, 740–1
Bond strengths in metal carbonyl clusters, 765–6
Reactions of gold–phosphine cluster compounds, 907–9
$(H_3Ru_4(CO)_{12})^-$: the X–ray crystallographic determination of two structural isomers, 920–1
Identification of the species $(Te_nSe_{4-n})^{2+}$ by high resolution tellurium–125 and tellurium–123 Fourier transform NMR spectroscopy, 956–7
125–Tellurium and 77–selenium multinuclear magnetic resonance studies of Te_6^{4+}, $Te_{4-n}Se_n^{2+}$, $Te_2Se_4^{2+}$, and $Te_3Se_3^{2+}$ polyatomic cations, 957–60
Synthesis and molecular structure of $(Os_5(CO)_{15}POMe)$, 1015–16
New mode of bonding of a vinyl ligand to an osmium cluster: the X–ray crystal structure of $(HOs_3(CO)_{10}(CF_3CCHCF_3))$, 1035–6
Synthesis, X–ray crystal structure, and properties of a tetranuclear complex formed by oxidation of copper(I) chloride with molecular dioxygen in N–methylpyrrolidin–2–one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
Anchoring of osmium clusters to silica, 1063–4
Interconversion of μ_2–phenolato and μ_3–oxodienediyl ligands in triosmium clusters: X–ray crystal structure of 1,1,1,2,2,2,3,3,3–nonacarbonyl–1,2:2,3–di–μ–hydrido–(μ_3–3–benzyl–2–oxocyclohexa–3,5–diene–1,1–diyl–1,2–C¹–3–O)–triangulo–triosmium(3Os–Os), 1086–8
COATING
Visible light–assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and manganese(III) porphyrins, 1106–7
COBALAMIN
Nonenzymic model of the dioldehydratase reaction. Initiation of conversion of ethylene glycol into acetaldehyde on anaerobic photolysis of organocobalamins in the presence of mercapto compounds, 592–3
Light–induced conversion of ethane–1,2–diol or 2–aminoethanol into acetaldehyde in the presence of 8–methoxy–5′–deoxy–5′–adenosylcobalamin or a simpler cobalt(III) alkyl, 643–4
COBALOXIME
Rearrangement of cyclopropylmethyl and but–3–enyl cobaloximes, 954–6
COBALT
Stereochemistry of the nucleophilic cleavage of cobalt–carbon bonds in organocobalt(IV) compounds, 44–6
Changes in surface composition of a cobalt–molybdenum binary oxide catalyst during various treatments studied by X–ray photoelectron spectroscopy, 47–8
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
Catalytic conversion of nitric oxide into nitrogen and dinitrogen oxide by dinitrobis(ethylenediamine)cobalt(III) cation, 175–6
Formation and molecular structure of (η^5–cyclopentadienyl)–(η^4–cyclobuta(l)phenanthrene)rhodium: a cyclobutadiene–metal

complex derived from the intramolecular cyclodimerization of an acyclic diacetylene, 187–8
X–ray crystal and molecular structure, absolute configuration, and stereoselectivity of $(-)_{435}$–L–isoleucinato–NN′–ethylenebis(α–methylsalicylideneaminato)cobalt(III), 266–7
Inter– and intramolecular condensations of cyanide and amide ions with coordinated acetonitrile: an amido acid synthesis. X–ray crystal structure of $((NH_3)_3Co((Me)C(NH_2)(NH_2{:}CNH_2)_2))Br_3\ 2/3H_2O$, 289–90
A mild, regiospecific but–2–enolide synthesis and a convenient preparation of acylated dienes, 311–12
Preparation and X–ray structure determination of the mixed cluster $(H_3CoOs_3(CO)_{12})$, 343–4
A novel chain structure in the $(Pb_2Cl_9)_n^{5n-}$ anion; crystal and molecular structure of $(Co(NH_2CH_2CH_2NH_2)_3)_2(Pb_2Cl_9)Cl.\ 3H_2O$, 347–8
Determination of the absolute configuration of bis(dipeptidato) cobaltate(III) complexes by proton nuclear magnetic resonance spectroscopy, 428–9
Retention of the cobalt–cobalt bond in $(MeN(PF_2)_2)_3Co_2(CO)_2$ upon halogenation: the X–ray crystal structure of $(MeN(PF_2)_2)_3Co_2Br_4$, 514–15
Dehydration sequence of cobalt exchanged synthetic A zeolite: evidence for 3–, 4–, 5–, and 6–fold coordination, 548–9
Selective homo Diels–Alder addition of acetylenic hydrocarbons to norbornadiene catalysed by a cobalt complex, 636–8
Stereoselective cobalt–catalysed (2+2+2) cross–addition of norbornadiene and norbornene, 638–9
Stereoselective chelate and amino acid synthesis with chelated 2–iminopropionate; crystal and molecular structures of α–(N^2–2–aminoethylamidino)alaninato–ONN″N‴–(ethylenediamine) cobalt(III) and α–(N^2–2–aminoethylamidino)alanine–NN″N‴–(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
X–ray crystal structures of two products formed in the reaction of dicobalt octacarbonyl with carbon disulphide: dodecacarbonylcarbidohexacobalt disulphide, $Co_6C(CO)_{12}S_2$, and bis(enneacarbonyltricobaltcarbon) disulphide, $(CO)_9Co_3CSSCCo_3(CO)_9$, 841–3
Absence of common five–coordinate intermediates in the induced reactions of some cobalt(III)–acido complexes, 892–4
Ferromagnetic coupling and electron transfer in $CoCu(ben).3H_2O$ (H_4ben = NN′–bis(2–hydroxy–3–carboxybenzylidene)–1,2–diaminoethane), 1012–13
Selective cyanation of bromostyrenes by pentacyanocobaltate(II) and nuclear magnetic resonance evidence for the formation of intermediate σ–styryl–cobalt(III) and η–cinnamonitrile–cobalt(I) cyano–complexes, 1059–61
Double carbonylation of substituted benzyl chlorides with cobalt carbonyl anion by phase transfer catalysis to give arylpyruvic acids, 1090–1
Existence of specific binding sites in 1:1 oxidations of reduced parsley 2–iron ferredoxin with inorganic complexes, 1102–3
Visible light–assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and manganese(III) porphyrins, 1106–7

COBALT CHELATE
Electrocatalytic formation of superoxides in the presence of cobalt chelates, 339–40

COBYRINIC ACID
Biosynthesis of vitamin B_{12}: proof of A–B structure for sirohydrochlorin by its specific incorporation into cobyrinic acid, 150–1

COCHLIOQUINONE
Biosynthesis of cochlioquinones, 679–80

COCONDENSATION
Arene–tungsten chemistry: bis(arene)tungsten hydride derivatives; co–condensation of tungsten atoms from an electron gun source with aromatic hydrocarbons, 72–3

COMPARTMENT
Decay of locus populations in a compartmentalized free radical polymerization reaction upon removal of radical source, 381

COMPLEX
X–ray crystal and molecular structure, absolute configuration, and stereoselectivity of $(-)_{435}$–L–isoleucinato–NN′–ethylenebis(α–methylsalicylideneaminato)cobalt(III), 266–7
New mixed–metal clusters via metal hydride coupling. Synthesis and crystal structures of $((\mu_2\text{–}H)Os_3W(CO)_{12}(\eta^5\text{–}C_5H_5))$ and $((\mu_2\text{–}H)_3Os_3W(CO)_{11}(\eta^5\text{–}C_5H_5))$, 534–5
$(Os_3(CO)_9H(SR))$, a highly reactive molecule. The X–ray structure of a π–bound ethylene adduct $(Os_3(CO)_9H(C_2H_4)(SMe))$, 551–2
Inorganic optical activity, 936–7
Anchoring of osmium clusters to silica, 1063–4

COMPLEXATION
Thermodynamics of formation of 18–crown–6 complexes with arenediazonium and anilinium salts in methanol at 25°C, 386–7
Isotope effects in molecular complexes of naphthalene, 455–6
Formation of a novel complex between pyridinium bis(alkoxycarbonyl)methylides and diphenylcyclopropenone; trapping of pyridinium bis(alkoxycarbonyl)methylide cation radicals, 817–19

COND
'Organic metals': alkylthio substitution effects in tetrathiafulvalene–tetracyanoquinodimethane charge–transfer complexes, 18–19
Comments on the preparation of the one–dimensional conductor N–methylphenazinium 7,7,8,8–tetracyanoquinodimethanide, 331–2
Organic metals: a new class of conducting ion–radical salts based on 7,7,8,8–tetracyanoquinodimethane and iodine, 337–8
Highly conducting transition metal derivatives of polyacetylene, 489–90

CONDENSATION
Synthesis of zerovalent bis–areneniobium compounds using niobium vapour, 431
Some metal complexes of macrocyclic ligands incorporating the 1,10–phenanthroline group. X–ray crystal structure of the manganese(II) complex, 476–8
Preparation of diarenemetal complexes by potassium atom reduction, 730–1
Preparative applications of metal vapours obtained by evaporation of metal powders from coated filaments: a new preparation of dibenzeneruthenium and observation of its limiting NMR spectrum, 898–9
Gas–phase condensation of tert–butyl cations with Lewis bases, 938–40

CONFIGURATION
Absolute configuration and biosynthesis of tiliacorine and tilacorinine, 226–8
Structure of infinite polyenes. Ab initio quantum chemical study, 575–6
Microbial stereo–differentiating reduction of carbonyl compounds; proposed quadrant rule, 668–7

CONFORMATION
Unusual population of the axial–equatorial conformation in NN′–dichloropiperazine, 58–9
New conformational effect: predominance of the axial conformation in spiro(5.2)octan–4–ol derivatives, 147–8
Absence of stereoelectronic control in the hydrolysis of a conformationally locked acetal, 171–2
Microwave spectrum and conformation of glycine, 547–8
An electron spin resonance study of the cyclobutylhydroxymethyl radical: its conformation, and its ring opening followed by 1,6–transfer of enolic hydrogen, 569–71
Structure of infinite polyenes. Ab initio quantum chemical study, 575–6
Circular dichroism of the isotopically dissymmetric molecules (1R,2S)–(1–^{2}H)– and (1R,2S)–(1–^{18}O)–1,2–dihydroxy–1,2–diphenylethane, 850–2
Homolytic addition to N–methylene–tert–butylamine: a new route to aminyl radicals, 960–1
Steric effects on chelation in carbon–13 nuclear magnetic resonance spectra of β–diketone enolates, 965–7
Bulky alkyls and a hydridoalkyl of zirconium(IV): influence of steric constraints upon (i) conformation and the zirconium–carbon rotational barrier and (ii) the zirconium–carbon bond length. X–ray crystal and molecular structure of $(Zr(\eta\text{–}C_5H_5)_2(CH(SiMe_3)_2)Ph)$, 1081–3

CONFORMATIONAL
Ring inversion in the cyclohexenyl radical, 394–5

CONJUGATION
Evidence of electronic interaction between classically nonconjugated aromatic systems, 100–1

CONYZORIGUN
Structure of conyzorigun, a new chromone from Ageratum conyzoides, 152

COPE REARRANGEMENT
Preparation and chemoselective thermolysis of potential azatricyclic synthons containing an eight–membered nucleus, 915–16

COPPER
Adsorption of nitric oxide on copper(100) surfaces; an electron spectroscopic study, 40–1
Copper derivatives of tetrathiafulvalene, 69–70
Crystal and molecular structure of $(Cu(NO_3)_2(C_8H_{12}N_2O_2)_2)H_2O$ a structure containing an unusual zwitterion of pyridoxamine and a symmetric nitrate–oxygen bridge, 97–8
Preparation of bis(cis–diacetyltetracarbonylrhenium)copper, 183–4
Structural barriers to the rates of electron transfer of copper complexes. Oxidation of cytochrome c (II) by copper(II) complexes, 370–2
Luminescence from $(Ru(bipyridyl)_3)^{2+}$ ions adsorbed on ion exchange surfaces. Dynamic quenching reactions between adsorbed cations, 408–9
Cytochrome oxidase models: a binuclear iron–copper site with a bipyrimidine bridge, 483–5
Macrocyclic enzyme model system: catalysis of ester degradation by a (20)paracyclophane bearing nucleophilic and metal–binding sites, 494–6
Effects of structural distortion on the ligand exchange reactions of copper(II) Schiff base complexes, 583–4
Copper–catalysed 1,6–addition of a benzyl Grignard reagent to a dienone: a new synthesis of ring c aromatic diterpenoids, 614–15
Stereochemistry of the organocuprate reactions of two cis–trans isomeric allylic ethers, 621–3
A haemocyanin model: a synthetic copper(I) complex having imidazole ligands and reversible dioxygen activity, 634–6
Novel synthesis of prostaglandin E_2 involving regioselective ring opening of a 2,3–endo–epoxybicyclo(3.2.0)heptan–6–one acetal with a mixed organocuprate reagent, 662–4
Photoluminescence from copper(I) complexes with low–lying metal–to–ligand charge transfer excited states, 759–61
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16
Enthalpy of formation of copper(II) complexes with 14–membered tetraaza macrocycles, 833–4
Bistriphenylphosphinecuprapentaborane, an unusual copper–borane, 866–7
Copper(I) ethylenediamine carbonyl complexes: 'models' for carbon monoxide activation. X–ray structure of the ion–pair carbonylethylenediaminetetraphenylboratocopper, 921–2
Ferromagnetic coupling and electron transfer in $CoCu(ben).3H_2O$ (H_4ben = NN′–bis(2–hydroxy–3–carboxybenzylidene)–1,2–diaminoethane), 1012–13
Lithium phenylthio(trimethylstannyl)cuprate, a new reagent for conjugate addition of the trimethylstannyl group. The synthesis of β–trimethylstannyl–$\alpha\beta$–unsaturated ketones, 1033–4
Synthesis, X–ray crystal structure, and properties of a tetranuclear complex formed by oxidation of copper(I) chloride with molecular dioxygen in N–methylpyrrolidin–2–one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
X–ray crystal structure of the ternary complex $(Cu(3′–GMP)(phen)(H_2O))_2.7H_2O$ (GMP = guanosine monophosphate, phen = 1, 10–phenanthroline): unusual absence of M–N(7) bonding in a metal–GMP complex, 1053–5
Synthesis of some medium– and large–ring cycloalk–2–ene–1,4–diones by intramolecular coupling of $\alpha\omega$–bis–diazoketones, 1069–70
COPPER BROMIDE
Bromodemetallation of β–methoxyphenethylthallium(III) diacetate and β–methoxyphenethylmercury(II) acetate with copper–(I) and –(II) bromide, direct evidence for alkyl radicals in bromodethallation by the spin trapping technique, 65–6
COPPER CHLORIDE
Pulsed laser photolysis of chlorocopper(II) complexes in acetonitrile: cvidence for chlororadical formation, 207–8
COPPER IODIDE
Copper(I) ethylenediamine carbonyl complexes: 'models' for carbon monoxide activation. X–ray structure of the ion–pair carbonylethylenediaminetetraphenylboratocopper, 921–2
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
COROMANDALIN
Curassavine, an alkaloid from Heliotropium curassavicum Linn. with a C_8 necic acid skeleton, 423–4
CORPUS
Juvenile hormone biosynthesis: homomevalonate and mevalonate synthesis by insect corpus allatum enzymes, 290–2
CORPUS ALLATUM
Juvenile hormone biosynthesis: homomevalonate and mevalonate synthesis by insect corpus allatum enzymes, 290–2
CORRELATION MAP
Experimental chemical shift correlation maps in nuclear magnetic resonance spectroscopy, 684–6
CORYNEBACTERIUM
Microbial epoxidation of long–chain terminal olefins, 849–50
COSOLVENT EFFECT
Mechanisms of aqueous solvolyses, 418–20
COUMARIN
Clausmarins A and B: two novel spasmolytic terpenoid coumarins from Clausena pentaphylla (Roxb.)DC, 281–2
COUPLING
Anodically induced decomposition of some arylnickel(II) phosphine complexes, 66–8
Radical coupling products derived from ammonium ylides. Competing (1,2), (1,3), and (1,4) anionic rearrangements, 670–1
Ferromagnetic coupling and electron transfer in $CoCu(ben).3H_2O$ (H_4ben = NN′–bis(2–hydroxy–3–carboxybenzylidene)–1,2–diaminoethane), 1012–13
CRAFT
Acetyl exchange between acetylmesitylene and acetyl chloride under Friedel–Crafts conditions, 271–2
CRESOL
'One–pot' conversion of Mannich bases via quaternary ammonium salts into the corresponding methyl compounds with sodium cyanoborohydride in hexamethylphosphoramide, 1089–90
CROTONYLACETYLCYSTEAMINE
Stereochemical course of dehydration catalysed by the yeast fatty acid synthetase, 193–4
CROTYL
μ–Oxo–bis(chlorotriphenylbismuth): a mild reagent for the oxidation of the hydroxy group, especially in allylic alcohols, 1099–100
CROWN
Selective acylation of amines using 18–crown–6, 471–2
CROWN ETHER
Uranium(IV)–crown–ether complexes and cryptates. Proton nuclear magnetic resonance study, and X–ray crystal and molecular structure of tetrachloro(2,5,8,15,18,21–hexaoxatricyclo(20.4.0.0^{9,14})hexacosane)uranium(IV), 90–2
Kinetics of the esterification of potassium p–nitrobenzoate by benzyl bromide using dicyclohexyl–18–crown–6 as phase transfer agent, 282–3
Synthesis of 'crown ether' macrocyclic bislactones using caesium carboxylates of pyridine and of benzene dicarboxylic acids, 383–4
Thermodynamics of formation of 18–crown–6 complexes with arenediazonium and anilinium salts in methanol at 25°C, 386–7
Cation complexing photochromic materials involving bisanthracenes linked by a polyether chain. Preparation of a crown–ether by photocycloisomerization, 403–4
General synthesis of substituted and unsubstituted crown ethers, 504–5
Crown ether acetals: detection of cation binding by kinetic measurements, 507–8
Coordination chemistry of macrocyclic polyethers. An unusual conformation of complexed 18–crown–6; X–ray crystal and molecular structure of a 1:2 host–guest complex of 18–crown–6 with benzenesulphonamide, 595–6
X–ray crystal structure of a 1,4–dihydropyridine–crown ether–sodium perchlorate complex crystallized with a molecule of acetone, 923–4
CRYPTAND
Syntheses of some lanthanoid complexes with 4,7,13,16,21,24–hexaoxa–1,10–diazabicyclo(8.8.8)hexacosane. Crystal structure of a europium(III) perchlorate derivative, 788–9
CRYPTATE
X–ray crystal structure of a cryptate complex of lanthanum nitrate, 549–50
CRYPTOPLEURINE
An economical synthesis of the alkaloids, 3,4–dimethoxy–ω–(2–piperidyl)acetophenone, julandine, and cryptopleurine, 794–5
CRYSTAL
An octahedral rhenium(III) cluster: X–ray crystal structure of $Na_4Re_6S_{10}(S_2)$, 879–80
CRYSTAL STRUCTURE
Stereochemistry of the adduct from tert–butylcyanoketene and 2–

methylbut–2–ene; X–ray crystal and molecular structure of 2–cyano–3,3,4–trimethyl–2–tert–butylcyclobutyl p–chlorobenzoate, 10–11
New palladium carbonyl clusters: X–ray crystal structure of $(Pd_4(CO)_4(OAc)_4).(AcOH)_2$, 27–8
X–ray crystal and molecular structure of 1,19–diethoxycarbonyl–2,3 7,8,12,13,17,18–octamethylbilatriene–abc hydrobromide, 33–4
Synthesis of the dilithium salt of cyanamide in liquid lithium; X–ray crystal structure of Li_2NCN, 52–3
Preparation, crystal structure, and magnetic properties of a trinuclear mixed–valence manganese carboxylate, 62–3
X–ray crystal structure of canellal, a novel antimicrobial sesquiterpene from Canella winterana, 75–6
New alkaloids from Aristotelia chilensis (Mol.) Stunz, 79–80
Rhodium(II)–catalysed addition of dimethyl diazomalonate to thiophene: a simple synthesis of thiophenium bismethoxycarbonylmethylides and crystal and molecular structure of the unsubstituted methylide, 83–4
Uranium(IV)–crown–ether complexes and cryptates. Proton nuclear magnetic resonance study, and X–ray crystal and molecular structure of tetrachloro(2,5,8,15,18,21–hexaoxatricyclo(20.4.0.0^{9,14})hexacosane)uranium(IV), 90–2
Crystal and molecular structure of $(Cu(NO_3)_2(C_8H_{12}N_2O_2)_2)H_2O$ a structure containing an unusual zwitterion of pyridoxamine and a symmetric nitrate–oxygen bridge, 97–8
1,3–Dipolar cycloaddition reactions of imines of α–amino acid esters: X–ray crystal and molecular structure of methyl 4–(2–furyl)–2,7–diphenyl–6,8–dioxo–3,7–diazabicyclo(3.3.0)octane–2–carboxylate, 109–11
Novel reaction of 2–aryl–3,3–dimethylbicyclo(2.2.1)heptan–2–yl cations; X–ray crystal and molecular structure of 11–fluorosulphonyl–7,8,12–trimethyltetracyclo(7.4.0.0^{2,7}.0^{4,8}) trideca–1(9),10,12–triene, 111–12
X–ray crystal structure of $Sn_6O_4(OMe)_4$: an intermediate in the hydrolysis of tin(II) dimethoxide, 112–13
1–Isopropyl–4,6–dimethyl–6–phospha(V)bicyclo(3.1.1)hept–3–ene 6–oxide: a distorted phosphetane synthesized from α–pinene and the methylphosphonous dichloride–aluminium chloride complex; X–ray crystal and molecular structure, 125–6
A new phase of crystalline anthracene: its importance in solid–state photodimerization, 134–5
Neutral and anionic silylmethyl complexes of Group*IIIa and lanthanoid metals; the X–ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_3Cl)$ (thf = tetrahydrofuran), 140–2
Synthesis and X–ray structure of an η^3 phenalenyl–platinum complex, 142–3
Aspterric acid, a new sesquiterpenoid of the carotane group, a metabolite from Aspergillus terreus IFO–6123. X–ray crystal and molecular structure of its p–bromobenzoate, 160–1
Reaction of bis(triethylphosphine)platinum and pentakis(tert–butyl isocyanide)ruthenium with dicarba–nido–hexaboranes(8): molecular structures of (nido–$\mu_{4,5}$–(trans–$(Et_3P)_2Pt(H)$)–$\mu_{5,6}$–H–2,3–$C_2B_4H_6$), (closo–1,1–$(Et_3P)_2$–2,3–Me_2–1,2,3–$PtC_2B_4H_4$) and $(RuH(Bu^tNC)_5)^+$ (nido–2,3–Me_2–2,3–$C_2B_4H_5)^-$, 169–71
Formation and molecular structure of (η^5–cyclopentadienyl)–(η^4–cyclobuta(l)phenanthrene)rhodium: a cyclobutadiene–metal complex derived from the intramolecular cyclodimerization of an acyclic diacetylene, 187–8
Cycloguanil hydrochloride: X–ray crystal structure of the antifolate drug, 188–90
Mixed rhodium–platinum carbonyl clusters: synthesis and X–ray crystallographic characterization of $(Rh_5Pt(CO)_{15})^-((Ph_3P)_2N)^+$, 195–6
X–ray crystal structures of a thiabenzene 1–oxide and its 2–azathia–analogues, 197–8
Novel salts of graphite and a boron nitride salt, 200–1
Structure of the compound purported to be NN–bis(chloromethyldimethylsilyl)acetamide: X–ray crystal structure analysis of the novel five–membered oxygen–, silicon–, and nitrogen–containing heterocycle (O–Si)–chloro((N–chlorodimethylsilylacetamido)methyl)dimethylsilane, 209–10
X–ray photoelectron diffraction: a novel method of structural analysis in complex monocrystalline solids, 210–11
A bicyclic sulphur–nitrogen cation: the synthesis and crystal structure of S_4N_5Cl, 212–13
Acetylene linkage at a di–metal centre: X–ray crystal structures of $(Cr_2(CO)(\eta–C_5H_5)_2(PhC_2Ph)_2)$ and $(Mo_2(\eta–C_5H_5)_2((MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2))$, 221–3
X–ray crystal structure of $(AsPh_4)^+(NSF_2NSO_2F)^-$: three different types of sulphur–nitrogen bonds in the anion, 226
Unusual reaction of uranyl nitrate with 2,6–diacetylpyridine bis(2–pyridylhydrazone): X–ray structure of nitrato(2,6–diacetylpyridine–bis(2–pyridylhydrazone)–NNNNN)uranyl tetranitratodioxouranium, 235–6
An unusually stable thionitrite from N–acetyl–D,L–penicillamine; X–ray crystal and molecular structure of 2–(acetylamino)–2–carboxy–1,1–dimethylethyl thionitrite, 249–50
A novel type of platinum–carbon interaction and a model for the final stage in reductive elimination processes involving carbon–carbon coupling at platinum; synthesis and molecular geometry of (1,N,N′–η–2,6–bis((dimethylamino)methyl)toluene) iodoplatinum(II) tetrafluoroborate, 250–2
Carbonylation of the η^3–vinylcarbene ligand. Synthesis and X–ray crystal and molecular structure of an '(η^4–vinylketene)' iron complex, 252–3
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu–H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu–H)_2(CO)_8(Ph_3P)_2)$, 260–2
Alkaline earth metal complexes of pyridinyl containing Schiff base macrocycles: X–ray crystal and molecular structures of the calcium and strontium complexes, 279–80
Inter– and intramolecular condensations of cyanide and amide ions with coordinated acetonitrile: an amido acid synthesis. X–ray crystal structure of $((NH_3)_3Co((Me)C(NH_2)(NH_2{:}CNH_2)_2))Br_3 2/3H_2O$, 289–90
X–ray structure of the antibiotic rutamycin, 318–19
Structural consequences of ligand and metal substitution in metallacarbaboranes; the crystal and molecular structures of 3–$(C_2H_4(NMe_2)_2)$–3,1,2–$PdC_2B_9H_{11}$ and 3,3–$(PMe_3)_2$–3,1,2–$PdC_2B_9H_{11}$, 322–4
$(Ir_4(CO)_8((MeCO_2)_2C_2)_4)$: a rectangular cluster, 340–1
Preparation and X–ray structure determination of the mixed cluster $(H_3CoOs_3(CO)_{12})$, 343–4
A novel chain structure in the $(Pb_2Cl_9)_n^{5n-}$ anion; crystal and molecular structure of $(Co(NH_2CH_2CH_2NH_2)_3)_2(Pb_2Cl_9)Cl.3H_2O$, 347–8
X–ray analysis of the triterpene papyriogenin G, 364–5
Structures and properties of isomeric cyclodiphosph(III)azanes; X–ray crystal and molecular structure of 2,4–dipiperidino–1,3–di–tert–butylcyclodiphosph(III)azane, 372–3
Synthesis of a sym–oxepin oxide with restricted conformational mobility and altered reactivity. X–ray crystal and molecular structure of 4,7–dibromo–3a,7a:5,6–diepoxyperhydroindene, 377–9
A planar, cyclic sulphur–nitrogen anion: the X–ray crystal and molecular structure of $(Bu_4N)^+(S_3N_3)^-$, 391–2
Template synthesis of a bimetallic complex of a 30–membered decadentate macrocyclic ligand: the crystal and molecular structure of a lead(II) complex, 415–16
Modhephene: a sesquiterpenoid carbocyclic (3.3.3)propellane. X–ray crystal structure of the corresponding diol, 420–1
Synthesis and molecular structure of $(Os_6(CO)_{16}(CMe)_2)$ and $(Os_6(CO)_{16}(MeC{:}CMe)C)$, derivatives of ethylene and hexaosmium octadecacarbonyl, 421–3
X–ray structure of $((\eta^5–C_5H_5)W(CO)_2C_{15}H_{15})$: a compound containing three unusually bonded five–membered rings, 451–2
X–ray molecular structure and reactions of bis(styrene) bis(triphenylphosphine)ruthenium(0); the first sixteen–electron ruthenium(0) species, 463–4
Synthesis and molecular structures of chloro(trimethylphosphine) tris(trimethylsilylmethyl)molybdenum(IV) and di–μ–chloro–bis(η_2–trimethylsilylmethylcarbonylbis(carbonyl) trimethylphosphinemolybdenum(II)), 465–6
Some metal complexes of macrocyclic ligands incorporating the 1, 10–phenanthroline group. X–ray crystal structure of the manganese(II) complex, 476–8
A new and versatile chelating dithio ligand: X–ray crystal structure of $(Ru(CO)(SC_6H_3Me–o–SC_6H_4Me)(\eta–C_5H_5))$, 486–8
Location of supercage sodium ions and water molecules in hydrated NaX zeolite, 493–4
Preparation and molecular structure of $(Ta(H_2Al(OC_2H_4OMe)_2)(Me_2PC_2H_4PMe_2)_2)_2$, a coordinatively unsaturated aluminohydride adduct of tantalum(I), 500–1
Synthesis and molecular geometry of novel di– and tri–nuclear iron complexes resulting from the interaction of $(Fe_2(CO)_9)$ with R–N=S=N–R (R = tert–butyl or p–tolyl); X–ray crystal structures of $(Fe_2(CO)_6(RNC(O)S))$ and $(Fe_3(CO)_9(RNS)S)$, 506–7
Reaction of o–hydroxyacetophenone with dichlorophenylphosphine

X–ray crystal and molecular structure of an unusual tricyclic tetraoxaphospha–undecane, 510–11
Retention of the cobalt–cobalt bond in $(MeN(PF_2)_2)_3Co_2(CO)_2$ upon halogenation: the X–ray crystal structure of $(MeN(PF_2)_2)_3Co_2Br_4$, 514–15
Andilesin, a C_{25} polyisoprenoid from Aspergillus sp. X–ray crystallographic and spectroscopic determination of the structure, 533–4
New mixed–metal clusters via metal hydride coupling. Synthesis and crystal structures of $((\mu_2\text{–}H)Os_3W(CO)_{12}(\eta^5\text{–}C_5H_5))$ and $((\mu_2\text{–}H)_3Os_3W(CO)_{11}(\eta^5\text{–}C_5H_5))$, 534–5
X–ray crystal structure of a cryptate complex of lanthanum nitrate, 549–50
$(Os_3(CO)_9H(SR))$, a highly reactive molecule. The X–ray structure of a π–bound ethylene adduct $(Os_3(CO)_9H(C_2H_4)(SMe))$, 551–2
X–ray crystal and molecular structure of a dispirothiiran: 1,1,3,3,7,7 9,9–octamethyl–2,8–dioxa–11–thiadispiro(4.0.4.1)undecane–4, 10–dione, 555–6
Solanascone: a novel sesquiterpene ketone from Nicotiana tabacum X–ray structure determination of the corresponding oxime, 563–4
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X–ray crystal structure of one such complex, 571–2
Structure and reactivity in the group 5B tert–butylimido complexes $(Me_2N)_3M{=}NCMe_3$; X–ray crystal and molecular structure of N–tert–butylimidotris(dimethylamido)tantalum, 579–80
Novel coordination numbers in scandium(III) and yttrium(III) nitrato complexes. X–ray crystal structures of $Sc(NO_3)_3.2N_2O_4$ and $Y(NO_3)_3.2N_2O_4$, 580–1
Coordination chemistry of macrocyclic polyethers. An unusual conformation of complexed 18–crown–6; X–ray crystal and molecular structure of a 1:2 host–guest complex of 18–crown–6 with benzenesulphonamide, 595–6
First case of an eleven coordinated trivalent lanthanoid: X–ray crystal structure of pentaaquatri(nitrato)lanthanum(III) monohydrate, 616–17
Preparation and crystal structure of a new sulphur nitride, S_5N_6; a molecular basket, 642–3
Stereoselective chelate and amino acid synthesis with chelated 2–iminopropionate; crystal and molecular structures of α–(N2–2–aminoethylamidino)alaninato–ONN′′N′′′–(ethylenediamine) cobalt(III) and α–(N2–2–aminoethylamidino)alanine–NN′′N′′′ –(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
The constitution of Hector's base; X–ray crystal and molecular structure of 5–imino–4–phenyl–3–phenylamino–4H–1,2,4–thiadiazoline, 652–4
X–ray crystal structure of 13,14,15–trithiapentacyclo(9.5.1.1^{3,9}.0^{4,8} 0^{12,16})octadec–5–ene, 658
Striatin A, B, and C: novel diterpenoid antibiotics from Cyathus striatus X–ray crystal structure of striatin A, 665–6
X–ray determination of the structure of the polyether antibiotic K–41, 682–3
Synthesis, epimerization, X–ray structure, and absolute configuration of an optically active molybdenum complex having five independent ligands, 691–2
X–ray structure, conformation, and absolute configuration of 8–bromotetra–O–methyl–(+)–catechin, 695–6
X–ray crystal structure of sodium bis(N–methylhydantoinato) gold(I) tetrahydrate; a linear, planar complex of pharmacological interest stabilized by two nitrogen ligands, 711–12
New stereoselective synthesis of 9–methyl–cis–decalin derivatives by double Michael reaction of 3,5–dimethyl–4–methylenecyclohex–2–enone and dimethyl 3–oxoglutarate; X–ray crystal and molecular structure of two of the products, 717–18
Bridging hydrides in $(H_2Os_3(CO)_{10})$ and $((C_2H_3)HOs_3(CO)_{10})$: a combined X–ray–neutron diffraction study, 723–4
X–ray crystal structure of an ozonide: 4–(4–nitrophenylmethyl)–1–phenyl–1,4–epoxy–1H–2,3–benzodioxepin–5(4H)one, 729–30
X–ray crystal and molecular structure of $(W_2S_8Ag_4(PPh_3)_4)$, a compound having a novel metal–sulphur cage fused by two connected six–membered WS_3Ag_2 rings, 739
Crystal structure of tris(tetra–n–butylammonium) tri–μ–benzenethiolatobis(tri–μ–sulphido–(μ$_3$–sulphido–tris(benzenethiolatoiron))molybdenum) $(Bu^n_4N)_3(((PhSFe)_3MoS_4)_2(SPh)_3)$; an Fe_3MoS_4 cubic cluster dimer, 740–1
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5
Syntheses of some lanthanoid complexes with 4,7,13,16,21,24–hexaoxa–1,10–diazabicyclo(8.8.8)hexacosane. Crystal structure of a europium(III) perchlorate derivative, 788–9
Formation and X–ray crystal structure of 1,1,6,6–tetraphenyl–1,6–distannacyclodecane, 791–2
X–ray structure of staurosporine: a new alkaloid from a Streptomyces strain, 800–1
Crystal and molecular structure of 3,3′–thiobis(2–methyl–1–phenylimidazo–(1,5–a)pyridinium) bistetrafluoroborate; a potent new sulphur containing curariform agent, 816–17
Unusual incorporation of the cyano group of tert–butylcyanoketene into a cycloadduct. X–ray structure of the pyrimido(1,6–e)(1,3–s) dioxazine formed, 820–1
A rhenium polyphenyl complex: X–ray diffraction analysis of tris(η^1–phenyl)bis(diethylphenylphosphine)rhenium, 825–6
X–ray crystal structure of a planar, high–spin iron(II) complex of a pentadentate unsaturated macrocycle formed by reaction of 2,9–di(1–methylhydrazino)–1,10–phenanthroline monohydrochloride with 2,6–diacetylpyridine, 828–9
Evidence for the ready insertion of rhodium into a carbon–hydrogen bond of ethylene; crystal and molecular structure of μ–but–2–ene–μ–ethylenebis–(η^5–1–methylindenyl)dirhodium, 839–41
X–ray crystal structures of two products formed in the reaction of dicobalt octacarbonyl with carbon disulphide: dodecacarbonylcarbidohexacobalt disulphide, $Co_6C(CO)_{12}S_2$, and bis(enneacarbonyltricobaltcarbon) disulphide, $(CO)_9Co_3CSSCCo_3(CO)_9$, 841–3
X–ray molecular structure of the asymmetrically bridged ester complex di–μ–oxobis((cyclohexane–1,2–diolato) oxo(quinuclidine)osmium(VI)), $(OsO_2(O_2C_6H_{10})(C_7H_{13}N))_2$, 853–4
Photolysis of imidazole N(3)–oxides. Formation of unsymmetrical benzil di–imines; X–ray crystal structure of one such di–imine, 857–8
Formation of platinum(II) compounds containing isomeric σ–vinylic and σ–allylic six–membered chelate rings by deprotonation of the coordinated isopropenyl group: X–ray structure of the σ–vinylic complex di–μ–acetato–bis(o–isopropenylphenyl(diphenyl)arsineplatinum(II)), 861–3
X–ray crystal structure of the thallium salt of antibiotic–6016, a new polyether ionophore, 875–6
Sulphur inversion in dimolybdenum complexes: X–ray crystal structure of $(Mo_2(CO)_2(P(OMe)_3)(\mu_2\text{–}SCMe_3)_3(\eta^7\text{–}C_7H_7))$, 878–9
Synthesis and x–ray crystal and molecular structure of tetrakis(2,2–dimethyl–1–phenylethenyl)chromium(IV), the first structurally–characterized homoleptic alkenyl compound of a transition metal 899–900
$(H_3Ru_4(CO)_{12})^-$: the X–ray crystallographic determination of two structural isomers, 920–1
Copper(I) ethylenediamine carbonyl complexes: 'models' for carbon monoxide activation. X–ray structure of the ion–pair carbonylethylenediaminetetraphenylboratocopper, 921–2
X–ray crystal structure of a 1,4–dihydropyridine–crown ether–sodium perchlorate complex crystallized with a molecule of acetone, 923–4
Graphite lamellar compounds. A new route to transition metal intercalates, 927–8
Preparation and X–ray crystal structure of diphenylbenzoyldifluorophosphorane, 946–7
Multiple chlorinations of the cyclometallated ring in iridium triaryl phosphite complexes: the crystal and molecular structure of $(IrCl_2(P(OC_6Cl_3Me\text{–}o)(OC_6H_4Me\text{–}o)_2)(pyridine)(PMe_3))$, 973–4
Isolation of intermediates in the acid hydrolysis of $(Pt(PPh_3)_2(O_2))$; the X–ray structure of $(Pt_2(O_2)(OH)(PPh_3)_4)(ClO_4).2C_6H_6$, 991–2
The 3_{10} helical conformation of a pentapeptide containing α–aminoisobutyric acid (Aib): X–ray crystal structure of tos–(Aib)$_5$–OMe, 996–7
Formation of nona(ethyl isocyanide)diiron from penta(ethyl isocyanide)iron and reaction of penta(tert–butyl isocyanide)iron with diphenylacetylene; X–ray crystal structures of nona(ethyl isocyanide)diiron and tris(tert–butyl isocyanide)(1,4–bis–(tert–butylimino)–2,3–diphenylbuta–1,3–diene)iron, 1000–1
X–ray crystal structures of anhydrous sodium and potassium complexes of an open chain polyether diol, 1001–3
'Capped' tri–ruthenium carbonyl cluster: X–ray crystal structure of

$(Ru_3(CO)_9(MeSi(PBu_2)_3))$, 1005–6
Synthesis, X-ray crystal structure, and chemistry of the cation $((\eta$-MePh)$Mo(\mu$-SMe$)_4$Mo(η-MePh))$^{2+}$; easy D_2O–NaOD catalysed hydrogen–deuterium exchange of the methyl hydrogens of a η-bonded toluene ligand, 1009–11
Synthesis and molecular structure of $(Os_5(CO)_{15}POMe)$, 1015–16
Carbon–carbon bond-making by trapping of a nucleophilic carbene (from an electron-rich olefin) by a σ–π-acetylido(hexacarbonyl) di-iron complex; X-ray crystal and molecular structure, 1017–19
Opening of the phosphorus–nitrogen bond of bicyclic phosphoranes Synthesis and X-ray crystal and molecular structure of rhodium complexes of perhydro-1,3,6,2-dioxazaphosphocine, 1022–4
New mode of bonding of a vinyl ligand to an osmium cluster: the X-ray crystal structure of $(HOs_3(CO)_{10}(CF_3CCHCF_3))$, 1035–6
Thionitrosyl ligand; X-ray molecular structure of dicarbonyl(η^5-cyclopentadienyl)thionitrosylchromium, 1036–7
Synthesis, X-ray crystal structure, and properties of a tetranuclear compiex formed by oxidation of copper(I) chloride with molecular dioxygen in N-methylpyrrolidin-2-one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
Evidence for an almost 'T-shaped' coordination geometry for carbon in the bis(alkylidene) complex $Ta(CHCMe_3)_2$(2,4,6-$Me_3C_6H_2$)$(PMe_3)_2$: X-ray crystal structure, 1048–9
X-ray crystal structure of the ternary complex (Cu(3′-GMP)(phen)$(H_2O))_2.7H_2O$ (GMP = guanosine monophosphate, phen = 1,10-phenanthroline): unusual absence of M–N(7) bonding in a metal–GMP complex, 1053–5
Palladation of dimethylhydrazones, oximes, and oxime O-allyl ethers: crystal structure of $(Pd_3(ON{=}CPr^iPh)_6)$, 1061–2
X-ray crystal and molecular structure of channaine, an unusual alkaloid, probably an artefact from Sceletium strictum, 1078–9
Bulky alkyls and a hydridoalkyl of zirconium(IV): influence of steric constraints upon (i) conformation and the zirconium–carbon rotational barrier and (ii) the zirconium–carbon bond length. X-ray crystal and molecular structure of $(Zr(\eta$-$C_5H_5)_2(CH(SiMe_3)_2)Ph)$, 1081–3
Interconversion of μ_2-phenolato and μ_3-oxodienediyl ligands in triosmium clusters: X-ray crystal structure of 1,1,1,2,2,2,3,3,3-nonacarbonyl-1,2:2,3-di-μ-hydrido-(μ_3-3-benzyl-2-oxocyclohexa-3,5-diene-1,1-diyl-1,2-C^1-3-O)-triangulo-triosmium(3Os–Os), 1086–8

CRYSTALLINITY
Pulsed proton nuclear magnetic resonance studies of molecular motion and plastic crystallinity in dodecamethylcyclohexasilane, 1093–4

CUCURBITACIN
Novel direct rearrangement of a 9β,11β-epoxylanostan-7-one into a β-homo-derivative with incorporation of the C-10 angular methyl group, 411–12

CUPRAPENTABORANE
Bistriphenylphosphinecuprapentaborane, an unusual copper-borane, 866–7

CUPRATE
Direct displacement and coupling of prop-2-ynylic acetates with organocuprates, 876–7
Lithium phenylthio(trimethylstannyl)cuprate, a new reagent for conjugate addition of the trimethylstannyl group. The synthesis of β-trimethylstannyl-$\alpha\beta$-unsaturated ketones, 1033–4

CURARIFORM
Crystal and molecular structure of 3,3′-thiobis(2-methyl-1-phenylimidazo-(1,5-a)pyridinium) bistetrafluoroborate; a potent new sulphur containing curariform agent, 816–17

CURVULARIA
Microbial stereo-differentiating reduction of the carbonyl groups located on the C_2 axes of gyrochiral molecules, 667–8
Microbial stereo-differentiating reduction of carbonyl compounds; proposed quadrant rule, 668–7

CYANAMIDE
Synthesis of the dilithium salt of cyanamide in liquid lithium; X-ray crystal structure of Li_2NCN, 52–3

CYANATION
Selective cyanation of bromostyrenes by pentacyanocobaltate(II) and nuclear magnetic resonance evidence for the formation of intermediate σ-styryl-cobalt(III) and η-cinnamonitrile-cobalt(I) cyano-complexes, 1059–61
Photosensitized electron transfer and anodic cyanation reactions of nitrogen heterocycles, 1108–9

CYANIDE INSERTION
Inter- and intramolecular condensations of cyanide and amide ions with coordinated acetonitrile: an amido acid synthesis. X-ray crystal structure of $((NH_3)_3Co((Me)C(NH_2)(NH_2{:}CNH_2)_2))Br_3$ $2/3H_2O$, 289–90

CYANNO GROUP
Unusual incorporation of the cyano group of tert-butylcyanoketene into a cycloadduct. X-ray structure of the pyrimido(1,6-e)(1,3-s) dioxazine formed, 820–1

CYANO
Phototransposition of 2-cyanopyrroles: evidence for the intermediacy of 5-azabicyclo(2.1.0)pent-2-enes, 131–3
Selective cyanation of bromostyrenes by pentacyanocobaltate(II) and nuclear magnetic resonance evidence for the formation of intermediate σ-styryl-cobalt(III) and η-cinnamonitrile-cobalt(I) cyano-complexes, 1059–61

CYANOBENZENE
Redox-photosensitized cleavage of indene dimers using aromatic hydrocarbon–dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1

CYANOBIPYRIDYLIRON
Initial state and transition state solvation in the peroxodisulphate oxidation of dicyanobis(2,2′-bipyridyl)iron(II), 963–4

CYANOBORATE
Preparation of trans,trans,trans- and cis,cis,trans-perhydrophenalen-9-ols by application of the three-migration cyanoborate process to isomeric perhydro-9b-boraphenalenes: differences between the cyanaborate and carbonylation reactions, 805–6

CYANOBOROHYDRIDE
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9
'One-pot' conversion of Mannich bases via quaternary ammonium salts into the corresponding methyl compounds with sodium cyanoborohydride in hexamethylphosphoramide, 1089–90

CYANOCOBALTATE
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5

CYANOETHYLENE
An easy vinylcyclobutane–cyclohexane rearrangement, 931–2

CYANOMETHOXYLATION
Stereochemical control of anodic cyanomethoxylation, 20–2

CYANOMETHYL
Reactions of substituted 3,3-diphenyl- and 3,3-dimethyl-1-oxaspiro(3,5)nona-5,8-diene-2,7-diones with nucleophiles, 312–13

CYANOMETHYLBUTYLCYCLOBUTYL CHLOROBENZOATE
Stereochemistry of the adduct from tert-butylcyanoketene and 2-methylbut-2-ene; X-ray crystal and molecular structure of 2-cyano-3,3,4-trimethyl-2-tert-butylcyclobutyl p-chlorobenzoate, 10–11

CYANOMETHYLENE
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X-ray crystal structure of one such complex, 571–2

CYANOSULPHONIUM
Evidence for the participation of a nitrile group in (2,3) sigmatropic rearrangements of sulphonium ylides, 274–5

CYANOTRIPHENYLBORATE
Magnetic isomers. cis-Bis(cyanotriphenylborato) bisphenanthrolineiron(II), 497–9

CYATHUS
Striatin A, B, and C: novel diterpenoid antibiotics from Cyathus striatus X-ray crystal structure of striatin A, 665–6

CYCLITOL
Synthesis of α-linked 3′-deoxy-cyclitol and -aminocyclitol glycosides, 771–3

CYCLIZATION
Nonoxidative cyclization of squalene by Tetrahymena pyriformis. The incorporation of a 3β-hydrogen (deuterium) atom into tetrahymanol, 333–4
Synthesis of macrocyclic rings by internal photocycloaddition of α,ω-dicinnamates, 400–1
Spiro(5.5)undecane sesquiterpene analogues. Bridging vinyl ether and vinyl acetal formation via intramolecular attack by an enol during bromination, 425–6
Perfluorinated derivatives of furan via novel cyclization reactions of perfluoro-olefins, 431–2
A new use of cyclofunctionalization with selenenyl reagents: an

example of carbon–carbon bond formation, 441–2
Electrochemical reductive cyclization of dimethyl 2,(ω – 1) –dibromoalkanedioates, 481–2
Some epoxy–olefin cyclizations, 526–8
Some epoxy–acetylene cyclizations, 528–9
An unexpected cyclization of an olefinic epoxy–ketone, 529–30
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
Palladium(II)–catalysed asymmetric cyclization of 2–allylphenols by the use of optically active β–pinene, 687–8
Ipso–attack in the cyclization of 4–(α–naphthyl)butan–1–ol to 1,2,3,4–tetrahydrophenanthrene, 734–5
General synthesis of oxiranes, 785–6
Nucleophilic attack by amine nitrogen on the ionized carboxy group, 807–8
Use of deuterium as a tracer with carbon–13 nuclear magnetic resonance spectroscopy in following deuteride migration in terpenoid biosynthesis: mechanism of geranylgeranyl pyrophosphate cyclization in fusicoccin biosynthesis, 843–5
Inverse substituent effect in an imidoyl azide to tetrazole cyclization limited by nitrogen inversion, 871–3
Synthesis of some medium– and large–ring cycloalk–2–ene–1,4–diones by intramolecular coupling of αω–bis–diazoketones, 1069–70
cis–BC ring fusion upon (E)–polyene cyclizations, 1103–5

CYCLOADDN
(2 + 2) Cycloadducts from isocyanates and azaphospholes, 470–1
A triplet state path for adduct formation between benz(a) anthracene and the penta–1,3–dienes, 588–9
Unambiguous proof for preferred 4 + 4 cycloaddition in the dimerization of photoexcited N–methyl–2–pyridone, 620–1
1,7–Cycloadditions of dichlorodicyano–p–benzoquinone and tetracyanoethylene to a dienylcyclopropane, 633–4
Selective homo Diels–Alder addition of acetylenic hydrocarbons to norbornadiene catalysed by a cobalt complex, 636–8
Stereoselective cobalt–catalysed (2 + 2 + 2) cross–addition of norbornadiene and norbornene, 638–9
Retro–1,4–cycloaddition of adducts derived from steroidal 5,7–dienes and 4–phenyl–1,2,4–triazoline–3,5–dione, 727–8
Interception of alkylchlorocarbenes, 775–6
Correlation between selectivity in photochemical cross–cycloaddition and ionization potential of the reacting olefins, 786–8
Unusual incorporation of the cyano group of tert–butylcyanoketene into a cycloadduct. X–ray structure of the pyrimido(1,6–e)(1,3–s) dioxazine formed, 820–1
Addition of 3–nitrosobut–3–en–2–one to olefins and to electron–rich heterocycles, 847–9
Observation of a three–membered ring containing phosphorane, 854–5
Cycloaddition of sterically hindered 1,2–dicyclopropylethylenes with tetracyanoquinodimethane; one–step formation of (10) paracyclophadienes, 864–5
An easy vinylcyclobutane–cyclohexane rearrangement, 931–2
Role of exciplex in the photocycloaddition of 2,5–dimethylhexa–2,4–diene to anthracene, 978

CYCLOALKADIENE
4a,9a–Epoxy–4a,9a–dihydroanthracene–1,4,9,10–tetrone: a versatile synthon in anthracyclinone synthesis, 997–8

CYCLOALKANECARBOXYLATE
Electrochemical reductive cyclization of dimethyl 2,(ω – 1) –dibromoalkanedioates, 481–2

CYCLOALKANONE
Synthesis of α–alkoxycarbonylcycloalkanones by electrolysis of 1–trimethylsiloxybicyclo(n.1.0)alkanes, 293–4
New 1,2–transpositions and alkylative 1,2–transpositions of a carbonyl group, 414–15
Microbial stereo–differentiating reduction of carbonyl compounds; proposed quadrant rule, 668–7
Oxidation of cyclic ketones by hydrogen peroxide catalysed by Group 6 metal peroxo complexes, 888–9

CYCLOALKENE
Formation of abnormal products in the aluminium chloride–catalysed ene additions of chloral and bromal to mono– and 1,2–dialkyl ethylenes, 655–6

CYCLOALKENEDIONE
Synthesis of some medium– and large–ring cycloalk–2–ene–1,4–diones by intramolecular coupling of αω–bis–diazoketones, 1069–70

CYCLOALKYL
Reduction of alkyl esters to alkanes by sodium in hexamethylphosphoric triamide. A new method for the deoxygenation of alcohols, 567–8
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9

CYCLOBUTADIENE
(η^4–Cyclobutadiene)(η^5–cyclopentadienyl)dicarbonylvanadium, 401–2

CYCLOBUTANE
Thermal rearrangement of alkoxycyclobutanes, 392–3

CYCLOBUTANONE
New synthesis of α–methylenecyclobutanones and α–methylenazetidin–2–one derivatives, 12–13

CYCLOBUTAPHENANTHRENE
Formation and molecular structure of (η^5–cyclopentadienyl)–(η^4–cyclobuta(l)phenanthrene)rhodium: a cyclobutadiene–metal complex derived from the intramolecular cyclodimerization of an acyclic diacetylene, 187–8

CYCLOBUTATROPOLONE
Small ring–annulated nonbenzenoid aromatic compounds: 1,2–dihydrocyclobuta(e)tropolone, 215

CYCLOBUTENE
Novel derivatives of perfluorocyclobutene, 433

CYCLOBUTYL CHLOROBENZOATE
Stereochemistry of the adduct from tert–butylcyanoketene and 2–methylbut–2–ene; X–ray crystal and molecular structure of 2–cyano–3,3,4–trimethyl–2–tert–butylcyclobutyl p–chlorobenzoate, 10–11

CYCLOBUTYLHYDROXYMETHYL
An electron spin resonance study of the cyclobutylhydroxymethyl radical: its conformation, and its ring opening followed by 1,6–transfer of enolic hydrogen, 569–71

CYCLOCONDENSATION
Pyranosultone: a novel binuclear heterocyclic system, 325–6
Partial asymmetric synthesis of substituted trans–2,3–diaryloxiranes using optically active arsonium ylides, 346–7
Intramolecular photochemical arylation of N–substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
Boron complexes as control synthons in photocyclizations: an improved phenanthridine synthesis, 884–5

CYCLODECANONE
Long–range deuterium–induced carbon–13 nuclear magnetic resonance isotope shifts for single assignment and determination of deuteriation site in cyclodecanone isotopomers, 302–3

CYCLODECYLIUM
The 1,6–dimethylcyclodecyl cation. Nuclear magnetic resonance evidence for a 1,6–μ–hydrido structure, 769–70

CYCLODIMERIZATION
Electrochemical formation of a tetrathiane ring, 809–10

CYCLODIPHOSPHAZINE
Structures and properties of isomeric cyclodiphosph(III)azanes; X–ray crystal and molecular structure of 2,4–dipiperidino–1,3–di–tert–butylcyclodiphosph(III)azane, 372–3

CYCLODODECANONE
Regioselective oxidation of unactivated methylene and methine groups by dry ozonation: similarity to microbiological oxidation, 413–14

CYCLOELIMINATION
Carbene photocycloelimination from a vinyl–cyclopropane, 558–9

CYCLOGUANIL HYDROCHLORIDE
Cycloguanil hydrochloride: X–ray crystal structure of the antifolate drug, 188–90

CYCLOHEPTATRIENE
Regiospecific carbon–2–addition of thiolates to methoxytropenylium ion. The first practical entry to the monocyclic 1,7–difunctionalized cycloheptatriene series, 710
Regiospecific synthesis of 1,7–dialkylthiocycloheptatrienes. A case of rapid (1,7) sigmatropic migration of unhindered alkylthio–groups, 945–6

CYCLOHEXADIENE
Novel carbon–carbon reductive cleavage of terphenyls with alkali metal–hexamethylphosphoric triamide, 153–4
A mild, regiospecific but–2–enolide synthesis and a convenient preparation of acylated dienes, 311–12
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X–ray

crystal structure of one such complex, 571–2
Regiospecific boron trifluoride catalysed fluorine addition to fluoro–substituted benzene derivatives using xenon difluoride, 969–70
CYCLOHEXADIENEDIYLIDENEBENZODITHIOLE
Tetrathio–derivatives of quinodimethane. Synthesis and ion–radical complex formation of cyclohexa–2,5–diene–1,4–diylidenebis–1,3–benzodithiole derivative, 74–5
CYCLOHEXADIENYLIDENE
Electrochemical formation of a tetrathiane ring, 809–10
CYCLOHEXADIONE
1–Nitro–1–phenylthiopropene, a new reagent for 3–methylfuran synthesis, 362–3
CYCLOHEXANEDIOLATOOSMIUM
X–ray molecular structure of the asymmetrically bridged ester complex di–μ–oxobis((cyclohexane–1,2–diolato) oxo(quinuclidine)osmium(VI)), $(OsO_2(O_2C_6H_{10})(C_7H_{13}N))_2$, 853–4
CYCLOHEXANEDIONE
Intramolecular photochemical arylation of N–substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
Novel β–triketones from Lepidoptera, 1075–6
CYCLOHEXANOL
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
Oxidative displacement of iodine from vicinal iodocarboxylates and alkyl iodides, 919
CYCLOHEXANONE
Novel synthesis of γ–hydroxy–α–nitro–olefins, 350–1
Some epoxy–olefin cyclizations, 526–8
Silyl nitronates: improved nitro–aldol reactions and reductive routes to 2–aminoalcohols, 689–91
Novel synthesis of phenyltrimethylsilyldiazene and generation of the phenyl anion synthon therefrom, 990
Formation of allenes or γ–ketoesters from reactions of oxyallyls with acetylenes or 1,1–dimethoxyethene, 1006–7
CYCLOHEXASILANE
One–step synthesis of dodecamethylcyclohexasilane, 272
Pulsed proton nuclear magnetic resonance studies of molecular motion and plastic crystallinity in dodecamethylcyclohexasilane, 1093–4
CYCLOHEXENE
Convenient 'one–flask' synthesis of olefins. Reaction of α–chloroketones with Grignard reagents and lithium, 847
An easy vinylcyclobutane–cyclohexane rearrangement, 931–2
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
CYCLOHEXENECARBOXYLATE HYDROXY METHYL
Applications of bromolactones in synthesis. Stereospecific syntheses of cis–2–hydroxy–1–methylcyclohex–5–ene–1–carboxylic acid and related compounds, 961–2
CYCLOHEXENECARBOXYLATEOXO
Regioselectivity in the Diels–Alder reactions of 3– and 4–substituted 1–trimethylsilylbutadienes, 178–80
CYCLOHEXENOL
Trifluoroacetylation of alcohols: a newly detected reaction of trifluoroperacetic acid, 248
Novel synthesis of γ–hydroxy–α–nitro–olefins, 350–1
Copper–catalysed 1,6–addition of a benzylic Grignard reagent to a dienone: a new synthesis of ring C aromatic diterpenoids, 614–15
CYCLOHEXENONE
New stereoselective synthesis of 9–methyl–cis–decalin derivatives by double Michael reaction of 3,5–dimethyl–4–methylenecyclohex–2–enone and dimethyl 3–oxoglutarate; X–ray crystal and molecular structure of two of the products, 717–18
Synthesis of 2–alkenyl–3–methylcyclohex–2–en–1–ones, 852–3
CYCLOHEXENYL
Ring inversion in the cyclohexenyl radical, 394–5
CYCLOHEXENYLMETHANOL
1,3–Transposition of primary allylic alcohols: a new application of selenoxide chemistry, 770–1
CYCLOHEXENYLPROPYNOL
Solvent–assisted acetylenic oxy–Cope rearrangement: a novel synthesis of ionone and its analogues, 651–2
CYCLOHEXENYLVINYL
New synthesis of conjugated ketones from 2–phenylthioallyl and –allenyl alcohols, 821–2
CYCLOHEXYL BROMIDE
Unusual reactivity of the 2H–thiopyran anion in alkylation with tert–butyl bromide and cyclohexyl bromide, 596–7
CYCLOHEXYLPHENOL
Experimental chemical shift correlation maps in nuclear magnetic resonance spectroscopy, 684–6
CYCLOISOMERIZATION
Cation complexing photochromic materials involving bisanthracenes linked by a polyether chain. Preparation of a crown–ether by photocycloisomerization, 403–4
CYCLOMETALLATED
Multiple chlorinations of the cyclometallated ring in iridium triaryl phosphite complexes: the crystal and molecular structure of $(IrCl_2(P(OC_6Cl_3Me\text{–}o)(OC_6H_4Me\text{–}o)_2)(pyridine)(PMe_3))$, 973–4
CYCLOMETALLATION
Novel type of metallation reaction: cyclometallation of heterocyclic amines by dicyclopentadienylmethyltitanium, 659–60
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5
Kinetics and mechanism of cyclo– and decyclometallation of some iridium triaryl phosphite complexes. Evidence for the electrophilic displacement mechanism, 1007–8
CYCLONONADIENE
Stereochemistry of hydrogenation of cyclonona–1,2–diene with supported platinum metals and soluble rhodium complexes as evidence for allylic intermediates, 114–15
A new use of cyclofunctionalization with selenenyl reagents: an example of carbon–carbon bond formation, 441–2
CYCLONUCLEOSIDE
Reactions of methylhydrazine and hydrazine with 8–bromo–2′–O–toluene–p–sulphonyladenosine, 86–7
CYCLOOCTANE
Preparation and chemoselective thermolysis of potential azatricyclic synthons containing an eight–membered nucleus, 915–16
CYCLOOCTANONE
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9
CYCLOOCTENE
Asymmetric cis–trans photoisomerization of cyclo–octene sensitized by chiral aromatic esters, 1024–5
CYCLOOLIQOMERIZATION
Medium–ring cyclosilanes from the reaction of dimethyldichlorosilane with lithium, 1092–3
CYCLOPENTADIENE
(η^4–Cyclobutadiene)(η^5–cyclopentadienyl)dicarbonylvanadium, 401–2
X–ray structure of $((\eta^5\text{–}C_5H_5)W(CO)_2C_{15}H_{15})$: a compound containing three unusually bonded five–membered rings, 451–2
Deuteriated cyclopentadienyls of thallium and other metals, 709
CYCLOPENTADIENYL
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
Reactions of nitrogen oxides with di(cyclopentadienyl)titanium complexes, 234–5
Fluxional cyclopentadienylboranes, 242
Photolysis of cyclopentadienyltin compounds: a new source of tin–centred radicals, 353–4
New mixed–metal clusters via metal hydride coupling. Synthesis and crystal structures of $((\mu_2\text{–}H)Os_3W(CO)_{12}(\eta^5\text{–}C_5H_5))$ and $((\mu_2\text{–}H)_3Os_3W(CO)_{11}(\eta^5\text{–}C_5H_5))$, 534–5
Deuteriated cyclopentadienyls of thallium and other metals, 709
Heat of formation of bis(η–cyclopentadienyl)dimethyltungsten and bis(η–cyclopentadienyl)dimethylmolybdenum, 737
A new approach to cationic transition metal alkyls: $(M(\eta\text{–}C_5H_5)_2(CH_2SiMe_3)_2)^+(Y)^-$ (M = Nb or Ta, Y = BF_4 or SbF_6) and their conversion into the alkylidene complexes $(M(\eta\text{–}C_5H_5)_2(CHSiMe_3)(CH_2SiMe_3))$, 925–6
Thionitrosyl ligand; X–ray molecular structure of dicarbonyl(η^5–cyclopentadienyl)thionitrosylchromium, 1036–7
CYCLOPENTADIENYLMETHYLTITANIUM
Novel type of metallation reaction: cyclometallation of heterocyclic amines by dicyclopentadienylmethyltitanium, 659–60

CYCLOPENTENE
An arene hydrido complex of ruthenium(II) as catalyst for the homogeneous hydrogenation of benzene and olefins, 582–3
CYCLOPENTENEDIONE
Rearrangement of 4-ylidenebutenolides to cyclopentene-1,3-diones: synthesis of calythrone and related compounds, 880–2
CYCLOPENTENIUM
Mechanism of acid catalysed opening of the cyclopropane ring in the thujols, 1096–7
CYCLOPENTENOL
cis-BC ring fusion upon (E)-polyene cyclizations, 1103–5
CYCLOPENTENONE
Intramolecular photochemical cycloadditions involving enolized cyclopentane-1,3-diones. A new approach to the bicyclo(3.2.1) octane ring system, 138–40
Formation of alkyl phosphenites from alkyl phosphinates, 324–5
CYCLOPENTENYLMETHANE
Photocyclization of dicyclopent-1-enyl methanes to tricyclo(6.3.0. $0^{2,6}$)undecanes: a synthesis of the hirsutane carbon skeleton, 5–6
CYCLOPENTENYLPHENOL
Palladium(II)-catalysed asymmetric cyclization of 2-allylphenols by the use of optically active β-pinene, 687–8
CYCLOPENTYLETHYLENE
Ring opening polymerization of norbornene catalysed by ethyl aluminium dichloride; olefin metathesis in the absence of a transition metal, 603–4
CYCLOPHANE
Macrocyclic enzyme model system: catalysis of ester degradation by a (20)paracyclophane bearing nucleophilic and metal-binding sites, 494–6
CYCLOPROPABENZOXEPIN
A new mechanism for the formation of cyclopropane derivatives in the thermolysis of pyrazolines, 461–2
CYCLOPROPANATION
Organosilicon chemistry in synthesis: silylcyclopropanation, 714–16
CYCLOPROPANE
Evidence of electronic interaction between classically nonconjugated aromatic systems, 100–1
Catalytic sites in the hydrogenolysis of cyclopropane on platinum, 127–8
Microwave spectrum, dipole moment, and quadrupole coupling constants of trans-nitrosocyclopropane, 388–9
Carbene photocycloelimination from a vinyl-cyclopropane, 558–9
1,7-Cycloadditions of dichlorodicyano-p-benzoquinone and tetracyanoethylene to a dienylcyclopropane, 633–4
Homoconjugate addition of Grignard reagents spiroactivated cyclopropanes. An approach to the total synthesis of (±)-brefeldin A, 754–6
CYCLOPROPENE
Electronic excited states of small ring compounds. Substituent effects on the photochemical ring cleavage of 3,3-dimethyl-1,2-diarylcyclopropenes, 743–4
CYCLOPROPENONE
Formation of a novel complex between pyridinium bis(alkoxycarbonyl)methylides and diphenylcyclopropenone; trapping of pyridinium bis(alkoxycarbonyl)methylide cation radicals, 817–19
CYCLOPROPYL ALC
Cyclopropylidene insertion. Evidence for bicyclo(1.1.0)butan-2-olate formation, 128–9
CYCLOPROPYLBUTADIENE
An easy vinylcyclobutane-cyclohexane rearrangement, 931–2
CYCLOPROPYLETHENE
Cycloaddition of sterically hindered 1,2-dicyclopropylethylenes with tetracyanoquinodimethane; one-step formation of (10) paracyclophadienes, 864–5
CYCLOPROPYLIDENE INSERTION
Cyclopropylidene insertion. Evidence for bicyclo(1.1.0)butan-2-olate formation, 128–9
CYCLOPROPYLMETHYL
Rearrangement of cyclopropylmethyl and but-3-enyl cobaloximes, 954–6
CYCLOSILANE
Medium-ring cyclosilanes from the reaction of dimethyldichlorosilane with lithium, 1092–3
CYCLOTRIMERIZATION
Evidence for the ready insertion of rhodium into a carbon-hydrogen bond of ethylene; crystal and molecular structure of μ-but-2-ene-μ-ethylenebis-(η^5-1-methylindenyl)dirhodium, 839–41
CYCLOTRON RESONANCE
Experimental proof of the existence of a fourth stable gas phase $C_2H_4O^{+\cdot}$ isomer: the open ethylene oxide ion, 724–5
CYCLOVITAMIN D3
Stereoselective conversion of vitamin D_3 into its 3β-halogenated derivatives. The synthesis of a 1α-hydroxy-3β-fluorovitamin D_3 analogue, 554–5
CYSTEINE
Conversion of penicillins into biosynthetically significant peptides, 609–10
CYSTEINYL
Molecular catalysis: enhanced rates of thiolysis with high structural and chiral recognition in complexes of a reactive macrocyclic receptor molecule, 949–51
CYTOCHALASIN B
Approaches to cytochalasan synthesis: macrocycle formation using an intramolecular Diels-Alder reaction, 474–5
CYTOCHROME
Cytochrome oxidase models: a binuclear iron-copper site with a bipyrimidine bridge, 483–5
CYTOCHROME C
Structural barriers to the rates of electron transfer of copper complexes. Oxidation of cytochrome c (II) by copper(II) complexes, 370–2
DDQ
Tetrathio-derivatives of quinodimethane. Synthesis and ion-radical complex formation of cyclohexa-2,5-diene-1,4-diylidenebis-1,3-benzodithiole derivative, 74–5
1,7-Cycloadditions of dichlorodicyano-p-benzoquinone and tetracyanoethylene to a dienylcyclopropane, 633–4
DEACETYLISOIPECOSIDE
Deacetylisoipecoside: the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine, 896–8
DEACYLATION
Stereoselective reaction of p-nitrophenyl N-acyl-phenylalanines with N-acyl-L-histidine in mixed micelles, 984–5
DEALKYLATION
Specific dealkylation of phosphonate esters using iodotrimethylsilane, 870–1
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane-sodium iodide, 874–5
DEAZAFLAVIN
Oxidation-reduction in hydrolysis of pyrimido(4.5-b)quinoline-2(3H),4(10H)-diones (5-deazaflavins), 398–9
Novel synthesis of pyrimido(4,5-b)quinoline-2(3H),4(10H)-diones (5-deazaflavins), 764
DEBENZYLATION
Treatment of cinnamic acids with polyphosphoric acid, 355
DEBLOCKING
Polymeric de-blocking agents for the fluoren-9-ylmethoxycarbonyl (FMOC) amino-protecting group, 450–1
DECADIENOATE
Synthesis of the butterfly compound (E,E)-10-hydroxy-3,7-dimethyldeca-2,6-dienoic acid, 985–6
DECALIN
Some epoxy-acetylene cyclizations, 528–9
DECALINONE
New stereoselective synthesis of 9-methyl-cis-decalin derivatives by double Michael reaction of 3,5-dimethyl-4-methylenecyclohex-2-enone and dimethyl 3-oxoglutarate; X-ray crystal and molecular structure of two of the products, 717–18
DECALONE
Stereoelectronic control of α proton abstraction from iminium ions, 49–50
Some epoxy-olefin cyclizations, 526–8
DECARBOXYLATION
Dramatic acceleration of a concerted reaction by a methoxy group, 1025–6
DECHLORINATION
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5
DECHLORO
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2
DECOMPN
Activity of copper(II)-exchanged Y-type zeolites in the catalytic decomposition of nitrogen monoxide, 1058–9

DEFLUORINATION
Perfluorinated derivatives of furan via novel cyclization reactions of perfluoro–olefins, 431–2
Synthesis of fluorinated dienes and cyclobutenes, 475–6
DEFLUOROALKYLATION
Synthesis of fluorinated dienes and cyclobutenes, 475–6
DEHYDRATION
Stereochemical course of dehydration catalysed by the yeast fatty acid synthetase, 193–4
The role of stress in nucleus development during dehydration of certain alums, 273–4
Dehydration sequence of cobalt exchanged synthetic A zeolite: evidence for 3–, 4–, 5–, and 6–fold coordination, 548–9
Nonenzymic model of the dioldehydratase reaction. Initiation of conversion of ethylene glycol into acetaldehyde on anaerobic photolysis of organocobalamins in the presence of mercapto compounds, 592–3
A relation between the product distribution from the dehydration of dimethylbutan–2–ols and catalytic acidity, 801–2
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave spectroscopic analyses, 835–6
DEHYDROGENATION
9,12–Dithia–trans–bicyclo(6.4.0)dodeca–2,4,6,10–tetraene system, an example of a trans–fused cycloocta–1,3,5–triene, 57–8
Dehydrogenation of steroidal ketones using benzeneseleninic anhydride, 130–1
Photo–enhanced production of hydrogen by liquid–phase catalytic dehydrogenation of propan–2–ol with rhodium–tin chloride complexes, 348–9
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
DELTACYCLENE
Selective homo Diels–Alder addition of acetylenic hydrocarbons to norbornadiene catalysed by a cobalt complex, 636–8
DEMETALLATION
Bromodemetallation of β–methoxyphenethylthallium(III) diacetate and β–methoxyphenethylmercury(II) acetate with copper–(I) and –(II) bromide, direct evidence for alkyl radicals in bromodethallation by the spin trapping technique, 65–6
DEOXYAMINOCYCLITOL
Synthesis of α–linked 3′–deoxy–pseudo–di– and –tri–saccharides related to aminocyclitol–glycoside antibiotics, 773–4
DEOXYGENATION
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
DEOXYHEXOFURANOSE
Stereoselective reduction of 3–O–hexofuranosyl S–methyl dithiocarbonates with tributyltin deuteride, 449–50
DEOXYPENTENOFURANOSYL
New synthesis of 4′,5′–unsaturated nucleosides, 1084–5
DEOXYPSEUDOURIDINE
Pseudouridine transformations. Formation of 2′– and 3′ –deoxypseudouridines via halogen intermediates using α–acetoxyisobutyryl chloride, 677–8
DEOXYSCHIZANDRIN
Synthesis of the lignan (±)–deoxyschizandrin, 491–2
DEPROTECTION
Electrochemical removal of 1,3–dithiane protecting groups, 255–6
DEPROTONATION
Detection of organic dianions by carbon–13 nuclear magnetic resonance spectroscopy, 172–3
Proton nuclear magnetic resonance study of the deprotonation of the catecholamines in solution: the microconstants for the de–deuteronation of L–dopa in D_2O, 768–9
Formation of platinum(II) compounds containing isomeric σ–vinylic and σ–allylic six–membered chelate rings by deprotonation of the coordinated isopropenyl group: X–ray structure of the σ–vinylic complex di–μ–acetato–bis(o–isopropenylphenyl(diphenyl)arsineplatinum(II)), 861–3
DEPSIDONE
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2
Base catalysed and thermal rearrangements of grisadiendiones to depsidones, 1043–4
DESILYLBROMINATION
β–Silylketones as masked $\alpha\beta$–unsaturated ketones, 176–7
DESORPTION
Hydrogen absorption in YNi_4Mn, an alloy with the cubic UNi_5 structure, 581–2
DETRITIATION
1,2–Hydrogen shifts during acid–catalyzed hydrogen exchange, 586–7
DEUTERATION
Versatile deuterium exchange and isomerization of hydrocarbons via phase transfer catalysis, 155–6
Stereochemistry of 1,4–addition of molecular deuterium to 2–methylbuta–1,3–diene over thorium dioxide, magnesium oxide, and dilanthanum trioxide, 1091–2
DEUTERIATED
Deuteriated cyclopentadienyls of thallium and other metals, 709
DEUTERIATION
Long–range deuterium–induced carbon–13 nuclear magnetic resonance isotope shifts for single assignment and determination of deuteriation site in cyclodecanone isotopomers, 302–3
DEUTERIO
Raman optical activity due to isotopic substitution: (1S)–4,4–dideuterioadamantan–2–one, 259–60
DEUTERIUM
Deuterium nuclear magnetic resonance studies on biosynthesis: stereochemistry of the 5′–hydrogen atoms of griseofulvin derived from griseophenone B and 4–demethyldehydrogriseofulvin, 135–6
Isotope effects in molecular complexes of naphthalene, 455–6
Stereoelectronic control of acetal hydrolysis, 803–4
Equilibrium constant for protium–deuterium exchange between methanol and water, 1037–8
DEUTERIUM EXCHANGE
Deuteriated cyclopentadienyls of thallium and other metals, 709
Synthesis, X–ray crystal structure, and chemistry of the cation $((\eta$–MePh)$Mo(\mu$–SMe$)_4Mo(\eta$–MePh$))^{2+}$; easy D_2O–NaOD catalysed hydrogen–deuterium exchange of the methyl hydrogens of a η–bonded toluene ligand, 1009–11
DEUTERIUM LABELLED
Synthesis of (5′R)–($^2H_1$)adenosine, 294–5
DEUTERIUM SHIFT
The NIH shift of deuterium during the oxidation of aromatic compounds by iron perchlorate and hydrogen peroxide in acetonitrile, 704–5
DEUTERIUM TRACER
Use of deuterium as a tracer with carbon–13 nuclear magnetic resonance spectroscopy in following deuteride migration in terpenoid biosynthesis: mechanism of geranylgeranyl pyrophosphate cyclization in fusicoccin biosynthesis, 843–5
DEWAR PYRROLE
Synthesis of the N–unsubstituted Dewar pyrrole 1,2,3,4–tetrakistrifluoromethyl–5–azabicyclo(2.1.0)pent–2–ene, 509
DI PI METHANE
Regioselectivity in the di–π–methane rearrangement; alternative processes in the photochemistry of halogeno–1,4–dienes, 101–2
Differing substituent effects on rates and regioselectivities in the di–π–methane rearrangement. New photochemical theory: excitation distribution (the ΔP matrix), reaction inhibition by vertical excited state stabilization, ground Vs. excited state control, 228–30
DIANION
A simple route to α–aminoketones and related derivatives by dianion acylation reactions; an improved preparation of δ–aminolevulinic acid, 753–4
DIAZA
Reversible photochemical valence isomerization between α–diazo–ketones and a α–keto–diazirines, 442–3
DIAZABICYCLOHEPTANECARBOXYLATE
Conversion of alkyl carbamates into amines via treatment with trimethylsilyl iodide, 315–16
DIAZABICYCLOOCTANECARBOXYLATE
1,3–Dipolar cycloaddition reactions of imines of α–amino acid esters: X–ray crystal and molecular structure of methyl 4–(2–furyl)–2,7–diphenyl–6,8–dioxo–3,7–diazabicyclo(3.3.0)octane–2–carboxylate, 109–11
DIAZACYCLOHEPTANE
Conversion of alkyl carbamates into amines via treatment with trimethylsilyl iodide, 315–16
DIAZENE
Novel synthesis of phenyltrimethylsilyldiazene and generation of the phenyl anion synthon therefrom, 990
DIAZENIDO
Bis(organodiazenido)–complexes of molybdenum, 352–3

DIAZEPINIUM
Surprising electrochemical reduction product from a dihydrodiazepinium salt, 499
DIAZO ESTER
Alkylrhodium(III) porphyrins from rhodium(III) porphyrins and diazoalkanes, 937–8
DIAZOALKANEDIONE
Synthesis of some medium- and large-ring cycloalk-2-ene-1,4-diones by intramolecular coupling of αω-bis-diazoketones, 1069–70
DIAZOMALONATE
Rhodium(II)-catalysed addition of dimethyl diazomalonate to thiophene: a simple synthesis of thiophenium bismethoxycarbonylmethylides and crystal and molecular structure of the unsubstituted methylide, 83–4
DIAZONIUM
Thermodynamics of formation of 18-crown-6 complexes with arenediazonium and anilinium salts in methanol at 25°C, 386–7
DIAZOOXOPROPYLPYRIDOINDOLE
New synthetic routes to synthons for the synthesis of functionalized Aspidosperma alkaloids, 943–4
DIAZOTIZATION
Infrared lasers: a new tool for studying the diazotization of matrix isolated tetracarbonyliron(0), 36–8
DIBENZAZECINONE
New route to the protopanes, 812–13
DIBENZAZEPINE
Intramolecular photochemical arylation of N-substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
DIBENZOAZAANNULENE
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(III) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo-tetra-aza(14)annulene ligand, 909–10
DIBENZOFURAN
Photochemical conversion of grisadiendiones into dibenzofurans, 1044–5
DIBENZOTHIOPHENE
Intramolecular homolytic aromatic ipso substitution in halogenobenzenes by aryl radicals, 530–1
DIELDRIN
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5
DIELEC CONST
Solvent effects in homogeneous asymmetric catalysis, 427–8
DIELS
Novel conversion of a 3-oxidopyridinium into a 4-oxidoisoquinolinium, 316–18
DIELS ALDER
Synthetic approaches to aclacinomycin and pyrromycin antitumour antibiotics via Diels–Alder reactions of 6-alkoxy-2-pyrones: total synthesis of chrysophanol, helminthosporin and pachybasin, 95–6
Regioselectivity in the Diels–Alder reactions of 3- and 4-substituted 1-trimethylsilylbutadienes, 178–80
Carbonium ion rearrangements in the norbornyl series controlled by a silyl group, 245–7
Novel conversion of a 3-oxidopyridinium into a 4-oxidoisoquinolinium, 316–18
Diels–Alder reaction of o-benzoquinones with acyclic dienes, 397
Approaches to cytochalasan synthesis: macrocycle formation using an intramolecular Diels–Alder reaction, 474–5
Preparation and characterization of 6,6-dimethylenefulvene, 496–7
Synthesis of the N-unsubstituted Dewar pyrrole 1,2,3,4-tetrakistrifluoromethyl-5-azabicyclo(2.1.0)pent-2-ene, 509
Selective homo Diels–Alder addition of acetylenic hydrocarbons to norbornadiene catalysed by a cobalt complex, 636–8
Synthesis of the insect dyestuff kermesic acid and related anthraquinones, 688–9
4a,9a-Epoxy-4a,9a-dihydroanthracene-1,4,9,10-tetrone: a versatile synthon in anthracyclinone synthesis, 997–8
DIELS ALDER RETRO
Detection by microwave spectroscopy of nitroxyl produced by a retro-Diels–Alder reaction, 275–6
DIENONE
Copper-catalysed 1,6-addition of a benzyl Grignard reagent to a dienone: a new synthesis of ring C aromatic diterpenoids, 614–15
DIENYL
1,7-Cycloadditions of dichlorodicyano-p-benzoquinone and tetracyanoethylene to a dienylcyclopropane, 633–4
DIFERRACARBABORANE
Structural consequences of electron 'deficiencies' in metallaheteroboranes; hyperpolyhedral metal–metal bonding, 858–9
DIFFRACTION
X-ray photoelectron diffraction: a novel method of structural analysis in complex monocrystalline solids, 210–11
DIGITOPURPONE
Regiospecific syntheses of islandicin and digitopurpone monomethyl ethers, 242–4
DIHYDROPYRIDINYL
Enhanced rates of dihydropyridine to pyridinium hydrogen transfer in complexes of an active macrocyclic receptor molecule, 143–6
DIKETONATE
Evidence for a second photoactive excited state in a tris(β-diketonate)chromium(III) complex, 363–4
DIMERIZATION
Novel derivatives of perfluorocyclobutene, 433
Unambiguous proof for preferred 4 + 4 cycloaddition in the dimerization of photoexcited N-methyl-2-pyridone, 620–1
Difluor reagents: non-hygroscopic sources of the fluoride ion, 789–91
DIMETHANOBENZINDAN
Regioselective oxidation of unactivated methylene and methine groups by dry ozonation: similarity to microbiological oxidation, 413–14
DIMETHYLPHENYLETHENYLCHROMIUM
Synthesis and x-ray crystal and molecular structure of tetrakis(2,2-dimethyl-1-phenylethenyl)chromium(IV), the first structurally-characterized homoleptic alkenyl compound of a transition metal 899–900
DINITROGEN
Organozirconium(III)-dinitrogen complexes: evidence for $(\eta^2\text{-}N_2)$-metal bonding in $(Zr(\eta\text{-}C_5H_5)_2(N_2)(R))$ $(R = Me_3Si)_2CH)$, 34–6
Photopolymerization of S_2N_2 to $(SN)_x$, 301–2
DINITROGEN OXIDE
Catalytic conversion of nitric oxide into nitrogen and dinitrogen oxide by dinitrobis(ethylenediamine)cobalt(III) cation, 175–6
DINORPENICILLIN
(±)-Dinorpenicillin-2-spirocycloalkane, 46–7
DIOLDEHYDRATASE
Nonenzymic model of the dioldehydratase reaction. Initiation of conversion of ethylene glycol into acetaldehyde on anaerobic photolysis of organocobalamins in the presence of mercapto compounds, 592–3
DIOXAPHOSPHOLENE
Generation of a pentacoordinated protonated oxyphosphorane in equilibrium with the isomeric enol phosphonium ion and unprotonated oxyphosphorane, 382–3
DIOXATHIADISPIROUNDECANE
X-ray crystal and molecular structure of a dispirothiiran: 1,1,3,3,7,7,9,9-octamethyl-2,8-dioxa-11-thiadispiro(4.0.4.1)undecane-4,10-dione, 555–6
DIOXETANE
Observation of a three-membered ring containing phosphorane, 854–5
DIOXOLANE
Reduction of α,α′-dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4-isopropylidene-1,3-dioxolans, 1040–1
DIOXOLANYL
Selectivity in the addition of organic radicals to the alkene bond, 438–9
DIOXOLANYLACETYLENE
Cyclization of acetylenecarboxylic acids; a novel route to γ-methylenebutyrolactones, 649–50
DIOXOLANYLALKANOATE
Electrochemical synthesis of 2-methoxy-1,4-dioxanes by anodic oxidation of β-oxocarboxylate ethylene acetals, 194–5
DIOXYGEN
New dioxygen complex of manganese phthalocyanine, 217–18
Electrocatalytic formation of superoxides in the presence of cobalt chelates, 339–40
Activation and transfer of molecular oxygen. Oxidation of terminal olefins to methyl ketones by rhodium dioxygen complexes,

559–60
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562
Synthesis, X-ray crystal structure, and properties of a tetranuclear complex formed by oxidation of copper(I) chloride with molecular dioxygen in N-methylpyrrolidin-2-one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
DIPEPTIDE
Molecular catalysis: enhanced rates of thiolysis with high structural and chiral recognition in complexes of a reactive macrocyclic receptor molecule, 949–51
DIPLOICIN
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2
DIPOLAR CYCLOADDN
1,3-Dipolar cycloaddition of anhydro-4-hydroxy-1,3-oxazolium hydroxides with carbonyl compounds, 247–8
DIPOLE MOMENT
Microwave spectrum, dipole moment, and quadrupole coupling constants of trans-nitrosocyclopropane, 388–9
Microwave spectrum and conformation of glycine, 547–8
DISILANE
Formation of a new silicon-containing ring system, 1,1,2,2,3,3-hexamethyl-4,5-diphenyl-1,2,3-trisilacyclopent-4-ene, 1029–30
DISPIROADAMANTANE
Preparation of some S-methyl thiiranium salts of adamantylideneadamantane. Demethylation and desulphurization with nucleophiles, 630–1
DISPIROTHIIRAN
X-ray crystal and molecular structure of a dispirothiiran: 1,1,3,3,7,7 9,9-octamethyl-2,8-dioxa-11-thiadispiro(4.0.4.1)undecane-4, 10-dione, 555–6
DISPORPORTIONATION
Ready conversion of 1,1-diphenylethylene into benzophenone and 1 1-diphenylethane over a synthetic hectorite, 930–1
DISSOCN
Nonconcerted unimolecular reactions of ions in the gas phase: isomerization of weakly coordinated carbonium ions, 24–6
Activity of copper(II)-exchanged Y-type zeolites in the catalytic decomposition of nitrogen monoxide, 1058–9
DISSOCN CONST
Proton nuclear magnetic resonance study of the deprotonation of the catecholamines in solution: the microconstants for the de-deuteronation of L-dopa in D_2O, 768–9
DISTANNACYCLODECANE
Formation and X-ray crystal structure of 1,1,6,6-tetraphenyl-1,6-distannacyclodecane, 791–2
DISULPHIDE
Photopolymerization of S_2N_2 to $(SN)_x$, 301–2
A new and versatile chelating dithio ligand: X-ray crystal structure of $(Ru(CO)(SC_6H_3Me\text{-}o\text{-}SC_6H_4Me)(\eta\text{-}C_5H_5))$, 486–8
DITERPENE
Alternative synthetic route to the cembrene skeleton, 359–60
DITERPENOID
Structure of (–)-2,9-dihydroxyverrucosane, a novel carbon skeletal diterpenoid from the liverwort Mylia verrucosa, 198–200
Striatin A, B, and C: novel diterpenoid antibiotics from Cyathus striatus X-ray crystal structure of striatin A, 665–6
DITHIABICYCLODODECATETRAENE
9,12-Dithia-trans-bicyclo(6.4.0)dodeca-2,4,6,10-tetraene system, an example of a trans-fused cycloocta-1,3,5-triene, 57–8
DITHIANE
Electrochemical removal of 1,3-dithiane protecting groups, 255–6
DITHIETANE
Fluorinated dichloro hexa- and penta-coordinated sulphur(VI) compounds, 154–5
DITHIOCARBONATE
Conversion of primary aliphatic amines into thiocyanates and thiocarbonate esters, 133–4
Stereoselective reduction of 3-O-hexofuranosyl S-methyl dithiocarbonates with tributyltin deuteride, 449–50
DITHIOLYLIDENE
Versatility of cycloaddition of electrophilic alkynes to η^2-CS_2 metal complexes. Reversible isomerization of 1,3-dithiol 2-ylideneiron and heterometallocyclic complexes, 573–4
DIXENON CATION
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation-reduction methods: spectroscopic properties of the ion, 502–4
DMSO
Thiosulphonium ion intermediate in the oxidation of a thiol with dimethyl sulphoxide, 865–6
DODECADIENE
Substitution of allylic sulphides of benzothiazole-2-thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
DODECANOATE
Biphasic photochemistry: use of the Barton reaction to determine micelle microviscosity, 1110–11
DODECENOL
1,3-Transposition of primary allylic alcohols: a new application of selenoxide chemistry, 770–1
DODECYL
Regioselective oxidation of unactivated methylene and methine groups by dry ozonation: similarity to microbiological oxidation, 413–14
DODECYL HALIDE
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9
DOPA
Proton nuclear magnetic resonance study of the deprotonation of the catecholamines in solution: the microconstants for the de-deuteronation of L-dopa in D_2O, 768–9
DOPED
A novel conducting polyacetylene derivative, 1066–7
ELEC COND
Copper derivatives of tetrathiafulvalene, 69–70
Highly conducting organic alloys $(NBDT)_2I_xBr_{3-x}$ (NBDT = naphthaceno(5,6-cd:11,12-c′d′)bis(1,2)dithiole), 974–5
'Organic metals' with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
A novel conducting polyacetylene derivative, 1066–7
ELEC DISCHARGE
Production, in electrical discharges, of fluorine cyanide, fluoroacetylene, and related substances as monitored by microwave spectroscopy, 335
ELEC POTENTIAL
Solvation as the determining factor for the redox potential of $Fe_4S_4(S(CH_2)_nCO_2)^{6-}$ cluster ions, 703–4
ELEC RESISTIVITY
Tetrathio-derivatives of quinodimethane. Synthesis and ion-radical complex formation of cyclohexa-2,5-diene-1,4-diylidenebis-1,3-benzodithiole derivative, 74–5
ELECTRO CATALYSIS
Polymeric sulphur nitride electrode: an example of electrocatalysis by surface chemical modification, 244–5
ELECTROADDN
Stereochemical control of anodic cyanomethoxylation, 20–2
ELECTROCATALYTIC
Electrocatalytic formation of superoxides in the presence of cobalt chelates, 339–40
ELECTROCHEM
Stereochemical control of anodic cyanomethoxylation, 20–2
Anodically induced decomposition of some arylnickel(II) phosphine complexes, 66–8
Electrochemical removal of 1,3-dithiane protecting groups, 255–6
Synthesis of α-alkoxycarbonylcycloalkanones by electrolysis of 1-trimethylsiloxybicyclo(n.1.0)alkanes, 293–4
Electrocatalytic formation of superoxides in the presence of cobalt chelates, 339–40
Electrochemical reductive acylation of astacene; a route to the carotenoid astaxanthin, 387–8
Regiospecific anodic pyridination of 2-hydroxy-3-methoxy-5-methylbenzaldehyde Schiff bases, 407–8
Electrochemical reductive cyclization of dimethyl 2,(ω – 1) -dibromoalkanedioates, 481–2
Surprising electrochemical reduction product from a dihydrodiazepinium salt, 499
Electrochemical reduction of a heterodienetricarbonyliron(0) complex as a route to novel tricarbonyliron anions, 552–3
Use of ion exchange resins to trap electrogenerated intermediates: acetamidation of hydrocarbons, 738
Production, detection, and characterization of transient hexavalent technetium in aqueous alkaline media by pulse radiolysis and very fast scan cyclic voltammetry, 1038–40
Visible light-assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and

manganese(III) porphyrins, 1106–7
ELECTROCHEM OXIDN
Anodic functionalization of 1H–perfluoroalkanes. Observation of fluorine–19 chemically induced dynamic nuclear polarization, 118–19
Electrochemical synthesis of 2–methoxy–1,4–dioxanes by anodic oxidation of β–oxocarboxylate ethylene acetals, 194–5
Electrochemical formation of a tetrathiane ring, 809–10
ELECTROCHEM REDN
Phenaleno(1,9–cd)dithiolyl: the first example of a monomeric, coplanar, carbon–based free radical, 429–30
ELECTRODE
Polymeric sulphur nitride electrode: an example of electrocatalysis by surface chemical modification, 244–5
Visible light–assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and manganese(III) porphyrins, 1106–7
ELECTROLYSIS
Electrochemical removal of 1,3–dithiane protecting groups, 255–6
ELECTRON
Resolved nitrogen–14 hyperfine coupling for surface electrons on magnesium oxide in the presence of ammonia and amines, 71–2
ELECTRON ACCEPTOR
Addition of furans to electron rich olefins through photo–induced electron transfer in the presence of electron acceptors, 594–5
ELECTRON AFFINITY
'Organic metals' with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
ELECTRON CAPTURE
σ*–electron addition to 5–halogenouracils in neutral glasses, 313–14
ELECTRON MICROSCOPY
Investigation of structure composition relationships in the serpentine minerals by combined X–ray K–emission spectrometry and high–resolution electron microscopy, 986–7
Mapping organic molecules in biological space by high resolution NMR spectroscopy and electron microscopy, 1030–2
ELECTRON TRANSER
Electron–transfer reactions between the semiquinone anion radical and metallo–tetraphenylporphyrins, 361
ELECTRON TRANSFER
Electron–transfer reactions between the semiquinone anion radical and metallo–tetraphenylporphyrins, 361
Structural barriers to the rates of electron transfer of copper complexes. Oxidation of cytochrome c (II) by copper(II) complexes, 370–2
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18
Addition of furans to electron rich olefins through photo–induced electron transfer in the presence of electron acceptors, 594–5
ELEMANOLIDE
Structure and total synthesis of temisin, 76–8
ELIMINATION
Conformational control in eliminations with the $(E_1cB)_R$ mechanism, 43–4
Stereoelectronic control of α proton abstraction from iminium ions, 49–50
The kinetic effect of ring strain in an elimination reaction, 338–9
Synthesis of fluorinated dienes and cyclobutenes, 475–6
Elimination of an allyloxy–group during the Claisen rearrangement of 1,2–diallyloxyanthraquinone, 900–1
Orientation in elimination from carbanions, 975–6
EMETINE
Deacetylisoipecoside: the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine, 896–8
EMISSION SPECTRUM
Direct evidence for the quadruple metal–metal bond in the octachlorodimolybdenum(II) ion, $(Mo_2Cl_8)^{4-}$, using X–ray emission spectroscopy, 262–3
ENAMINE
Intramolecular photochemical arylation of N–substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
ENAMINONE
Intramolecular photochemical arylation of N–substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
ENANTIOMERIC PURITY
General method for determining enantiomeric purities of chiral lactones, 722
ENDORPHIN
Application of polyamide resins to polypeptide synthesis: an improved synthesis of β–endorphin using fluorenylmethoxycarbonylamino–acids, 539–40
ENERGY
Bond strengths in metal carbonyl clusters, 765–6
ENOL
1,3–Transposition of primary allylic alcohols: a new application of selenoxide chemistry, 770–1
ENOL ETHER
Ready formation of enol ethers in steroidal 20β–hydroxy–18–methyl–18–ketones, 241
Efficient method for the preparation of trimethylsilyl enol ethers of acyltrimethylsilanes, 478–9
A new synthesis of conjugated dienones, 608
ENOLATE
Steric effects on chelation in carbon–13 nuclear magnetic resonance spectra of β–diketone enolates, 965–7
ENOLIZATION
Difluor reagents: non–hygroscopic sources of the fluoride ion, 789–91
ENONE
A silicon–based protecting group for the αβ–unsaturation of αβ–unsaturated ketones, 177–8
Reduction of natural enones in the presence of cerium trichloride, 601–2
Lithium phenylthio(trimethylstannyl)cuprate, a new reagent for conjugate addition of the trimethylstannyl group. The synthesis of β–trimethylstannyl–αβ–unsaturated ketones, 1033–4
ENOPHILE
Ene reactions of β–pinene at room temperature and 40 kbar pressure, 599–600
ENTHALPY
Standard enthalpies of formation of cis– and trans–bicyclo(6.1.0) nonanes, 778–9
Enthalpy of formation of copper(II) complexes with 14–membered tetraaza macrocycles, 833–4
ENZYME
Stereochemical course of dehydration catalysed by the yeast fatty acid synthetase, 193–4
Biosynthesis of mycophenolic acid. Oxidation of 6–farnesyl–5,7–dihydroxy–4–methylphthalide in a cell–free preparation from Penicillium brevicompactum, 434
Biosynthesis of natural porphyrins: enzymic experiments on isomeric bilanes, 1064–6
ENZYME MODEL
Macrocyclic enzyme model system: catalysis of ester degradation by a (20)paracyclophane bearing nucleophilic and metal–binding sites, 494–6
ENZYMIC
Biosynthesis of type–III porphyrins: proof of intact enzymic conversion of the head–to–tail bilane into uro'gen–III by intramolecular rearrangement, 185–6
Biosynthesis of natural porphyrins: enzymic experiments on isomeric bilanes, 1064–6
EPIDIOXIDE
2–(1–Methylindol–3–yl)–3–phenyldihydro–1,4–dioxin 2,3–epidioxide, a dioxetan resulting in efficient ultraviolet chemiluminescence, 781–2
EPIMERISATION
Synthesis, epimerization, X–ray structure, and absolute configuration of an optically active molybdenum complex having five independent ligands, 691–2
EPIMERIZATION
Analogies between the dynamic stereochemistry at silicon and phosphorus. Kinetic study of solvent–induced epimerization of menthyl chloro(phenyl)phosphonate, 104–5
EPISULPHIDATION
Synthesis of sulphur–containing prostacyclin PGI_1 analogues, 6,9–epithio–PGI_1, its S–oxide stereoisomers, and its SS–dioxide, 375–7
EPITHIOPROSTACYCLIN
Synthesis of sulphur–containing prostacyclin PGI_1 analogues, 6,9–epithio–PGI_1, its S–oxide stereoisomers, and its SS–dioxide, 375–7
EPOXIDE
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100

EPOXIDN
Trifluoroacetylation of alcohols: a newly detected reaction of trifluoroperacetic acid, 248
Effect of substituents on the reactivity of a double bond towards ($_{\pi}4_s + _{\pi}2_s$) and epoxidation reactions: a chemical manifestation of orbital interactions through space, 296–7
Solvent effects in homogeneous asymmetric catalysis, 427–8
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
Microbial epoxidation of long-chain terminal olefins, 849–50
EPOXY
Novel synthesis of γ-hydroxy-α-nitro-olefins, 350–1
Synthesis of a sym-oxepin oxide with restricted conformational mobility and altered reactivity. X-ray crystal and molecular structure of 4,7-dibromo-3a,7a:5,6-diepoxyperhydroindene, 377–9
Some epoxy-olefin cyclizations, 526–8
Some epoxy-acetylene cyclizations, 528–9
An unexpected cyclization of an olefinic epoxy-ketone, 529–30
EPOXYANTHRACENETETRONE
4a,9a-Epoxy-4a,9a-dihydroanthracene-1,4,9,10-tetrone: a versatile synthon in anthracyclinone synthesis, 997–8
EPOXYBENZODIOXEPINONE
X-ray crystal structure of an ozonide: 4-(4-nitrophenylmethyl)-1-phenyl-1,4-epoxy-1H-2,3-benzodioxepin-5(4H)one, 729–30
EPOXYBICYCLOHEPTANONE
Photosynthetic routes to prostaglandins: conversion of 2,3-endo-epoxybicyclo(3.2.0)heptan-6-one into 6,7-endo-epoxy-3-alkoxy-2-oxabicyclo(3.3.0)octanes, 661–2
Novel synthesis of prostaglandin E_2 involving regioselective ring opening of a 2,3-endo-epoxybicyclo(3.2.0)heptan-6-one acetal with a mixed organocuprate reagent, 662–4
EPOXYESTRANONE
New approach to the aromatization of ring B in 19-norsteroids and to the synthesis of equilenin-type compounds, 916–18
EPOXYGERANYL
Transformation of the geraniol skeleton into the fragranol and grandisol skeletons, 519–20
EPOXYIMINOANTHRACENE
Detection by microwave spectroscopy of nitroxyl produced by a retro-Diels–Alder reaction, 275–6
EPOXYLANOSTANONE
Novel direct rearrangement of a 9β,11β-epoxylanostan-7-one into a β-homo-derivative with incorporation of the C-10 angular methyl group, 411–12
EQUIL
Sugar equilibria. Observation of a septanose anomer, 1073–4
EQUIL CONST
Equilibrium constant for protium–deuterium exchange between methanol and water, 1037–8
EQUILENIN
New approach to the aromatization of ring B in 19-norsteroids and to the synthesis of equilenin-type compounds, 916–18
ERBIUM
Neutral and anionic silylmethyl complexes of Group*IIIa and lanthanoid metals; the X-ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_3Cl)$ (thf = tetrahydrofuran), 140–2
ERGOSTEROL
Retro-1,4-cycloaddition of adducts derived from steroidal 5,7-dienes and 4-phenyl-1,2,4-triazoline-3,5-dione, 727–8
ERGOSTERYL
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4
ERYSOTRAMIDINE
Novel total synthesis of (±)-erysotramidine, an oxo-erythrinan alkaloid, 733–4
ERYTHROCYTE
Chemical synthesis of 2-O-(α-L-fucopyranosyl)-3-O-(2-acetamido-2-deoxy-α-D-galactopyranosyl)-D-galactose, the terminal structure in the blood-group A antigenic determinant, 535–7
ESR
Organozirconium(III)–dinitrogen complexes: evidence for (η^2-N_2)-metal bonding in $(Zr(\eta\text{-}C_5H_5)_2(N_2)(R))$ ($R = Me_3Si)_2CH$), 34–6
Copper derivatives of tetrathiafulvalene, 69–70
Resolved nitrogen-14 hyperfine coupling for surface electrons on magnesium oxide in the presence of ammonia and amines, 71–2
Detection of aromatic sulphinyl (ArSO•) radicals during the photolysis and thermolysis of S-aryl arenethiosulphonates and diaryl sulphoxides, 78–9
Second-order effects observed in the electron spin resonance spectra of methyl radicals stabilized on silica at 77 K, 164–5
Substituent effect on singlet–triplet splitting: diarylcarbene–diarylmethylene; electron spin resonance study. Merostabilization in diarylmethylenes, 181–2
Preparation of bis(cis-diacetyltetracarbonylrhenium)copper, 183–4
New dioxygen complex of manganese phthalocyanine, 217–18
Spin trapping experiments on NADH analogues and the role of radicals in carbonyl reductions, 300–1
Photolysis of cyclopentadienyltin compounds: a new source of tin-centred radicals, 353–4
Ring inversion in the cyclohexenyl radical, 394–5
meso-α,α,α,α-Tetra(o-nicotinamidophenyl)porphyrin: a novel ligand for the preparation of unsymmetrical bis-metal complexes, 399–400
Phenaleno(1,9-cd)dithiolyl: the first example of a monomeric, coplanar, carbon-based free radical, 429–30
Cytochrome oxidase models: a binuclear iron–copper site with a bipyrimidine bridge, 483–5
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation–reduction methods: spectroscopic properties of the ion, 502–4
Generation and some reactions of the bis(trimethylsilyl)aminyl radical, 545–6
An electron spin resonance study of the cyclobutylhydroxymethyl radical: its conformation, and its ring opening followed by 1,6-transfer of enolic hydrogen, 569–71
Formation and electron spin resonance spectra of sublphuranyl radicals of the type (CF_3SSR_2)•, 623–4
Radical cation of 2,2,3,3-tetramethylbutane: an electron spin resonance study, 686–7
Pyramidal geometry of the tervalent carbon atom of the norbornadien-7-yl radical; electron spin resonance study, 804
Formation of a novel complex between pyridinium bis(alkoxycarbonyl)methylides and diphenylcyclopropenone; trapping of pyridinium bis(alkoxycarbonyl)methylide cation radicals, 817–19
Electron spin resonance evidence for dimer formation in high spin iron(III)-octaethylporphyrin and iron(III)-meso-nitro-octaethylporphyrin in solution, 906–7
$(Cr(oxalate)_3)^{3-}$ as a broadening agent in nitroxyl spin probe studies, 944–5
Homolytic addition to N-methylene-tert-butylamine: a new route to aminyl radicals, 960–1
ESTER
Metal–amine reduction of sterically hindered esters to alkanes, a new method for the deoxygenation of hindered alcohols, 68–9
Reduction of alkyl esters to alkanes by sodium in hexamethylphosphoric triamide. A new method for the deoxygenation of alcohols, 567–8
Oxidative displacement of iodine from vicinal iodocarboxylates and alkyl iodides, 919
Molecular catalysis: enhanced rates of thiolysis with high structural and chiral recognition in complexes of a reactive macrocyclic receptor molecule, 949–51
ESTER DEGRDN
Macrocyclic enzyme model system: catalysis of ester degradation by a (20)paracyclophane bearing nucleophilic and metal-binding sites, 494–6
ESTER UNSATD
Synthesis of the butterfly compound (E,E)-10-hydroxy-3,7-dimethyldeca-2,6-dienoic acid, 985–6
ESTERIFICATION
Convenient preparation of esters of testosterone and 19-norethisterone with hindered acids, 980–1
ESTRANONE
New approach to the aromatization of ring B in 19-norsteroids and to the synthesis of equilenin-type compounds, 916–18
ETHANE DIPHENYL
Ready conversion of 1,1-diphenylethylene into benzophenone and 1 1-diphenylethane over a synthetic hectorite, 930–1
ETHANEDIOL
Light-induced conversion of ethane-1,2-diol or 2-aminoethanol into acetaldehyde in the presence of 8-methoxy-5′-deoxy-5′-adenosylcobalamin or a simpler cobalt(III) alkyl, 643–4

ETHANEDIOL PHENYL
Circular dichroism of the isotopically dissymmetric molecules (1R, 2S)-(1-^{2}H)- and (1R,2S)-(1-^{18}O)-1,2-dihydroxy-1,2-diphenylethane, 850–2
ETHANOL
Direct evidence of neighbouring group participation in the gas phase, 213–14
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
ETHANOL METHYLTHIO
Carbon-13-labelling study of the reaction between 2-(methylthio) ethanol and carbon tetrachloride–phosphines, 208–9
ETHENE
Different behaviour of cis- and trans-aminedichloro(π-ethene) platinum(II) complexes in their reaction with the free amine, 654–5
Continuous hydrogenation of ethene using spilt-over hydrogen, 891–2
Formation of allenes or γ-ketoesters from reactions of oxyallyls with acetylenes or 1,1-dimethoxyethene, 1006–7
ETHER
Intramolecular photocycloaddition of phenethyl vinyl ether, 129–30
Isomerization of allyl ethers catalysed by the cationic iridium complex (Ir(cyclo-octa-1,5-diene)($PMePh_2$)$_2$)PF_6. A highly stereoselective route to trans-propenyl ethers, 694–5
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5
ETHIDIUM BROMIDE
Synthesis of intercalating and carcinogenic nitroxide spin labels, 215–16
ETHOXY
Experimental proof of the existence of a fourth stable gas phase $C_2H_4O^{+\cdot}$ isomer: the open ethylene oxide ion, 724–5
ETHYLAMINE
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
ETHYLATION
Difluor reagents: non-hyggroscopic sources of the fluoride ion, 789–91
ETHYLENE
Synthesis and molecular structure of ($Os_6(CO)_{16}(CMe)_2$) and ($Os_6(CO)_{16}$(MeC:CMe)C), derivatives of ethylene and hexaosmium octadecacarbonyl, 421–3
Polymer-bound tetranuclear iridium carbonyl catalyst, 540–1
Generation and some reactions of the bis(trimethylsilyl)aminyl radical, 545–6
($Os_3(CO)_9H(SR)$), a highly reactive molecule. The X-ray structure of a π-bound ethylene adduct ($Os_3(CO)_9H(C_2H_4)(SMe)$), 551–2
Formation of abnormal products in the aluminium chloride-catalysed ene additions of chloral and bromal to mono- and 1,2-dialkyl ethylenes, 655–6
Evidence for the ready insertion of rhodium into a carbon-hydrogen bond of ethylene; crystal and molecular structure of μ-but-2-ene-μ-ethylenebis-(η^5-1-methylindenyl)dirhodium, 839–41
Alkyl bridged complexes of the group 3A and lanthanoid metals as homogeneous ethylene polymerization catalysts, 994–5
ETHYLENE GLYCOL
Nonenzymic model of the dioldehydratase reaction. Initiation of conversion of ethylene glycol into acetaldehyde on anaerobic photolysis of organocobalamins in the presence of mercapto compounds, 592–3
ETHYLENE OXIDE
Experimental proof of the existence of a fourth stable gas phase $C_2H_4O^{+\cdot}$ isomer: the open ethylene oxide ion, 724–5
ETHYLENECHLORONIUM
Isomeric gaseous ethylenechloronium ions, 796–7
ETHYLENEDIAMINE
A novel chain structure in the $(Pb_2Cl_9)_n^{5n-}$ anion; crystal and molecular structure of ($Co(NH_2CH_2CH_2NH_2)_3)_2(Pb_2Cl_9)Cl.3H_2O$, 347–8
Effects of structural distortion on the ligand exchange reactions of copper(II) Schiff base complexes, 583–4
Stereoselective chelate and amino acid synthesis with chelated 2-iminopropionate; crystal and molecular structures of α-(N^2-2-aminoethylamidino)alaninato-ONN″N‴-(ethylenediamine) cobalt(III) and α-(N^2-2-aminoethylamidino)alanine-NN″N‴-(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
Copper(I) ethylenediamine carbonyl complexes: 'models' for carbon monoxide activation. X-ray structure of the ion-pair carbonylethylenediaminetetraphenylboratocopper, 921–2
ETHYLENEDIAMINECOBALT
Stereoselective chelate and amino acid synthesis with chelated 2-iminopropionate; crystal and molecular structures of α-(N^2-2-aminoethylamidino)alaninato-ONN″N‴-(ethylenediamine) cobalt(III) and α-(N^2-2-aminoethylamidino)alanine-NN″N‴-(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
ETHYLENEGLYCOL BROMIDE
Synthesis of 'crown ether' macrocyclic bislactones using caesium carboxylates of pyridine and of benzene dicarboxylic acids, 383–4
ETHYLIDENE
Synthesis and molecular structure of ($Os_6(CO)_{16}(CMe)_2$) and ($Os_6(CO)_{16}$(MeC:CMe)C), derivatives of ethylene and hexaosmium octadecacarbonyl, 421–3
ETHYLTHIOCARBENE
Aspects of the coordination chemistry of some electron-rich polyorganosulphur compounds; bis(ethylthio)carbene complexes ($M(CO)_5(C(SEt)_2)$) (M = Cr or W) from Na(TosNNC($SEt)_2$) (Tos = p-$MeC_6H_4SO_2$), 146–7
EUROPIUM PERCHLORATE
Syntheses of some lanthanoid complexes with 4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo(8.8.8)hexacosane. Crystal structure of a europium(III) perchlorate derivative, 788–9
EVODONE
1-Nitro-1-phenylthiopropene, a new reagent for 3-methylfuran synthesis, 362–3
EXCHANGE
Acetyl exchange between acetylmesitylene and acetyl chloride under Friedel-Crafts conditions, 271–2
Equilibrium constant for protium-deuterium exchange between methanol and water, 1037–8
EXCIPLEX
The quenching of aromatic hydrocarbon fluorescence by α,ω-diaminoalkanes and the formation of excited ternary complexes, 911–13
Role of exciplex in the photocycloaddition of 2,5-dimethylhexa-2,4-diene to anthracene, 978
EXCITATION
Photoluminescence from copper(I) complexes with low-lying metal-to-ligand charge transfer excited states, 759–61
FARNESYL
Biosynthesis of mycophenolic acid. Oxidation of 6-farnesyl-5,7-dihydroxy-4-methylphthalide in a cell-free preparation from Penicillium brevicompactum, 434
FARNESYLPHTHALIDE
Biosynthesis of mycophenolic acid. Oxidation of 6-farnesyl-5,7-dihydroxy-4-methylphthalide in a cell-free preparation from Penicillium brevicompactum, 434
FERREDOXIN
Metal-metal interactions in 2-Fe ferredoxins; SCF-Xα-SW calculations, 1027–9
Existence of specific binding sites in 1:1 oxidations of reduced parsley 2-iron ferredoxin with inorganic complexes, 1102–3
FERROBORANE
Electronic structure of $B_4H_8Fe(CO)_3$. Comparison of SCF-Xα-SW molecular orbital theory with the ultraviolet photoelectron spectrum, 385–6
FERROMAGNETIC
Ferromagnetic coupling and electron transfer in CoCu(ben).$3H_2O$ (H_4ben = NN′-bis(2-hydroxy-3-carboxybenzylidene)-1,2-diaminoethane), 1012–13
FERROMAGNETISM
Correlation of magnetic and optical properties in the organic-intercalated two-dimensional ionic ferromagnet bis(monomethylammonium) tetrachlorochromate(II), 511–12
FLAVANOL
Condensed tannins. Circular dichroism method of assessing the absolute configuration at carbon-4 of 4-arylflavan-3-ols, and stereochemistry of their formation from flavan-3,4-diols, 698–700
FLAVANYLFLAVANDIOL
Condensed tannins: determination of the point of linkage in ′terminal′ (+)-catechin units and degradative bromination of 4-flavanylflavan-3,4-diols, 696–8
FLAVANYLMETHOXYFLAVANOL
Condensed tannins: direct synthesis, structure, and absolute

configuration of four biflavonoids from black wattle bark ('mimosa') extract, 700–2
FLAVIN
Oxidation–reduction in hydrolysis of pyrimido(4.5–b)quinoline–2(3H),4(10H)–diones (5–deazaflavins), 398–9
Synthesis and characterization of covalent flavin–papain complexes with sulphur in the sulphide and sulphone oxidation states, 457–9
FLUORENE
Versatile deuterium exchange and isomerization of hydrocarbons via phase transfer catalysis, 155–6
Substitution reactions of fluorinated triarylmethanols in formic acid 389–91
FLUORENE ALKYLIDENE
Reactions of singlet oxygen. Formation of hydroxy ketones in the photooxygenation of fluorenylidene derivatives, 120–1
FLUORENONE
Novel synthesis of phenyltrimethylsilyldiazene and generation of the phenyl anion synthon therefrom, 990
FLUORENYLMETHOXYCARBONYL
Polymeric de–blocking agents for the fluoren–9–ylmethoxycarbonyl (FMOC) amino–protecting group, 450–1
A mild procedure for solid phase peptide synthesis: use of fluorenylmethoxycarbonylamino–acids, 537–9
Application of polyamide resins to polypeptide synthesis: an improved synthesis of β–endorphin using fluorenylmethoxycarbonylamino–acids, 539–40
FLUORESCENCE
2–(1–Methylindol–3–yl)–3–phenyldihydro–1,4–dioxin 2,3–epidioxide, a dioxetan resulting in efficient ultraviolet chemiluminescence, 781–2
The quenching of aromatic hydrocarbon fluorescence by α,ω–diaminoalkanes and the formation of excited ternary complexes, 911–13
The quenching of excited singlet states of Rose Bengal by bifunctional compounds, 913–14
FLUORIDE
Difluoride dioxides of molybdenum(VI) and tungsten(VI), 254–5
Drifluor reagents: non–hygroscopic sources of the fluoride ion, 789–91
FLUORIDE ASSISTED
Hydrogen bond assisted organic reactions: C– and O–alkylations, sulphenylations, and Michael additions aided by polymer immobilized fluoride ion, 466–7
FLUORINATED
Analysis of ultra–thin fluorine–containing layers on polyethylene by $^{19}F(p,\alpha\gamma)$ spectrometry, 1011–12
FLUORINATION
Perfluoroaza– and –diazacyclohexadiene derivatives, 304–5
FLUORINE
Analysis of ultra–thin fluorine–containing layers on polyethylene by $^{19}F(p,\alpha\gamma)$ spectrometry, 1011–12
FLUORINE ADDN
Regiospecific boron trifluoride catalysed fluorine addition to fluoro–substituted benzene derivatives using xenon difluoride, 969–70
FLUORINE CYANIDE
Production, in electrical discharges, of fluorine cyanide, fluoroacetylene, and related substances as monitored by microwave spectroscopy, 335
FLUORO
Novel salts of graphite and a boron nitride salt, 200–1
Production, in electrical discharges, of fluorine cyanide, fluoroacetylene, and related substances as monitored by microwave spectroscopy, 335
Novel derivatives of perfluorocyclobutene, 433
Synthesis of fluorinated dienes and cyclobutenes, 475–6
FLUOROACETONE
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5
FLUOROACETYLATION
Trifluoroacetylation of alcohols: a newly detected reaction of trifluoroperacetic acid, 248
FLUORODIAZACYCLOHEXADIENE
Photochemical conversions of some fluorinated aza– and diazacyclohexadienes, 305–6
FLUORODIENE
Regioselectivity in the di–π–methane rearrangement; alternative processes in the photochemistry of halogeno–1,4–dienes, 101–2
FLUORODITHIETANE
Fluorinated dichloro hexa– and penta–coordinated sulphur(VI) compounds, 154–5
FLUOROETHANOL
Asymmetric reduction of trifluoromethyl ketones by actively fermenting yeast, 456–7
FLUOROGIBBERELLIN
Microbiological production of 9α–fluorogibberellin A_4, 9α–fluorogibberellin A_{14}, and other fluoroterpenoids, 1013–15
FLUOROHECTORITE
Ready conversion of 1,1–diphenylethylene into benzophenone and 1 1–diphenylethane over a synthetic hectorite, 930–1
FLUOROHEXANE
Anodic functionalization of 1H–perfluoroalkanes. Observation of fluorine–19 chemically induced dynamic nuclear polarization, 118–19
FLUOROHEXENE
Synthesis of fluorinated dienes and cyclobutenes, 475–6
FLUOROMETHANESULPHONATE
Methyltriphenoxyphosphonium trifluoromethanesulphonate: a new versatile synthetic reagent, 424–5
FLUOROMETHOXYHEXENE
Perfluorinated derivatives of furan via novel cyclization reactions of perfluoro–olefins, 431–2
FLUOROMETHYL
Perfluorinated derivatives of furan via novel cyclization reactions of perfluoro–olefins, 431–2
Asymmetric reduction of trifluoromethyl ketones by actively fermenting yeast, 456–7
Synthesis of the N–unsubstituted Dewar pyrrole 1,2,3,4–tetrakistrifluoromethyl–5–azabicyclo(2.1.0)pent–2–ene, 509
Formation and electron spin resonance spectra of sublphuranyl radicals of the type $(CF_3SSR_2)\bullet$, 623–4
FLUOROPHENYL
Substitution reactions of fluorinated triarylmethanols in formic acid 389–91
FLUOROPHOSPHINOMETHYLAMINO
Retention of the cobalt–cobalt bond in $(MeN(PF_2)_2)_3Co_2(CO)_2$ upon halogenation: the X–ray crystal structure of $(MeN(PF_2)_2)_3Co_2Br_4$, 514–15
FLUOROSULPHATE
Trimethylammoniosulphate esters, 48–9
Anodic functionalization of 1H–perfluoroalkanes. Observation of fluorine–19 chemically induced dynamic nuclear polarization, 118–19
Novel salts of graphite and a boron nitride salt, 200–1
Acid salts of graphite: large or small fractional ionization, 544–5
FLUOROSULPHONYL
X–ray crystal structure of $(AsPh_4)^+(NSF_2NSO_2F)^-$: three different types of sulphur–nitrogen bonds in the anion, 226
FLUOROSULPHURYL
A novel conducting polyacetylene derivative, 1066–7
FLUOROTETRACYANOQUINODIMETHANE
'Organic metals' with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
FLUOROVINYL
New mode of bonding of a vinyl ligand to an osmium cluster: the X–ray crystal structure of $(HOs_3(CO)_{10}(CF_3CCHCF_3))$, 1035–6
FLUOROXENON
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation–reduction methods: spectroscopic properties of the ion, 502–4
FLUXIONALITY
Fluxional cyclopentadienylboranes, 242
FORMAMIDE
Thermal fission and reformation of the carbon–nitrogen bond in formamide as studied by carbon–13–nitrogen–15 coupling, 485–6
FORMATE
A new assignment of the metal ionizations in the photoelectron spectrum of dimolybdenum tetraformate, 204–5
FORMYL
'Methoxy cation' and protonated formaldehyde: high barriers to isomerization, 190–1
FOURIER TRANSFORM
Proton nuclear magnetic resonance study of the deprotonation of the catecholamines in solution: the microconstants for the de–

deuteronation of L-dopa in D_2O, 768–9
Two micromethods for determining the linkage of adducts formed between polyaromatic hydrocarbons and nucleic acid bases, 798–800
FRAGMENTATION
Synthesis of fluorinated dienes and cyclobutenes, 475–6
FRAGRANOL
Transformation of the geraniol skeleton into the fragranol and grandisol skeletons, 519–20
FRIEDEL
Acetyl exchange between acetylmesitylene and acetyl chloride under Friedel–Crafts conditions, 271–2
FRIEDEL CRAFTS
Acetylation of 2,3-dimethylbenzofuran. The first example of a 'non-conventional' Friedel–Crafts reaction, 597–8
FRIES REARRANGEMENT
Biphasic photochemistry: the photo-Fries rearrangement on silica gel, 1109–10
FRONTALIN
A short synthesis of (R)-(+)-frontalin and Latia luciferin using new organosilicon reagents, 297–8
FUCOPYRANOSYLGALACTOPYRANOSYL
Chemical synthesis of 2-O-(α-L-fucopyranosyl)-3-O-(2-acetamido-2-deoxy-α-D-galactopyranosyl)-D-galactose, the terminal structure in the blood-group A antigenic determinant, 535–7
FULVENE
Preparation and characterization of 6,6-dimethylenefulvene, 496–7
FUNCTIONALIZATION
Regioselective functionalization of triamantane, 306–8
FUNGAL METABOLITE
Biomimetic syntheses of heptaketide metabolites: alternariol and a derivative of rubrofusarin, 406–7
FURAN
Stereochemical control of anodic cyanomethoxylation, 20–2
1-Nitro-1-phenylthiopropene, a new reagent for 3-methylfuran synthesis, 362–3
Perfluorinated derivatives of furan via novel cyclization reactions of perfluoro-olefins, 431–2
Synthesis of fluorinated dienes and cyclobutenes, 475–6
Synthesis of the N-unsubstituted Dewar pyrrole 1,2,3,4-tetrakistrifluoromethyl-5-azabicyclo(2.1.0)pent-2-ene, 509
Addition of furans to electron rich olefins through photo-induced electron transfer in the presence of electron acceptors, 594–5
Addition of 3-nitrosobut-3-en-2-one to olefins and to electron-rich heterocycles, 847–9
FURANYL
Selectivity in the addition of organic radicals to the alkene bond, 438–9
FURAZAN OXIDE
Sulphur dioxide mediated conversion of strained furazan N-oxides into diisocyanates, 113–14
FUROQUINOLONE
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
FURYLPROPENOL
1,3-Transposition of primary allylic alcohols: a new application of selenoxide chemistry, 770–1
FUSICOCCIN
Use of deuterium as a tracer with carbon-13 nuclear magnetic resonance spectroscopy in following deuteride migration in terpenoid biosynthesis: mechanism of geranylgeranyl pyrophosphate cyclization in fusicoccin biosynthesis, 843–5
GALACTOSE
Chemical synthesis of 2-O-(α-L-fucopyranosyl)-3-O-(2-acetamido-2-deoxy-α-D-galactopyranosyl)-D-galactose, the terminal structure in the blood-group A antigenic determinant, 535–7
GAS
Nonconcerted unimolecular reactions of ions in the gas phase: isomerization of weakly coordinated carbonium ions, 24–6
Carbon-13 nuclear magnetic resonance chemical shifts of small hydrocarbons in the gas phase, 94–5
Gas phase Broensted basicity of $((\eta^5\text{-}MeC_5H_4)Mn(CO)_3)$, 126–7
GAS PHASE
Direct evidence of neighbouring group participation in the gas phase, 213–14
Experimental proof of the existence of a fourth stable gas phase $C_2H_4O^{+\cdot}$ isomer: the open ethylene oxide ion, 724–5
Gas-phase condensation of tert-butyl cations with Lewis bases, 938–40
GENTISIC ACID
Carboxyl-migration facilitated by bacterial hydroxylation of 4-hydroxybenzoate, 731–2
GERANIOL
Transformation of the geraniol skeleton into the fragranol and grandisol skeletons, 519–20
μ-Oxo-bis(chlorotriphenylbismuth): a mild reagent for the oxidation of the hydroxy group, especially in allylic alcohols, 1099–100
GERANYL
Alternative synthetic route to the cembrene skeleton, 359–60
GERANYLGERANYL PYROPHOSPHATE
Use of deuterium as a tracer with carbon-13 nuclear magnetic resonance spectroscopy in following deuteride migration in terpenoid biosynthesis: mechanism of geranylgeranyl pyrophosphate cyclization in fusicoccin biosynthesis, 843–5
GERMANIUM
Use of triorganogermyllithium compounds in transition metal chemistry. Application to the synthesis of optically active anions containing a transition metal–germanium bond, 435–6
GERMYL
Use of triorganogermyllithium compounds in transition metal chemistry. Application to the synthesis of optically active anions containing a transition metal–germanium bond, 435–6
Trimethylgermyl derivatives for the study of silicate structures, 560–1
GIBBERELLIN
Microbiological production of 9α-fluorogibberellin A_4, 9α-fluorogibberellin A_{14}, and other fluoroterpenoids, 1013–15
GLASS
Perturbation of the benzil ground and excited state geometries at low temperatures in hydrocarbon glasses, 116–17
GLUCOSE
A new class of linkage between carbohydrates and lignin model compounds, 92–3
GLUTAMATE
Juvenile hormone biosynthesis: identification of 3-hydroxy-3-ethylglutarate and 3-hydroxy-3-methylglutarate in cell-free extracts from Manduca sexta incubation with propionyl- and acetyl-CoA, 292–3
GLYCINE
A tetrahedral intermediate in the aminolysis of benzylpenicillin, 374–5
Microwave spectrum and conformation of glycine, 547–8
Stereospecific synthesis of chiral acetic acid from glycine, 967–8
GLYCINE CYCLOALKENYL
Synthesis of cycloalk-1-enylglycines, 270–1
GLYCOL
General synthesis of substituted and unsubstituted crown ethers, 504–5
GLYCOSIDE
Synthesis of α-linked 3'-deoxy-cyclitol and -aminocyclitol glycosides, 771–3
Synthesis of α-linked 3'-deoxy-pseudo-di- and -tri-saccharides related to aminocyclitol-glycoside antibiotics, 773–4
GLYOXYLATE
Chemical synthesis of 2-O-(α-L-fucopyranosyl)-3-O-(2-acetamido-2-deoxy-α-D-galactopyranosyl)-D-galactose, the terminal structure in the blood-group A antigenic determinant, 535–7
GOLD
Synthesis of cluster compounds via nucleophilic metal complexes; X-ray crystal structures of $(Os_3Pt(\mu\text{-}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{-}H)_2(CO)_8(Ph_3P)_2)$, 260–2
Photoelectron spectra and reactivity of methyl(tertiary phosphine) platinum and -gold complexes, 444–5
Experimental determination of the standard reduction potential of the gold(I) ion, 606–7
X-ray crystal structure of sodium bis(N-methylhydantoinato) gold(I) tetrahydrate; a linear, planar complex of pharmacological interest stabilized by two nitrogen ligands, 711–12
ESCA study of compounds of gold in the oxidation state-1, 905–6
Reactions of gold-phosphine cluster compounds, 907–9
GONENE
cis-BC ring fusion upon (E)-polyene cyclizations, 1103–5

GONYAULAX
Characterization of 11–hydroxysaxitoxin sulphate, a major toxin in scallops exposed to blooms of the poisonous dinoflagellate Gonyaulax tamarensis, 889–90
GRANDISOL
Transformation of the geraniol skeleton into the fragranol and grandisol skeletons, 519–20
GRAPHITE
Novel salts of graphite and a boron nitride salt, 200–1
Acid salts of graphite: large or small fractional ionization, 544–5
Graphite lamellar compounds. A new route to transition metal intercalates, 927–8
GRIGNARD
Stereochemistry of the organocuprate reactions of two cis–trans isomeric allylic ethers, 621–3
Formation and X–ray crystal structure of 1,1,6,6–tetraphenyl–1,6–distannacyclodecane, 791–2
Palladium–promoted vinylic hydrogen substitution of alkenes by Grignard reagents. Stoicheiometric and catalytic reactions, 918–19
GRIGNARD REAGENT
Copper–catalysed 1,6–addition of a benzyl Grignard reagent to a dienone: a new synthesis of ring C aromatic diterpenoids, 614–15
Homoconjugate addition of Grignard reagents spiroactivated cyclopropanes. An approach to the total synthesis of (±) –brefeldin A, 754–6
Convenient 'one–flask' synthesis of olefins. Reaction of α–chloroketones with Grignard reagents and lithium, 847
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
GRISADIENEDIONE
Base catalysed and thermal rearrangements of grisadiendiones to depsidones, 1043–4
Photochemical conversion of grisadiendiones into dibenzofurans, 1044–5
GRISEOPHENONE
Deuterium nuclear magnetic resonance studies on biosynthesis: stereochemistry of the 5′–hydrogen atoms of griseofulvin derived from griseophenone B and 4–demethyldehydrogriseofulvin, 135–6
GROUP VIB METAL
Difluoride dioxides of molybdenum(VI) and tungsten(VI), 254–5
GUANIDINIUM
Anion receptor molecules. Synthesis and some anion binding properties of macrocyclic guanidinium salts, 934–6
GUANOSINE
Two micromethods for determining the linkage of adducts formed between polyaromatic hydrocarbons and nucleic acid bases, 798–800
X–ray crystal structure of the ternary complex (Cu(3′–GMP)(phen)$(H_2O))_2.7H_2O$ (GMP = guanosine monophosphate, phen = 1, 10–phenanthroline): unusual absence of M–N(7) bonding in a metal–GMP complex, 1053–5
GUETTARDA
Stereochemical control in the biomimetic conversion of heteroyohimbine alkaloid precursors. Isolation of a novel key intermediate, 618–19
GYROCHIRAL
Microbial stereo–differentiating reduction of the carbonyl groups located on the C_2 axes of gyrochiral molecules, 667–8
HABER WEISS REACTION
Study of the Haber–Weiss reaction using a sensitive method for detection of hydroxyl radicals, 970–1
HAEMOCHROME
Moessbauer spectroscopic studies of carbonyl haemochromes; correlations with reactivity, 746–7
HAEMOCYANIN MODEL
A haemocyanin model: a synthetic copper(I) complex having imidazole ligands and reversible dioxygen activity, 634–6
HALIDE
Evidence of halogen exchange between gaseous halogenated alkanes and solid alkali halides obtained by field desorption mass spectrometry, 612–13
HALOBENZYL
Intramolecular photochemical arylation of N–substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
HALOGEN ACID
Solvation of the halogen acids in N–methylpropionamide, 523–4
HALOGENATION
Stereochemistry and mechanisms of electrophilic cleavage reactions of cis–(threo–PhCHDCHD)$Mn(CO)_4PEt_3$), 11–12
Retention of the cobalt–cobalt bond in $(MeN(PF_2)_2)_3Co_2(CO)_2$ upon halogenation: the X–ray crystal structure of $(MeN(PF_2)_2)_3Co_2Br_4$, 514–15
Stereoselective conversion of vitamin D_3 into its 3β–halogenated derivatives. The synthesis of a 1α–hydroxy–3β–fluorovitamin D_3 analogue, 554–5
HALOGENO
σ^*–electron addition to 5–halogenouracils in neutral glasses, 313–14
HALOGENO ALC
Direct evidence of neighbouring group participation in the gas phase, 213–14
HALOGENOBENZENE
Intramolecular homolytic aromatic ipso substitution in halogenobenzenes by aryl radicals, 530–1
HEAT
Standard enthalpies of formation of cis– and trans–bicyclo(6.1.0) nonanes, 778–9
HEAT FORMATION
Heat of formation of bis(η–cyclopentadienyl)dimethyltungsten and bis(η–cyclopentadienyl)dimethylmolybdenum, 737
Enthalpy of formation of copper(II) complexes with 14–membered tetraaza macrocycles, 833–4
HECTORITE
Ready conversion of 1,1–diphenylethylene into benzophenone and 1 1–diphenylethane over a synthetic hectorite, 930–1
HECTORS BASE
The constitution of Hector's base; X–ray crystal and molecular structure of 5–imino–4–phenyl–3–phenylamino–4H–1,2,4–thiadiazoline, 652–4
HELICAL
Chain ends as supports for α–helical structures in oligopeptides, 692–3
The 3_{10} helical conformation of a pentapeptide containing α–aminoisobutyric acid (Aib): X–ray crystal structure of tos–(Aib)$_5$–OMe, 996–7
HELICENE
Binaphthyl–2,2′–diyl hydrogen phosphate. A new chiral atropisomeric selector for the resolution of helicenes using high performance liquid chromatography, 173–5
HELIOTROPIUM
Curassavine, an alkaloid from Heliotropium curassavicum Linn. with a C_8 necic acid skeleton, 423–4
HELIOTROPIUM CURASSAVINE
Curassavine, an alkaloid from Heliotropium curassavicum Linn. with a C_8 necic acid skeleton, 423–4
HELIX
Dynamics of the salt–induced random coil to helix transition in segmented ι–carrageenan, 515–16
HELMINTHOSPORIN
Synthetic approaches to aclacinomycin and pyrromycin antitumour antibiotics via Diels–Alder reactions of 6–alkoxy–2–pyrones: total synthesis of chrysophanol, helminthosporin and pachybasin, 95–6
HEMAGGLUTINATION INHIBITION
Chemical synthesis of 2–O–(α–L–fucopyranosyl)–3–O–(2–acetamido–2–deoxy–α–D–galactopyranosyl)–D–galactose, the terminal structure in the blood–group A antigenic determinant, 535–7
HEME PROTEIN
Metal ion–catalysed oxidation of linoleic acid. Lipoxygenase–like regioselectivity of oxygenation, 82–3
HENTRIACONTANEDIONE
Synthesis of hentriacontane–14,16–dione, a β–diketone found in plant waxes, 962–3
HEPTACYCLOOCTADECANE
Regioselective functionalization of triamantane, 306–8
HEPTENE
Formation of an acyl species from hept–1–ene and carbon monoxide on an evaporated nickel surface, 617–18
HETEROYOHIMBINE
Stereochemical control in the biomimetic conversion of heteroyohimbine alkaloid precursors. Isolation of a novel key intermediate, 618–19

HEXADECADIENOYLOXYMALEIC ANHYDRIDE
Approaches to cytochalasan synthesis: macrocycle formation using an intramolecular Diels–Alder reaction, 474–5
HEXADIENE
Role of exciplex in the photocycloaddition of 2,5-dimethylhexa-2,4-diene to anthracene, 978
HEXANITRIDE
Preparation and crystal structure of a new sulphur nitride, S_5N_6; a molecular basket, 642–3
HEXATRIENE
Structure of infinite polyenes. Ab initio quantum chemical study, 575–6
HEXAVALENT
Production, detection, and characterization of transient hexavalent technetium in aqueous alkaline media by pulse radiolysis and very fast scan cyclic voltammetry, 1038–40
HEXOFURANOSYL
Stereoselective reduction of 3-O-hexofuranosyl S-methyl dithiocarbonates with tributyltin deuteride, 449–50
HIGH PRESSURE
Ene reactions of β-pinene at room temperature and 40 kbar pressure, 599–600
HIPPURATE
A simple route to α-aminoketones and related derivatives by dianion acylation reactions; an improved preparation of δ-aminolevulinic acid, 753–4
HIRSUTANE
Photocyclization of dicyclopent-1-enyl methanes to tricyclo(6.3.0.$0^{2,6}$)undecanes: a synthesis of the hirsutane carbon skeleton, 5–6
HISTIDINE
An approach to the prevention of racemization in the synthesis of histidine-containing peptides, 472–3
Stereoselective reaction of p-nitrophenyl N-acyl-phenylalanines with N-acyl-L-histidine in mixed micelles, 984–5
Carbon–carbon coupling in (90%-^{13}C-2)histidine, 1070–1
HOFMANN
A relation between the product distribution from the dehydration of dimethylbutan-2-ols and catalytic acidity, 801–2
HOMOENOLATE EQUIV
β-Diphenylphosphinoyl ketones ($Ph_2POCH_2CH_2COR$): stable reagents for β-ketocarbanions, 988–9
HOMOLYSIS
Reductant-induced homolysis of the thallium–carbon bond: novel oxygenation of alkylthallium(III) compounds with ascorbic acid, 716–17
HOMOLYTIC
Intramolecular homolytic aromatic ipso substitution in halogenobenzenes by aryl radicals, 530–1
Homolytic addition to N-methylene-tert-butylamine: a new route to aminyl radicals, 960–1
HOMOMEVALONATE
Juvenile hormone biosynthesis: homomevalonate and mevalonate synthesis by insect corpus allatum enzymes, 290–2
HOMONORLANOSTENONE
Novel direct rearrangement of a 9β,11β-epoxylanostan-7-one into a β-homo-derivative with incorporation of the C-10 angular methyl group, 411–12
HORNER WITTIG
New syntheses of 1- and 2-phenylthiobutadienes, 657
HYDANTOINATOGOLD
X-ray crystal structure of sodium bis(N-methylhydantoinato) gold(I) tetrahydrate; a linear, planar complex of pharmacological interest stabilized by two nitrogen ligands, 711–12
HYDRAZINE
Reactions of methylhydrazine and hydrazine with 8-bromo-2′-O-toluene-p-sulphonyladenosine, 86–7
Dehydrogenation of hydrazines and of 4-azacholestan-3-one with benzeneseleninic acid and benzeneseleninic anhydride, 278–9
Vacuum pyrolysis of salts of 1-acyl-2-arylsulphonylhydrazines; a genneral McFadyen–Stevens aldehyde synthesis, 793–4
X-ray crystal structure of a planar, high-spin iron(II) complex of a pentadentate unsaturated macrocycle formed by reaction of 2,9-di(1-methylhydrazino)-1,10-phenanthroline monohydrochloride with 2,6-diacetylpyridine, 828–9
HYDRAZINOPHENANTHROLINE
Some metal complexes of macrocyclic ligands incorporating the 1,10-phenanthroline group. X-ray crystal structure of the manganese(II) complex, 476–8
HYDRAZONE
Unusual reaction of uranyl nitrate with 2,6-diacetylpyridine bis(2-pyridylhydrazone): X-ray structure of nitrato(2,6-diacetylpyridine-bis(2-pyridylhydrazone)-NNNNN)uranyl tetranitratodioxouranium, 235–6
HYDRAZONE OXIDN
Oxidation of aldehyde hydrazones, hydrazo compounds, and hydroxylamines with benzeneseleninic anhydride, 276–7
HYDRAZONES
Palladation of dimethylhydrazones, oximes, and oxime O-allyl ethers: crystal structure of ($Pd_3(ON{=}CPr^iPh)_6$), 1061–2
HYDRIDE
New method for reduction of ketones and primary alcohols to hydrocarbons: reaction of the derived selenides with tin hydrides, 41–2
Preparation and X-ray structure determination of the mixed cluster ($H_3CoOs_3(CO)_{12}$), 343–4
New mixed-metal clusters via metal hydride coupling. Synthesis and crystal structures of ($(\mu_2\text{-H})Os_3W(CO)_{12}(\eta^5\text{-}C_5H_5)$) and ($(\mu_2\text{-H})_3Os_3W(CO)_{11}(\eta^5\text{-}C_5H_5)$), 534–5
($Os_3(CO)_9H(SR)$), a highly reactive molecule. The X-ray structure of a π-bound ethylene adduct ($Os_3(CO)_9H(C_2H_4)(SMe)$), 551–2
Novel three-coordinate rhodium(I) hydrido compounds, ($RhH(P(CMe_3)_2)_2$) and $RhH(P(cyclohexyl)_3)_2$), 855–6
($H_3Ru_4(CO)_{12}$): the X-ray crystallographic determination of two structural isomers, 920–1
Solvent transfer hydrogenation of αβ-unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
HYDRIDE BRIDGED
Bridging hydrides in ($H_2Os_3(CO)_{10}$) and ($(C_2H_3)HOs_3(CO)_{10}$): a combined X-ray–neutron diffraction study, 723–4
HYDRINDANE
Some epoxy-acetylene cyclizations, 528–9
HYDROBENZOIN
Circular dichroism of the isotopically dissymmetric molecules (1R,2S)-(1-^{2}H)- and (1R,2S)-(1-^{18}O)-1,2-dihydroxy-1,2-diphenylethane, 850–2
HYDROBORATION
Protonolysis of alkenylboranes under neutral conditions by treatment with catalytic amounts of palladium diacetate, 702–3
HYDROCARBON
Carbon-13 nuclear magnetic resonance chemical shifts of small hydrocarbons in the gas phase, 94–5
Perturbation of the benzil ground and excited state geometries at low temperatures in hydrocarbon glasses, 116–17
HYDROCARBYL
Bulky alkyls and a hydridoalkyl of zirconium(IV): influence of steric constraints upon (i) conformation and the zirconium–carbon rotational barrier and (ii) the zirconium–carbon bond length. X-ray crystal and molecular structure of ($Zr(\eta\text{-}C_5H_5)_2(CH(SiMe_3)_2)Ph$), 1081–3
HYDROCYANATION
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
HYDROGEN
Unexpectedly strong hydrogen bonding in some tetrahydro-4,7-phenanthroline-1,10-dione-3,8-dicarboxylic acids, 369–70
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5
Hydrogen absorption in YNi_4Mn, an alloy with the cubic UNi_5 structure, 581–2
Continuous hydrogenation of ethene using spilt-over hydrogen, 891–2
Equilibrium constant for protium–deuterium exchange between methanol and water, 1037–8
HYDROGEN ABSTRACTION
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18
Generation and some reactions of the bis(trimethylsilyl)aminyl radical, 545–6
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5

HYDROGEN BOND
X–ray crystal structure of sodium bis(N–methylhydantoinato) gold(I) tetrahydrate; a linear, planar complex of pharmacological interest stabilized by two nitrogen ligands, 711–12
HYDROGEN INTERCHANGE
Stereospecific double rearrangement of anti–1,5–bishomocycloheptatriene. A rebound path of thermal rearrangement involving intermediate geminal hydrogen interchange, 365–6
HYDROGEN PEROXIDE
Study of the Haber–Weiss reaction using a sensitive method for detection of hydroxyl radicals, 970–1
HYDROGEN SHIFT
Thermal and photochemical rearrangements of 3H–thieno–1,2–diazepines, 568–9
An electron spin resonance study of the cyclobutylhydroxymethyl radical: its conformation, and its ring opening followed by 1,6–transfer of enolic hydrogen, 569–71
1,2–Hydrogen shifts during acid–catalyzed hydrogen exchange, 586–7
HYDROGEN TRANSFER
Enhanced rates of dihydropyridine to pyridinium hydrogen transfer in complexes of an active macrocyclic receptor molecule, 143–6
HYDROGENATION
Selective hydrogenation of the internal double bond of penta–1,3–diene on a zinc oxide catalyst, 53–4
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
Stereochemistry of hydrogenation of cyclonona–1,2–diene with supported platinum metals and soluble rhodium complexes as evidence for allylic intermediates, 114–15
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
Polymer–bound tetranuclear iridium carbonyl catalyst, 540–1
An arene hydrido complex of ruthenium(II) as catalyst for the homogeneous hydrogenation of benzene and olefins, 582–3
Diversity of behaviour of bicyclo(2.2.1)heptadiene–bisphosphine–rhodium complexes on hydrogenation in methanol, 646–7
Continuous hydrogenation of ethene using spilt–over hydrogen, 891–2
Solvent transfer hydrogenation of αβ–unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
Synthesis of hentriacontane–14,16–dione, a β–diketone found in plant waxes, 962–3
Very active hydrogenation catalyst composed of extremely dispersed palladium on vitreous supports, 979–80
Ready hydrogenation of nitrobenzene and benzonitrile with a polymer–bound palladium catalyst, 1074–5
HYDROGENOLYSIS
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
Catalytic sites in the hydrogenolysis of cyclopropane on platinum, 127–8
HYDROLYSIS
X–ray crystal structure of $Sn_6O_4(OMe)_4$: an intermediate in the hydrolysis of tin(II) dimethoxide, 112–13
Absence of stereoelectronic control in the hydrolysis of a conformationally locked acetal, 171–2
Mechanisms of aqueous solvolyses, 418–20
Crown ether acetals: detection of cation binding by kinetic measurements, 507–8
Intramolecular nucleophilic and general acid catalysis in the hydrolysis of an amide, 591–2
Ortho ester hydrolysis: rate determining addition of water to a carboxonium ion intermediate, 678–9
Stereoelectronic control of acetal hydrolysis, 803–4
Absence of common five–coordinate intermediates in the induced reactions of some cobalt(III)–acido complexes, 892–4
Isolation of intermediates in the acid hydrolysis of $(Pt(PPh_3)_2(O_2))$; the X–ray structure of $(Pt_2(O_2)(OH)(PPh_3)_4)(ClO_4).2C_6H_6$, 991–2
HYDROMETALLATION
Hydrometallation of alkenes and alkynes with magnesium hydride, 30–1
HYDROPEROXIDE
Thermal isomerization of methyl linoleate hydroperoxides. Evidence of molecular oxygen as a leaving group in a radical rearrangement, 756–7
HYDROQUINONE
Chromenylation of 2–naphthol and alkylhydroquinones: short syntheses of (2RS,4′R,8′R)–α–tocopherol (vitamin E) and (2RS,4′R,8′R)–β–tocopherol, 59–60
HYDROSULPHONYLATION
Anti–Markownikoff 1,2–hydrosulphonylation of 1,3–dienes via π–allylpalladium complexes, 367–8
HYDROTRIOXIDE
Acetal hydrotrioxides, 122–4
HYDROXAMATE
Silylhydroxylamines as reagents for high–yield RCOCl→RNCO conversions, 351–2
Synthesis and characterization of iron complexes of rhodotorulic acid: a novel dihydroxamate siderophore and potential chelating drug, 501–2
HYDROXO
Isolation of intermediates in the acid hydrolysis of $(Pt(PPh_3)_2(O_2))$; the X–ray structure of $(Pt_2(O_2)(OH)(PPh_3)_4)(ClO_4).2C_6H_6$, 991–2
HYDROXY
Stereoelectronic control of α proton abstraction from iminium ions, 49–50
The acid–sensitive proton nuclear magnetic resonance spectra of tocopherols and other derivatives of 6–hydroxychroman, 265–6
Oxidative displacement of iodine from vicinal iodocarboxylates and alkyl iodides, 919
HYDROXYALKYLATION
Synthesis of (±)–podorhizone via intermediate α–hydroxyalkylation of a β–benzyl γ–butyrolactone, 556–7
HYDROXYANTHRAQUINONE
Amino acid–catalysed alkylation of hydroxyanthraquinones with 2–hydroxytetrahydropyrans, 951–2
HYDROXYARALKYL
General synthesis of oxiranes, 785–6
HYDROXYBENZOATE
Carboxyl–migration facilitated by bacterial hydroxylation of 4–hydroxybenzoate, 731–2
HYDROXYBUTYRATE
Stereochemical course of dehydration catalysed by the yeast fatty acid synthetase, 193–4
HYDROXYDIMETHYLDECADIENOATE
Synthesis of the butterfly compound (E,E)–10–hydroxy–3,7–dimethyldeca–2,6–dienoic acid, 985–6
HYDROXYETHOXYPHENYLGLYCOL
X–ray crystal structures of anhydrous sodium and potassium complexes of an open chain polyether diol, 1001–3
HYDROXYETHYLGLUTARATE
Juvenile hormone biosynthesis: identification of 3–hydroxy–3–ethylglutarate and 3–hydroxy–3–methylglutarate in cell–free extracts from Manduca sexta incubation with propionyl– and acetyl–CoA, 292–3
HYDROXYFLUORENONE
Reactions of singlet oxygen. Formation of hydroxy ketones in the photooxygenation of fluorenylidene derivatives, 120–1
HYDROXYISOPROPYLBICYCLOHEPTANONE
α–Ketol rearrangements involving small rings: the formation and rearrangement of 1–hydroxy–6–isopropylbicyclo(3.2.0)heptan–7–one, 87–8
HYDROXYL
Study of the Haber–Weiss reaction using a sensitive method for detection of hydroxyl radicals, 970–1
HYDROXYL CONVERSION
Novel synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts via ligand substitution. Versatile reagents for converting hydroxy groups into thiocyanate and isothiocyanate functions, 940–1
HYDROXYLAMINE
Methyltriphenoxyphosphonium trifluoromethanesulphonate: a new versatile synthetic reagent, 424–5
HYDROXYLATION
Aromatic hydroxylation by $O(^3P)$ atoms on γ–radiolysis of liquid carbon dioxide solutions of alkylbenzenes, 16–18
Substitution reactions of fluorinated triarylmethanols in formic acid 389–91
Regioselective oxidation of unactivated methylene and methine

groups by dry ozonation: similarity to microbiological oxidation, 413–14
HYDROXYMETHYLBIPHENYL
Reduction of the carboxyl–function in aromatic carboxylic acids by alkali metal–liquid ammonia solutions, 941–3
HYDROXYMETHYLCYCLOHEXENECARBOXYLATE
Applications of bromolactones in synthesis. Stereospecific syntheses of cis–2–hydroxy–1–methylcyclohex–5–ene–1–carboxylic acid and related compounds, 961–2
HYDROXYMETHYLGLUTARATE
Juvenile hormone biosynthesis: identification of 3–hydroxy–3–ethylglutarate and 3–hydroxy–3–methylglutarate in cell–free extracts from Manduca sexta incubation with propionyl– and acetyl–CoA, 292–3
HYDROXYQUINIZARIN
Regio–selective synthesis of 2– and 3–alkyl–5–hydroxyquinizarins, 712–13
HYDROXYSAXITOXIN SULPHATE
Characterization of 11–hydroxysaxitoxin sulphate, a major toxin in scallops exposed to blooms of the poisonous dinoflagellate Gonyaulax tamarensis, 889–90
HYPERPOLYHEDRAL
Structural consequences of electron 'deficiencies' in metallaheteroboranes; hyperpolyhedral metal–metal bonding, 858–9
HYPHO
The first hypho carbaborane Me_3N–CB_5H_{11}, 287
HYPOCHLORITE
Reaction of some arylacetic acids and related compounds with alkaline sodium hypochlorite solution, 459–60
HYPOFLUOROUS ACID
Porphyrin N–oxides, 310–11
HYPOTHALAMIC SUBSTANCE
The mesitylene–2–sulphonyl group, a acidolytically removable N^G–protecting group for arginine, 482–3
IDOSE
Sugar equilibria. Observation of a septanose anomer, 1073–4
ILLUDIN
Biosynthesis of illudin sesquiterpenoids from (1,2–$^{13}C_2$)acetate, 303–4
IMIDAZOLE
A haemocyanin model: a synthetic copper(I) complex having imidazole ligands and reversible dioxygen activity, 634–6
Carbon–13 nuclear magnetic resonance spectroscopy of iron(III) porphyrin–imidazole complexes, 777–8
Ribopyranosyldiaminomaleonitrile: a key intermediate for the synthesis of nucleosides, 1094–6
IMIDAZOLE OXIDE
New synthesis of 2–formyl–4–methyl–1–phenylimidazole 3–oxide, 124
Photolysis of imidazole N(3)–oxides. Formation of unsymmetrical benzil di–imines; X–ray crystal structure of one such di–imine, 857–8
IMIDAZOLECARBOXYLATE
New synthesis of 1–β–D–arabinofuranosyl–aminoimidazoles and of related purine nucleosides, 882–3
IMIDAZOPYRIDINIUM THIO
Crystal and molecular structure of 3,3′–thiobis(2–methyl–1–phenylimidazo–(1,5–a)pyridinium) bistetrafluoroborate; a potent new sulphur containing curariform agent, 816–17
IMIDOMETAL
Structure and reactivity in the group 5B tert–butylimido complexes $(Me_2N)_3M{=}NCMe_3$; X–ray crystal and molecular structure of N–tert–butylimidotris(dimethylamido)tantalum, 579–80
IMIDOSULPHUR
Synthesis and molecular geometry of novel di– and tri–nuclear iron complexes resulting from the interaction of $(Fe_2(CO)_9)$ with R–N=S=N–R (R = tert–butyl or p–tolyl); X–ray crystal structures of $(Fe_2(CO)_6(RNC(O)S))$ and $(Fe_3(CO)_9(RNS)S)$, 506–7
IMIDOYL
Inverse substituent effect in an imidoyl azide to tetrazole cyclization limited by nitrogen inversion, 871–3
IMINE
New synthesis of α–methylenecyclobutanones and α–methylenazetidin–2–one derivatives, 12–13
1,3–Dipolar cycloaddition reactions of imines of α–amino acid esters: X–ray crystal and molecular structure of methyl 4–(2–furyl)–2,7–diphenyl–6,8–dioxo–3,7–diazabicyclo(3.3.0)octane–2–carboxylate, 109–11
Energy barrier for E–Z isomerization of N–sulphenylimines, 156–7
Benzazetes as precursors for benzotriazepines, 396–7
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562
IMINOMETHYLPYRIDINE
Combined use of M.c.d. and resonance Raman spectra for the detection of different electronic transitions in a charge–transfer band of $(Mo(CO)_4L)$ (L = 2–iminomethylpyridine), 1016–17
IMMOBILIZED
Hydrogen bond assisted organic reactions: C– and O–alkylations, sulphenylations, and Michael additions aided by polymer immobilized fluoride ion, 466–7
INDANCARBOXYLATE
Asymmetric substituent effect on the reaction of (R)– and (S)–indan–1–carboxylic acids with (S)–α–phenylethylamine derivatives, 830
INDANONE
Photolysis of α–chloro–o–methylacetophenones, 61–2
Detection of organic dianions by carbon–13 nuclear magnetic resonance spectroscopy, 172–3
INDAZOLE
Auwers's 2–hydroxy–3–arylindazoles: a structure revision, 1052–3
INDENE
Versatile deuterium exchange and isomerization of hydrocarbons via phase transfer catalysis, 155–6
Synthesis of a sym–oxepin oxide with restricted conformational mobility and altered reactivity. X–ray crystal and molecular structure of 4,7–dibromo–3a,7a:5,6–diepoxyperhydroindene, 377–9
INDENE DIMER
Redox–photosensitized cleavage of indene dimers using aromatic hydrocarbon–dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1
INDENOINDOLE
Heteroatom directed photoarylation; an approach to the synthesis of Aspidosperma alkaloids, 29
INDENYL
Evidence for the ready insertion of rhodium into a carbon–hydrogen bond of ethylene; crystal and molecular structure of μ–but–2–ene–μ–ethylenebis–(η^5–1–methylindenyl)dirhodium, 839–41
INDO
Carbon–carbon coupling in (90%–^{13}C–2)histidine, 1070–1
INDOLE
Some novel transformations in indole chemistry, 332–3
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80
Benzazetes as precursors for benzotriazepines, 396–7
The acylation of 3–alkyl–indoles, 779–81
Trifluoroacetylation of trialkylindoles, 845–6
Addition of 3–nitrosobut–3–en–2–one to olefins and to electron–rich heterocycles, 847–9
Organometallic compounds in organic synthesis: nucleophilic substitution reactions of N–methylindoletricarbonylchromium(0) 1076–7
'One–pot' conversion of Mannich bases via quaternary ammonium salts into the corresponding methyl compounds with sodium cyanoborohydride in hexamethylphosphoramide, 1089–90
Photosensitized electron transfer and anodic cyanation reactions of nitrogen heterocycles, 1108–9
INDOLOINDOLONE
New synthetic routes to synthons for the synthesis of functionalized Aspidosperma alkaloids, 943–4
INDOLONE
Intramolecular photochemical arylation of N–substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
INDOLYLDIOXIN
2–(1–Methylindol–3–yl)–3–phenyldihydro–1,4–dioxin 2,3–epidioxide, a dioxetan resulting in efficient ultraviolet chemiluminescence, 781–2
INDOLYLETHYLIMINOMETHYLENEMALONATE
New synthetic routes to synthons for the synthesis of functionalized Aspidosperma alkaloids, 943–4
INDUCTION
Solvent effects in homogeneous asymmetric catalysis, 427–8
INHIBITION
Preparation of the 7–oxo–4–oxa–1–azabicyclo(3.2.0)hept–2–ene system and the reversible cleavage of its oxazoline ring, 469–70

Latent inhibition of liver alcohol dehydrogenase by a substituted allyl alcohol, 795–6
INSECT DYESTUFF
Synthesis of the insect dyestuff kermesic acid and related anthraquinones, 688–9
INSERTION
Oxidative–addition of tertiary phosphine–ruthenium complexes to allylic carbon–hydrogen bonds, 223–4
INTERCALATE
Graphite lamellar compounds. A new route to transition metal intercalates, 927–8
INTERCALATION
Correlation of magnetic and optical properties in the organic–intercalated two–dimensional ionic ferromagnet bis(monomethylammonium) tetrachlorochromate(II), 511–12
INTERMEDIATE
Thiosulphonium ion intermediate in the oxidation of a thiol with dimethyl sulphoxide, 865–6
INTERMETAL BOND
Structural consequences of electron 'deficiencies' in metallaheteroboranes; hyperpolyhedral metal–metal bonding, 858–9
INTRAMOL
Intramolecular homolytic aromatic ipso substitution in halogenobenzenes by aryl radicals, 530–1
INTRAMOL SUBSTITUTION
Linear free energy relations in intramolecular aromatic ipso–substitutions by substituted methyl radicals, 166–7
INVERSION
Ring inversion in the cyclohexenyl radical, 394–5
INVERSIONAL BARRIER
A new and versatile chelating dithio ligand: X–ray crystal structure of $(Ru(CO)(SC_6H_3Me\text{–}o\text{–}SC_6H_4Me)(\eta\text{–}C_5H_5))$, 486–8
IODIDE
Organic metals: a new class of conducting ion–radical salts based on 7,7,8,8–tetracyanoquinodimethane and iodine, 337–8
IODIDE OXIDN
Polymeric sulphur nitride electrode: an example of electrocatalysis by surface chemical modification, 244–5
IODINE
Evidence of electronic interaction between classically nonconjugated aromatic systems, 100–1
IODOCARBOXYLATE
Oxidative displacement of iodine from vicinal iodocarboxylates and alkyl iodides, 919
IODOCYCLOALKENONE
Lithium phenylthio(trimethylstannyl)cuprate, a new reagent for conjugate addition of the trimethylstannyl group. The synthesis of β–trimethylstannyl–$\alpha\beta$–unsaturated ketones, 1033–4
IODOTRIMETHYLSILANE
Specific dealkylation of phosphonate esters using iodotrimethylsilane, 870–1
ION
Relative solvent transport of ions in binary aqueous mixtures: an unambiguous assignment to ionic constituents, 218–19
ION EXCHANGE
Use of ion exchange resins to trap electrogenerated intermediates: acetamidation of hydrocarbons, 738
ION PAIRING
Ion pairing in triphenylmethyl and diphenylmethyl carbanions from spectrophotometric studies, 758–9
IONIZATION
Acid salts of graphite: large or small fractional ionization, 544–5
Determination of the basicity of nitric acid in concentrated sulphuric acid by Raman and ultraviolet spectroscopy, 873–4
IONIZATION POTENTIAL
Photoelectron spectral assignments based on ab initio MO calculations for the bicyclic phosphorus compounds $P(OCH_2)_3CMe$ and $P(CH_2O)_3CMe$, 161–2
Correlation between selectivity in photochemical cross–cycloaddition and ionization potential of the reacting olefins, 786–8
IONONE
Solvent–assisted acetylenic oxy–Cope rearrangement: a novel synthesis of ionone and its analogues, 651–2
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9
IPECOSIDE
Deacetylisoipecoside: the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine, 896–8
IPSO SUBSTITUTION
Radical alkyldenitration. A synthetically useful example of homolytic aromatic ipso–substitution reactions, 93–4
Linear free energy relations in intramolecular aromatic ipso–substitutions by substituted methyl radicals, 166–7
Intramolecular homolytic aromatic ipso substitution in halogenobenzenes by aryl radicals, 530–1
Ipso–attack in the cyclization of 4–(α–naphthyl)butan–1–ol to 1,2,3,4–tetrahydrophenanthrene, 734–5
IR
Infrared lasers: a new tool for studying the diazotization of matrix isolated tetracarbonyliron(0), 36–8
Phosphorus–31 nuclear magnetic resonance and infrared spectroscopic evidence for coordinatively unsaturated zerovalent tungsten generated by interaction of $W(CO)_5L$ (L PPh_3 or PBu^n_3) with aluminium tribromide, 38–9
Preparation of bis(cis–diacetyltetracarbonylrhenium)copper, 183–4
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu\text{–}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{–}H)_2(CO)_8(Ph_3P)_2)$, 260–2
Far infrared spectra of nematic 4–cyano–4′–n–heptylbiphenyl aligned with electric fields, 267–8
Unexpectedly strong hydrogen bonding in some tetrahydro–4,7–phenanthroline–1,10–dione–3,8–dicarboxylic acids, 369–70
Formation of an acyl species from hept–1–ene and carbon monoxide on an evaporated nickel surface, 617–18
Chain ends as supports for α–helical structures in oligopeptides, 692–3
Matrix photolysis of trimethylazidosilane: silicon–hydrogen bond formation, 762–3
Two micromethods for determining the linkage of adducts formed between polyaromatic hydrocarbons and nucleic acid bases, 798–800
Formation of a novel complex between pyridinium bis(alkoxycarbonyl)methylides and diphenylcyclopropenone; trapping of pyridinium bis(alkoxycarbonyl)methylide cation radicals, 817–19
Raman spectra of molecules adsorbed on heavy metal oxides. Propylene on zinc oxide: the anionic nature of the adsorbed allyl species, 868–9
Reactions of gold–phosphine cluster compounds, 907–9
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(III) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo–tetra–aza(14)annulene ligand, 909–10
'Organic metals' with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
Matrix isolated 1,2–oxathietan–4–one 2–oxide: a $2\pi + 2\pi$ adduct of sulphur dioxide and ketene, 1020–22
Anchoring of osmium clusters to silica, 1063–4
IR SPECTRA
$(Ir_4(CO)_8((MeCO_2)_2C_2)_4)$: a rectangular cluster, 340–1
Preparation and X–ray structure determination of the mixed cluster $(H_3CoOs_3(CO)_{12})$, 343–4
IRIDIUM
$(Ir_4(CO)_8((MeCO_2)_2C_2)_4)$: a rectangular cluster, 340–1
Polymer–bound tetranuclear iridium carbonyl catalyst, 540–1
Isomerization of allyl ethers catalysed by the cationic iridium complex $(Ir(cyclo\text{–}octa\text{–}1,5\text{–}diene)(PMePh_2)_2)PF_6$. A highly stereoselective route to trans–propenyl ethers, 694–5
Solvent transfer hydrogenation of $\alpha\beta$–unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
Multiple chlorinations of the cyclometallated ring in iridium triaryl phosphite complexes: the crystal and molecular structure of $(IrCl_2(P(OC_6Cl_3Me\text{–}o)(OC_6H_4Me\text{–}o)_2)(pyridine)(PMe_3))$, 973–4
Kinetics and mechanism of cyclo– and decyclometallation of some iridium triaryl phosphite complexes. Evidence for the electrophilic displacement mechanism, 1007–8
IRON
Infrared lasers: a new tool for studying the diazotization of matrix isolated tetracarbonyliron(0), 36–8
Nitrogen–15 nuclear magnetic resonance studies of iron(II) low spin complexes of nitrogen–15 and iron–57 labelled porphyrin, 106–7
Formation and molecular structure of (η^5–cyclopentadienyl)–(η^4–cyclobuta(l)phenanthrene)rhodium: a cyclobutadiene–metal complex derived from the intramolecular cyclodimerization of an

acyclic diacetylene, 187–8
Carbonylation of the η^3–vinylcarbene ligand. Synthesis and X–ray crystal and molecular structure of an '(η^4–vinylketene)' iron complex, 252–3
Formation of surface phosphate phases on metallic iron, 308–9
Luminescence from $(Ru(bipyridyl)_3)^{2+}$ ions adsorbed on ion exchange surfaces. Dynamic quenching reactions between adsorbed cations, 408–9
Synthesis of fluorinated dienes and cyclobutenes, 475–6
Cytochrome oxidase models: a binuclear iron–copper site with a bipyrimidine bridge, 483–5
Magnetic isomers. cis–Bis(cyanotriphenylborato) bisphenanthrolineiron(II), 497–9
Synthesis and characterization of iron complexes of rhodotorulic acid: a novel dihydroxamate siderophore and potential chelating drug, 501–2
Synthesis and molecular geometry of novel di– and tri–nuclear iron complexes resulting from the interaction of $(Fe_2(CO)_9)$ with R–N=S=N–R (R = tert–butyl or p–tolyl); X–ray crystal structures of $(Fe_2(CO)_6(RNC(O)S))$ and $(Fe_3(CO)_9(RNS)S)$, 506–7
Electrochemical reduction of a heterodienetricarbonyliron(0) complex as a route to novel tricarbonyliron anions, 552–3
Versatility of cycloaddition of electrophilic alkynes to η^2–CS_2 metal complexes. Reversible isomerization of 1,3–dithiol 2–ylideneiron and heterometallocyclic complexes, 573–4
Solvation as the determining factor for the redox potential of $Fe_4S_4(S(CH_2)_nCO_2)^{6-}$ cluster ions, 703–4
Iron porphyrins containing appended sulphur ligands, 705–7
Deuteriated cyclopentadienyls of thallium and other metals, 709
Crystal structure of tris(tetra–n–butylammonium) tri–μ–benzenethiolatobis(tri–μ–sulphido–(μ_3–sulphido–tris(benzenethiolatoiron))molybdenum) $(Bu^n_4N)_3(((PhSFe)_3MoS_4)_2(SPh)_3)$; an Fe_3MoS_4 cubic cluster dimer, 740–1
Carbon–13 nuclear magnetic resonance spectroscopy of iron(III) porphyrin–imidazole complexes, 777–8
X–ray crystal structure of a planar, high–spin iron(II) complex of a pentadentate unsaturated macrocycle formed by reaction of 2,9–di(1–methylhydrazino)–1,10–phenanthroline monohydrochloride with 2,6–diacetylpyridine, 828–9
Electron spin resonance evidence for dimer formation in high spin iron(III)–octaethylporphyrin and iron(III)–meso–nitro–octaethylporphyrin in solution, 906–7
Initial state and transition state solvation in the peroxodisulphate oxidation of dicyanobis(2,2′–bipyridyl)iron(II), 963–4
Organometallic photochemistry with circularly polarized light. Synthesis of optically active tropone–iron tricarbonyl complex by asymmetric destruction, 983–4
Novel type of transformation of a 2H–azirine in the presence of $Fe_2(CO)_9$, 998–9
Formation of nona(ethyl isocyanide)diiron from penta(ethyl isocyanide)iron and reaction of penta(tert–butyl isocyanide)iron with diphenylacetylene; X–ray crystal structures of nona(ethyl isocyanide)diiron and tris(tert–butyl isocyanide)(1,4–bis–(tert–butylimino)–2,3–diphenylbuta–1,3–diene)iron, 1000–1
Carbon–carbon bond–making by trapping of a nucleophilic carbene (from an electron–rich olefin) by a σ–π–acetylido(hexacarbonyl) di–iron complex; X–ray crystal and molecular structure, 1017–19
Metal–metal interactions in 2–Fe ferredoxins; SCF–Xα–SW calculations, 1027–9

IRON COMPLEX
Olefin metathesis: preparation of a carbene–olefin–metal complex, 26–7

IRON PERCHLORATE
The NIH shift of deuterium during the oxidation of aromatic compounds by iron perchlorate and hydrogen peroxide in acetonitrile, 704–5

IRON SULPHATE
High catalytic activity of calcined iron sulphates for the polycondensation of benzyl chloride, 121–2

IRRADN
σ^*–electron addition to 5–halogenouracils in neutral glasses, 313–14

ISLANDICIN
Regiospecific syntheses of islandicin and digitopurpone monomethyl ethers, 242–4

ISOALLOXAZINE
Biosynthesis of 5,6–dimethylbenzimidazole from 6,7–dimethyl–10–(1′–^{14}C)formylmethylisoalloxazine, 22–3

ISOBORREVERINE
Biomimetic synthesis of borreverine and isoborreverine, 826–8

ISOBUTYRATE
Observation and interpretation of an apparent inverse secondary isotope effect on the electron impact–induced loss of a methyl radical from methyl isobutyrate, 521–2
The 3_{10} helical conformation of a pentapeptide containing α–aminoisobutyric acid (Aib): X–ray crystal structure of tos–(Aib)$_5$–OMe, 996–7

ISOCHLOROCRUOROPORPHYRIN
New syntheses of chlorocruoro– and isochlorocruoro–porphyrins from protoporphyrin–IX, 645

ISOCOMA
Modhephene: a sesquiterpenoid carbocyclic (3.3.3)propellane. X–ray crystal structure of the corresponding diol, 420–1

ISOCYANATE
Sulphur dioxide mediated conversion of strained furazan N–oxides into diisocyanates, 113–14
Silylhydroxylamines as reagents for high–yield RCOCl→RNCO conversions, 351–2
(2+2) Cycloadducts from isocyanates and azaphospholes, 470–1

ISOCYANATOPENTALENE
Sulphur dioxide mediated conversion of strained furazan N–oxides into diisocyanates, 113–14

ISOCYANIDE
Generation and some reactions of the bis(trimethylsilyl)aminyl radical, 545–6
Reaction of isopropylidenecarbene with isonitriles. Evidence for the formation of alkadienylideneamine, 1057–8

ISOCYANOIRON
Formation of nona(ethyl isocyanide)diiron from penta(ethyl isocyanide)iron and reaction of penta(tert–butyl isocyanide)iron with diphenylacetylene; X–ray crystal structures of nona(ethyl isocyanide)diiron and tris(tert–butyl isocyanide)(1,4–bis–(tert–butylimino)–2,3–diphenylbuta–1,3–diene)iron, 1000–1

ISODON
Biosynthesis of β–sitosterol from (4–^{13}C)mevalonic acid and sodium (1,2–^{13}C)acetate in tissue cultures of Isodon japonicus hara, 319–20

ISOFLAVAN
Novel isoflavan–pterocarpan interconversions: some structural requirements for cyclization, 224–5

ISOINDOLINONE
Nucleophilic attack by amine nitrogen on the ionized carboxy group, 807–8

ISOIPECOSIDE
Deacetylisoipecoside: the key intermediate in the biosynthesis of the alkaloids cephaeline and emetine, 896–8

ISOLEUCINE
X–ray crystal and molecular structure, absolute configuration, and stereoselectivity of $(-)_{435}$–L–isoleucinato–NN′–ethylenebis(α–methylsalicylideneaminato)cobalt(III), 266–7

ISOMERISM
Magnetic isomers. cis–Bis(cyanotriphenylborato) bisphenanthrolineiron(II), 497–9

ISOMERIZATION
Nonconcerted unimolecular reactions of ions in the gas phase: isomerization of weakly coordinated carbonium ions, 24–6
Energy barrier for E–Z isomerization of N–sulphenylimines, 156–7
'Methoxy cation' and protonated formaldehyde: high barriers to isomerization, 190–1
Treatment of cinnamic acids with polyphosphoric acid, 355
Thermal rearrangement of alkoxycyclobutanes, 392–3
Cation complexing photochromic materials involving bisanthracenes linked by a polyether chain. Preparation of a crown–ether by photocycloisomerization, 403–4
Reversible photochemical valence isomerization between α–diazo–ketones and a α–keto–diazirines, 442–3
(1.3) Shifts of potassium alkoxides: the bicyclo(3.2.0)heptene–norbornene transformation, 479–80
Versatility of cycloaddition of electrophilic alkynes to η^2–CS_2 metal complexes. Reversible isomerization of 1,3–dithiol 2–ylideneiron and heterometallocyclic complexes, 573–4
Isomerization of allyl ethers catalysed by the cationic iridium complex $(Ir(cyclo–octa–1,5–diene)(PMePh_2)_2)PF_6$. A highly stereoselective route to trans–propenyl ethers, 694–5
Thermal isomerization of methyl linoleate hydroperoxides. Evidence of molecular oxygen as a leaving group in a radical rearrangement, 756–7
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave

spectroscopic analyses, 835–6
ISOPLATYDESMINE
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
ISOPRENE
4a,9a–Epoxy–4a,9a–dihydroanthracen–1,4,9,10–tetrone: a versatile synthon in anthracyclinone synthesis, 997–8
ISOPROPENYLDIMETHYLOCTADIENOL
Effect of solvent on the oxy–Cope rearrangement of the 4–isopropenyl–3,7–dimethylocta–1,6–dien–3–ol diastereomeric system, 972–3
ISOPROPYLETHYLENE
syn–anti–Zwitterion equilibration in the ozonolysis of di–isopropylethylene, 263–4
ISOPROPYLIDENE
Reduction of α,α′–dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4–isopropylidene–1,3–dioxolans, 1040–1
ISOPROPYLIDENECARBENE
Reaction of isopropylidenecarbene with isonitriles. Evidence for the formation of alkadienylideneamine, 1057–8
ISOPROPYLIDENEDIOXOLANE
Reduction of α,α′–dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4–isopropylidene–1,3–dioxolans, 1040–1
ISOQUINOLINE
Absolute configuration and biosynthesis of tiliacorine and tilacorinine, 226–8
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80
Studies in synthetic photochemistry. Photochemistry of α–keto–imines: a novel synthesis of xylopinine, 885–6
ISOQUINOLINIUMPYRIDINIUM
Novel conversion of a 3–oxidopyridinium into a 4–oxidoisoquinolinium, 316–18
ISOQUINOLINONE
Synthesis of 3–arylisoquinolines by thermolysis of 3–aryl–1,2–dihydroisoquinolin–4(3H)–one salts, 1026–7
ISOTHIOCYANATE
Novel synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts via ligand substitution. Versatile reagents for converting hydroxy groups into thiocyanate and isothiocyanate functions, 940–1
ISOTOPE
Synthesis and circular dichroism of methyl (R)–(^{16}O,^{17}O,^{18}O) phosphate, 512–14
ISOTOPE EFFECT
The kinetic effect of ring strain in an elimination reaction, 338–9
Isotope effects in molecular complexes of naphthalene, 455–6
Observation and interpretation of an apparent inverse secondary isotope effect on the electron impact–induced loss of a methyl radical from methyl isobutyrate, 521–2
Stereoelectronic control of acetal hydrolysis, 803–4
ISOTOPE SHIFT
Long–range deuterium–induced carbon–13 nuclear magnetic resonance isotope shifts for single assignment and determination of deuteriation site in cyclodecanone isotopomers, 302–3
Oxygen–18 isotope shifts on the phosphorus–31 nuclear magnetic resonance of adenosine–5′–phosphate and inorganic phosphate, 565–6
ISOXAZOLE
Synthesis of hentriacontane–14,16–dione, a β–diketone found in plant waxes, 962–3
JULANDINE
An economical synthesis of the alkaloids, 3,4–dimethoxy–ω–(2–piperidyl)acetophenone, julandine, and cryptopleurine, 794–5
JUVENILE HORMONE
Juvenile hormone biosynthesis: homomevalonate and mevalonate synthesis by insect corpus allatum enzymes, 290–2
Juvenile hormone biosynthesis: identification of 3–hydroxy–3–ethylglutarate and 3–hydroxy–3–methylglutarate in cell–free extracts from Manduca sexta incubation with propionyl– and acetyl–CoA, 292–3
KAURENOATE
Microbiological production of 9α–fluorogibberellin A_4, 9α–fluorogibberellin A_{14}, and other fluoroterpenoids, 1013–15
KERMESATE
Synthesis of the insect dyestuff kermesic acid and related anthraquinones, 688–9
KETENE
Stereochemistry of the adduct from tert–butylcyanoketene and 2–methylbut–2–ene; X–ray crystal and molecular structure of 2–cyano–3,3,4–trimethyl–2–tert–butylcyclobutyl p–chlorobenzoate, 10–11
New synthesis of α–methylenecyclobutanones and α–methylenazetidin–2–one derivatives, 12–13
Additions of tert–butylcyanoketene to activated olefins. Structure and mechanism, 237–8
Unusual incorporation of the cyano group of tert–butylcyanoketene into a cycloadduct. X–ray structure of the pyrimido(1,6–e)(1,3–s) dioxazine formed, 820–1
Matrix isolated 1,2–oxathietan–4–one 2–oxide: a $2\pi + 2\pi$ adduct of sulphur dioxide and ketene, 1020–22
KETENIMINE
Evidence for the participation of a nitrile group in (2,3) sigmatropic rearrangements of sulphonium ylides, 274–5
KETO ESTER
Formation of allenes or γ–ketoesters from reactions of oxyallyls with acetylenes or 1,1–dimethoxyethene, 1006–7
KETONATE
Evidence for a second photoactive excited state in a tris(β–diketonate)chromium(III) complex, 363–4
KETONE
β–Silylketones as masked αβ–unsaturated ketones, 176–7
Conversion of aldehydes and ketones into chloroolefins and acetylenes using chloroiodomethane as a chloromethylene source, 446–7
Asymmetric reduction of trifluoromethyl ketones by actively fermenting yeast, 456–7
Activation and transfer of molecular oxygen. Oxidation of terminal olefins to methyl ketones by rhodium dioxygen complexes, 559–60
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562
Microbial stereo–differentiating reduction of the carbonyl groups located on the C_2 axes of gyrochiral molecules, 667–8
New synthesis of conjugated ketones from 2–phenylthioallyl and –allenyl alcohols, 821–2
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
Reduction of α,α′–dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4–isopropylidene–1,3–dioxolans, 1040–1
KETONE UNSATD
Convenient synthesis of allenyl sulphides; application to the synthesis of αβ–unsaturated ketones, 822–4
Lithium phenylthio(trimethylstannyl)cuprate, a new reagent for conjugate addition of the trimethylstannyl group. The synthesis of β–trimethylstannyl–αβ–unsaturated ketones, 1033–4
KINASE
Evidence for a dissociative $S_N1(P)$ mechanism of phosphoryl transfer by rabbit muscle pyruvate kinase, 783–5
KINETICS
Conformational control in eliminations with the $(E_1cB)_{JR}$ mechanism, 43–4
Stereoelectronic control of α proton abstraction from iminium ions, 49–50
Extremely strong but sluggish amine bases, 89–90
Solvolysis of substituted benzylidene chlorides in dioxane–water; an unusual role for a distant carboxy–group in a carbonium ion reaction, 98–9
Analogies between the dynamic stereochemistry at silicon and phosphorus. Kinetic study of solvent–induced epimerization of menthyl chloro(phenyl)phosphonate, 104–5
Acetal hydrotrioxides, 122–4
Ligand exchange at octahedral nickel(II). Direct evidence for a dissociative transition state, 157–8
Linear free energy relations in intramolecular aromatic ipso–substitutions by substituted methyl radicals, 166–7
Absence of stereoelectronic control in the hydrolysis of a conformationally locked acetal, 171–2
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
syn–anti–Zwitterion equilibration in the ozonolysis of di–

isopropylethylene, 263–4
Acetyl exchange between acetylmesitylene and acetyl chloride under Friedel–Crafts conditions, 271–2
Kinetics of the esterification of potassium p–nitrobenzoate by benzyl bromide using dicyclohexyl–18–crown–6 as phase transfer agent, 282–3
Effect of substituents on the reactivity of a double bond towards ($_\pi 4_s + _\pi 2_s$) and epoxidation reactions: a chemical manifestation of orbital interactions through space, 296–7
The reactivity of 2–bromo–1–phenylethanone (phenacyl bromide) toward nucleophilic species, 327–8
Stabilizing influence of a strong acid medium on tertiary aminium radicals, 329–30
Photo–enhanced production of hydrogen by liquid–phase catalytic dehydrogenation of propan–2–ol with rhodium–tin chloride complexes, 348–9
Stereospecific double rearrangement of anti–1,5–bishomocycloheptatriene. A rebound path of thermal rearrangement involving intermediate geminal hydrogen interchange, 365–6
A tetrahedral intermediate in the aminolysis of benzylpenicillin, 374–5
Decay of locus populations in a compartmentalized free radical polymerization reaction upon removal of radical source, 381
Thermal rearrangement of alkoxycyclobutanes, 392–3
Crown ether acetals: detection of cation binding by kinetic measurements, 507–8
Effects of structural distortion on the ligand exchange reactions of copper(II) Schiff base complexes, 583–4
1,2–Hydrogen shifts during acid–catalyzed hydrogen exchange, 586–7
Intramolecular nucleophilic and general acid catalysis in the hydrolysis of an amide, 591–2
Evidence of halogen exchange between gaseous halogenated alkanes and solid alkali halides obtained by field desorption mass spectrometry, 612–13
Rate acceleration by steric inhibition to solvation of sulphur nucleophiles in acyl transfer processes. A comparison of steric effect in nucleophilic substitutions at carbonyl and aromatic carbon atoms, 613–14
Ortho ester hydrolysis: rate determining addition of water to a carboxonium ion intermediate, 678–9
Latent inhibition of liver alcohol dehydrogenase by a substituted allyl alcohol, 795–6
Stereoelectronic control of acetal hydrolysis, 803–4
Nucleophilic attack by amine nitrogen on the ionized carboxy group, 807–8
Neighbouring carboxylate group participation in ester aminolysis in nonhydroxylic solvents. The n–butylaminolysis of aspirin in acetonitrile, 886–8
Existence of specific binding sites in 1:1 oxidations of reduced parsley 2–iron ferredoxin with inorganic complexes, 1102–3

LABEL
Carbon–13–labelling study of the reaction between 2–(methylthio) ethanol and carbon tetrachloride–phosphines, 208–9

LABELLED
Synthesis and circular dichroism of methyl (R)–(^{16}O,^{17}O,^{18}O) phosphate, 512–14
Stereospecific synthesis of chiral acetic acid from glycine, 967–8

LABELLING
Synthesis of (6–(4–^{3}H)phenylalanine)–somatostatin of high specific radioactivity, 901–2

LACCAIC ACID D
Synthesis of the insect dyestuff kermesic acid and related anthraquinones, 688–9

LACTAM
Synthesis of α–methylene–β–lactams, 903–4

LACTAMASE
Preparation of the 7–oxo–4–oxa–1–azabicyclo(3.2.0)hept–2–ene system and the reversible cleavage of its oxazoline ring, 469–70

LACTONE
Approaches to cytochalasan synthesis: macrocycle formation using an intramolecular Diels–Alder reaction, 474–5
General method for determining enantiomeric purities of chiral lactones, 722
Oxidation of cyclic ketones by hydrogen peroxide catalysed by Group 6 metal peroxo complexes, 888–9

LACTONE METHYLENE
Novel synthesis of α–methylene–γ–lactones, 1071–2

LACTONIZATION
Synthesis of 'crown ether' macrocyclic bislactones using caesium carboxylates of pyridine and of benzene dicarboxylic acids, 383–4
Cyclization of acetylenecarboxylic acids; a novel route to γ–methylenebutyrolactones, 649–50

LAMELLAR
Graphite lamellar compounds. A new route to transition metal intercalates, 927–8

LANOSTANONE
Novel direct rearrangement of a 9β,11β–epoxylanostan–7–one into a β–homo–derivative with incorporation of the C–10 angular methyl group, 411–12

LANOSTERYL
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4

LANTHANIDE
Neutral and anionic silylmethyl complexes of Group*IIIa and lanthanoid metals; the X–ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_3Cl)$ (thf = tetrahydrofuran), 140–2

LANTHANOID
Alkyl bridged complexes of the group 3A and lanthanoid metals as homogeneous ethylene polymerization catalysts, 994–5

LANTHANOID CHLORIDE
Efficient synthesis of acetals catalysed by rare earth chlorides, 976–7

LANTHANOID PERCHLORATE
Syntheses of some lanthanoid complexes with 4,7,13,16,21,24–hexaoxa–1,10–diazabicyclo(8.8.8)hexacosane. Crystal structure of a europium(III) perchlorate derivative, 788–9

LANTHANUM
X–ray crystal structure of a cryptate complex of lanthanum nitrate, 549–50
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
First case of an eleven coordinated trivalent lanthanoid: X–ray crystal structure of pentaaquatri(nitrato)lanthanum(III) monohydrate, 616–17

LANTHANUM OXIDE
Stereochemistry of 1,4–addition of molecular deuterium to 2–methylbuta–1,3–diene over thorium dioxide, magnesium oxide, and dilanthanum trioxide, 1091–2

LASER
Pulsed laser photolysis of chlorocopper(II) complexes in acetonitrile: evidence for chlororadical formation, 207–8

LASER IRRADN
Infrared lasers: a new tool for studying the diazotization of matrix isolated tetracarbonyliron(0), 36–8

LATIA
A short synthesis of (R)–(+)–frontalin and Latia luciferin using new organosilicon reagents, 297–8

LEAD
A novel chain structure in the $(Pb_2Cl_9)_n^{5n-}$ anion; crystal and molecular structure of $(Co(NH_2CH_2CH_2NH_2)_3)_2(Pb_2Cl_9)Cl.3H_2O$, 347–8
Template synthesis of a bimetallic complex of a 30–membered decadentate macrocyclic ligand: the crystal and molecular structure of a lead(II) complex, 415–16

LEUCOCRYSTAL
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18

LEUCOCRYSTAL VIOLET
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18

LEUROSINE
Antitumour alkaloids of the vinblastine–type: is leurosine an artefact, 102–3

LEVULINATE AMINO
A simple route to α–aminoketones and related derivatives by dianion acylation reactions; an improved preparation of δ–aminolevulinic acid, 753–4

LEWIS BASE
Gas–phase condensation of tert–butyl cations with Lewis bases, 938–40

LFER
Linear free energy relations in intramolecular aromatic ipso–substitutions by substituted methyl radicals, 166–7
Nitrogen–15 nuclear magnetic resonance studies of ligand binding

to zinc tetraphenylporphyrin, 681–2
LICHEN
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2
LIGAND
Iron porphyrins containing appended sulphur ligands, 705–7
LIGAND EXCHANGE
Nuclear magnetic resonance study of ligand exchange on the hexakis(trimethyl phosphate)scandium(III) ion, 1047–8
LIGNAN
Total synthesis of the lignan (±)-schizandrin, 480–1
Synthesis of the lignan (±)-deoxyschizandrin, 491–2
Synthesis of (±)-podorhizone via intermediate α-hydroxyalkylation of a β-benzyl γ-butyrolactone, 556–7
LIGNIN
A new class of linkage between carbohydrates and lignin model compounds, 92–3
LINOLEATE
Thermal isomerization of methyl linoleate hydroperoxides. Evidence of molecular oxygen as a leaving group in a radical rearrangement, 756–7
LINOLEIC ACID
Metal ion–catalysed oxidation of linoleic acid. Lipoxygenase-like regioselectivity of oxygenation, 82–3
LITHIATION
Transformation of the geraniol skeleton into the fragranol and grandisol skeletons, 519–20
LITHIOCYCLOHEXADIENE
Synthesis of 2-alkenyl-3-methylcyclohex-2-en-1-ones, 852–3
LITHIUM
Synthesis of the dilithium salt of cyanamide in liquid lithium; X-ray crystal structure of Li_2NCN, 52–3
Cyclopropylidene insertion. Evidence for bicyclo(1.1.0)butan-2-olate formation, 128–9
Proposal for the mechanism of inversion of alkyl lithiums, 137–8
Neutral and anionic silylmethyl complexes of Group*IIIa and lanthanoid metals; the X-ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_3Cl)$ (thf = tetrahydrofuran), 140–2
One-step synthesis of dodecamethylcyclohexasilane, 272
Electrocatalytic formation of superoxides in the presence of cobalt chelates, 339–40
Use of triorganogermyllithium compounds in transition metal chemistry. Application to the synthesis of optically active anions containing a transition metal–germanium bond, 435–6
Unexpected regioselective nucleophilic addition to 3-(4,4-dimethyloxazolin-2-yl)pyridine: formation of stable 1,4-dihydropyridines, 615–16
The chemistry of thioesters. Conversion into monothioacetals, ketones and vinyl sulfides, 719–20
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9
Convenient 'one-flask' synthesis of olefins. Reaction of α-chloroketones with Grignard reagents and lithium, 847
Steric effects on chelation in carbon-13 nuclear magnetic resonance spectra of β-diketone enolates, 965–7
Medium-ring cyclosilanes from the reaction of dimethyldichlorosilane with lithium, 1092–3
LIVER ALC DEHYDROGENASE
Latent inhibition of liver alcohol dehydrogenase by a substituted allyl alcohol, 795–6
LIZARDITE
Investigation of structure composition relationships in the serpentine minerals by combined X-ray K-emission spectrometry and high-resolution electron microscopy, 986–7
LUCIFERIN
A short synthesis of (R)-(+)-frontalin and Latia luciferin using new organosilicon reagents, 297–8
LUMINESCENCE
Luminescence from $(Ru(bipyridyl)_3)^{2+}$ ions adsorbed on ion exchange surfaces. Dynamic quenching reactions between adsorbed cations, 408–9
Photoluminescence from copper(I) complexes with low-lying metal-to-ligand charge transfer excited states, 759–61
LYCORANE SYNTHON
Intramolecular photochemical arylation of N-substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
MACROCYCLE
Enhanced rates of dihydropyridine to pyridinium hydrogen transfer in complexes of an active macrocyclic receptor molecule, 143–6
Alkaline earth metal complexes of pyridinyl containing Schiff base macrocycles: X-ray crystal and molecular structures of the calcium and strontium complexes, 279–80
Template synthesis of a bimetallic complex of a 30-membered decadentate macrocyclic ligand: the crystal and molecular structure of a lead(II) complex, 415–16
Some metal complexes of macrocyclic ligands incorporating the 1,10-phenanthroline group. X-ray crystal structure of the manganese(II) complex, 476–8
Macrocyclic enzyme model system: catalysis of ester degradation by a (20)paracyclophane bearing nucleophilic and metal-binding sites, 494–6
X-ray crystal structure of a cryptate complex of lanthanum nitrate, 549–50
Coordination chemistry of macrocyclic polyethers. An unusual conformation of complexed 18-crown-6; X-ray crystal and molecular structure of a 1:2 host–guest complex of 18-crown-6 with benzenesulphonamide, 595–6
X-ray crystal structure of a planar, high-spin iron(II) complex of a pentadentate unsaturated macrocycle formed by reaction of 2,9-di(1-methylhydrazino)-1,10-phenanthroline monohydrochloride with 2,6-diacetylpyridine, 828–9
Enthalpy of formation of copper(II) complexes with 14-membered tetraaza macrocycles, 833–4
Anion receptor molecules. Synthesis and some anion binding properties of macrocyclic guanidinium salts, 934–6
Molecular catalysis: enhanced rates of thiolysis with high structural and chiral recognition in complexes of a reactive macrocyclic receptor molecule, 949–51
MACROCYCLIC
Synthesis of 'crown ether' macrocyclic bislactones using caesium carboxylates of pyridine and of benzene dicarboxylic acids, 383–4
Synthesis of macrocyclic rings by internal photocycloaddition of α,ω-dicinnamates, 400–1
Template synthesis of a bimetallic complex of a 30-membered decadentate macrocyclic ligand: the crystal and molecular structure of a lead(II) complex, 415–16
Approaches to cytochalasan synthesis: macrocycle formation using an intramolecular Diels–Alder reaction, 474–5
Anion receptor molecules. Synthesis and some anion binding properties of macrocyclic guanidinium salts, 934–6
MACROCYLE
Crown ether acetals: detection of cation binding by kinetic measurements, 507–8
MAGNESIUM
Hydrometallation of alkenes and alkynes with magnesium hydride, 30–1
Resolved nitrogen-14 hyperfine coupling for surface electrons on magnesium oxide in the presence of ammonia and amines, 71–2
Substitution of allylic sulphides of benzothiazole-2-thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
MAGNESIUM OXIDE
Stereochemistry of 1,4-addition of molecular deuterium to 2-methylbuta-1,3-diene over thorium dioxide, magnesium oxide, and dilanthanum trioxide, 1091–2
MAGNETIC
Magnetic isomers. cis-Bis(cyanotriphenylborato) bisphenanthrolineiron(II), 497–9
Correlation of magnetic and optical properties in the organic-intercalated two-dimensional ionic ferromagnet bis(monomethylammonium) tetrachlorochromate(II), 511–12
MAGNETIC MOMENT
Preparation, crystal structure, and magnetic properties of a trinuclear mixed-valence manganese carboxylate, 62–3
Preparation of bis(cis-diacetyltetracarbonylrhenium)copper, 183–4
Cytochrome oxidase models: a binuclear iron–copper site with a bipyrimidine bridge, 483–5
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(III) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo-tetra-aza(14)annulene ligand, 909–10
MAGNETIC SUSCEPTIBILITY
Copper derivatives of tetrathiafulvalene, 69–70
MAGNETISM
Ferromagnetic coupling and electron transfer in $CoCu(ben).3H_2O$ (H_4ben = NN′-bis(2-hydroxy-3-carboxybenzylidene)-1,2-diaminoethane), 1012–13

MALEIC ANHYDRIDE
Ene reactions of β–pinene at room temperature and 40 kbar pressure, 599–600
Maleic anhydride–benzene and maleic anhydride–acetone molecular complexes, 933–4
MALEONITRILE
Ribopyranosyldiaminomaleonitrile: a key intermediate for the synthesis of nucleosides, 1094–6
MALONIC ESTER
Thermal rearrangement of thiophenium bismethoxycarbonylmethylides: a novel synthesis of thiophene–2–malonic esters, 85–6
MANDUCA
Juvenile hormone biosynthesis: homomevalonate and mevalonate synthesis by insect corpus allatum enzymes, 290–2
Juvenile hormone biosynthesis: identification of 3–hydroxy–3–ethylglutarate and 3–hydroxy–3–methylglutarate in cell–free extracts from Manduca sexta incubation with propionyl– and acetyl–CoA, 292–3
MANGANESE
Stereochemistry and mechanisms of electrophilic cleavage reactions of cis–(threo–PhCHDCHD)$Mn(CO)_4PEt_3$), 11–12
Preparation, crystal structure, and magnetic properties of a trinuclear mixed–valence manganese carboxylate, 62–3
Gas phase Broensted basicity of $((\eta^5\text{–}MeC_5H_4)Mn(CO)_3)$, 126–7
New dioxygen complex of manganese phthalocyanine, 217–18
Some metal complexes of macrocyclic ligands incorporating the 1, 10–phenanthroline group. X–ray crystal structure of the manganese(II) complex, 476–8
Hydrogen absorption in YNi_4Mn, an alloy with the cubic UNi_5 structure, 581–2
Visible light–assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and manganese(III) porphyrins, 1106–7
MANNICH BASE
'One–pot' conversion of Mannich bases via quaternary ammonium salts into the corresponding methyl compounds with sodium cyanoborohydride in hexamethylphosphoramide, 1089–90
MAPPING
Mapping organic molecules in biological space by high resolution NMR spectroscopy and electron microscopy, 1030–2
MARKOWNIKOFF ANTI
Anti–Markownikoff 1,2–hydrosulphonylation of 1,3–dienes via π–allylpalladium complexes, 367–8
MASS SPECTRA
Nonconcerted unimolecular reactions of ions in the gas phase: isomerization of weakly coordinated carbonium ions, 24–6
Isomeric gaseous ethylenechloronium ions, 796–7
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(III) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo–tetra–aza(14)annulene ligand, 909–10
MASS SPECTRAL ANALYSIS
Secondary ion mass spectrometry: a tool for identification of matrix–isolated species, 751–2
MASS SPECTROSCOPY
Field desorption mass spectrometry: a novel method for the characterization of cationic coordination complexes, 757–8
MASS SPECTRUM
Observation and interpretation of an apparent inverse secondary isotope effect on the electron impact–induced loss of a methyl radical from methyl isobutyrate, 521–2
Evidence of halogen exchange between gaseous halogenated alkanes and solid alkali halides obtained by field desorption mass spectrometry, 612–13
Structure of the polyether antibiotic K–41 by mass and nuclear magnetic resonance spectrometry, 683–4
MATRIX
Matrix photolysis of trimethylazidosilane: silicon–hydrogen bond formation, 762–3
MATRIX ISOLATION
Secondary ion mass spectrometry: a tool for identification of matrix–isolated species, 751–2
Matrix isolated 1,2–oxathietan–4–one 2–oxide: a $2\pi + 2\pi$ adduct of sulphur dioxide and ketene, 1020–22
MCD
Combined use of M.c.d. and resonance Raman spectra for the detection of different electronic transitions in a charge–transfer band of $(Mo(CO)_4L)$ (L = 2–iminomethylpyridine), 1016–17
MCFADYEN STEVENS
Vacuum pyrolysis of salts of 1–acyl–2–arylsulphonylhydrazines; a general McFadyen–Stevens aldehyde synthesis, 793–4
MECHANISM
Mechanisms of aqueous solvolyses, 418–20
Mechanism for the stereospecific polymerization of olefins by Ziegler–Natta catalysts, 604–6
MEDIUM LARGE RING
Synthesis of some medium– and large–ring cycloalk–2–ene–1,4–diones by intramolecular coupling of αω–bis–diazoketones, 1069–70
MEISENHEIMER COMPLEXES
Preparation of the first gem–dialkylthio–analogues of Meisenheimer complexes from troponoids, 167–8
MENTHYL
Analogies between the dynamic stereochemistry at silicon and phosphorus. Kinetic study of solvent–induced epimerization of menthyl chloro(phenyl)phosphonate, 104–5
Chemical synthesis of 2–O–(α–L–fucopyranosyl)–3–O–(2–acetamido–2–deoxy–α–D–galactopyranosyl)–D–galactose, the terminal structure in the blood–group A antigenic determinant, 535–7
MERCAPTO
Preparation of a penicillin–derived 4–mercaptoazetidin–2–one, 239–40
MERCAPTOAZETIDINONE
Conversion of penicillins into biosynthetically significant peptides, 609–10
MERCURATION
Stereochemistry and mechanisms of electrophilic cleavage reactions of cis–(threo–PhCHDCHD)$Mn(CO)_4PEt_3$), 11–12
MERCURY
Bromodemetallation of β–methoxyphenethylthallium(III) diacetate and β–methoxyphenethylmercury(II) acetate with copper–(I) and –(II) bromide, direct evidence for alkyl radicals in bromodethallation by the spin trapping technique, 65–6
Reduction of α,α′–dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4–isopropylidene–1,3–dioxolans, 1040–1
Synthesis and solution stoicheiometries and stabilities of mercury(II)–arene complexes, 1083–4
MERCURY OXIDE
Cyclization of acetylenecarboxylic acids; a novel route to γ–methylenebutyrolactones, 649–50
MEROQUINENATE
Stereoconservative transformation of secologanin into meroquinene and its derivatives, 725–6
MEROSTABILIZATION
Substituent effect on singlet–triplet splitting: diarylcarbene–diarylmethylene; electron spin resonance study. Merostabilization in diarylmethylenes, 181–2
MERRIFIELD
A mild procedure for solid phase peptide synthesis: use of fluorenylmethoxycarbonylamino–acids, 537–9
Application of polyamide resins to polypeptide synthesis: an improved synthesis of β–endorphin using fluorenylmethoxycarbonylamino–acids, 539–40
MESITYLENE
Arene–tungsten chemistry: bis(arene)tungsten hydride derivatives; co–condensation of tungsten atoms from an electron gun source with aromatic hydrocarbons, 72–3
Nitration of mesitylene: comparison with reactions of the cation–radical $C_6H_3Me_3{}^{\cdot+}$, 445–6
MESITYLENE ACETYL
Acetyl exchange between acetylmesitylene and acetyl chloride under Friedel–Crafts conditions, 271–2
MESITYLENESULPHONYL
The mesitylene–2–sulphonyl group, a acidolytically removable N^G–protecting group for arginine, 482–3
METABOLITE
Biosynthesis of sclerin: incorporation studies with advanced precursors, 158–9
Aspterric acid, a new sesquiterpenoid of the carotane group, a metabolite from Aspergillus terreus IFO–6123. X–ray crystal and molecular structure of its p–bromobenzoate, 160–1
Biosynthesis of andibenin, a novel polyketide terpenoid metabolite of Aspergillus variecolor, 626–7
New metabolites of the lichen Buellia canescens (Dicks.) De Not: novel phthalide catabolites of depsidones, 1041–2

METABOLITES
Shikimate–derived metabolites. Total synthesis of nor–chorismic acid, 869–70
METACYCLOPHANE
Microbial stereo–differentiating reduction of carbonyl compounds; proposed quadrant rule, 668–7
METAL
Changes in surface composition of a cobalt–molybdenum binary oxide catalyst during various treatments studied by X–ray photoelectron spectroscopy, 47–8
Crystal structure of tris(tetra–n–butylammonium) tri–μ–benzenethiolatobis(tri–μ–sulphido–(μ_3–sulphido–tris(benzenethiolatoiron))molybdenum) $(Bu^n_4N)_3(((PhSFe)_3MoS_4)_2(SPh)_3)$; an Fe_3MoS_4 cubic cluster dimer, 740–1
METAL COMPLEX
Synthesis and metal complexes of mono–N–substituted tetra–azamacrocyles, 14–15
METAL ION
Metal ion–catalysed oxidation of linoleic acid. Lipoxygenase–like regioselectivity of oxygenation, 82–3
METAL OXIDE
Continuous hydrogenation of ethene using spilt–over hydrogen, 891–2
Stereochemistry of 1,4–addition of molecular deuterium to 2–methylbuta–1,3–diene over thorium dioxide, magnesium oxide, and dilanthanum trioxide, 1091–2
METAL VAPOUR
Preparation of diarenemetal complexes by potassium atom reduction, 730–1
Preparative applications of metal vapours obtained by evaporation of metal powders from coated filaments: a new preparation of dibenzeneruthenium and observation of its limiting NMR spectrum, 898–9
METALLAACETYLACETONE
Preparation of bis(cis–diacetyltetracarbonylrhenium)copper, 183–4
METALLATION
Study of the distribution of metals on the surface of polymer–bound palladium(II) complexes by X–ray photoelectron spectroscopy, 650–1
METALLOCENE
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
METALLOCYCLE
Aspects of the coordination chemistry of some electron–rich polyorganosulphur compounds; bis(ethylthio)carbene complexes $(M(CO)_5(C(SEt)_2))$ (M = Cr or W) from $Na(TosNNC(SEt)_2)$ (Tos = p–$MeC_6H_4SO_2$), 146–7
METALLOPORPHYRIN
Electron–transfer reactions between the semiquinone anion radical and metallo–tetraphenylporphyrins, 361
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X–ray crystal structure of one such complex, 571–2
METASTABLE
A new phase of crystalline anthracene: its importance in solid–state photodimerization, 134–5
METATHESIS
Olefin metathesis: preparation of a carbene–olefin–metal complex, 26–7
Phosphorus–31 nuclear magnetic resonance and infrared spectroscopic evidence for coordinatively unsaturated zerovalent tungsten generated by interaction of $W(CO)_5L$ (L PPh_3 or PBu^n_3) with aluminium tribromide, 38–9
Unusual stereoselectivities in olefin metathesis, 341–2
METHANAMINIUM
Pyranosultone: a novel binuclear heterocyclic system, 325–6
METHANE
Direct evidence of neighbouring group participation in the gas phase, 213–14
Ammonia synthesis from methane, water, and nitrogen over silica–supported ruthenium, 1105–6
METHANETHIOLATOTOLUENEMOLYBDENUM
Synthesis, X–ray crystal structure, and chemistry of the cation $((\eta$–MePh)$Mo(\mu$–SMe)$_4$Mo(η–MePh))$^{2+}$; easy D_2O–NaOD catalysed hydrogen–deuterium exchange of the methyl hydrogens of a η–bonded toluene ligand, 1009–11
METHANOL
Substitution reactions of fluorinated triarylmethanols in formic acid 389–91
Equilibrium constant for protium–deuterium exchange between methanol and water, 1037–8
METHANOLYSIS
Photosensitized anti–Markovnikov addition of methanol to homoconjugated aryl olefins, 600–1
Applications of bromolactones in synthesis. Stereospecific syntheses of cis–2–hydroxy–1–methylcyclohex–5–ene–1–carboxylic acid and related compounds, 961–2
METHANONAPHTHALENE
Photosensitized anti–Markovnikov addition of methanol to homoconjugated aryl olefins, 600–1
METHOXY
'Methoxy cation' and protonated formaldehyde: high barriers to isomerization, 190–1
METHOXY EFFECT
Dramatic acceleration of a concerted reaction by a methoxy group, 1025–6
METHOXYCARBONYLATION
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16
METHOXYCARBONYLCARBENE
2,5–Dichlorothiophenium bismethoxycarbonylmethylide: a bismethoxycarbonylcarbene equivalent, 641–2
METHOXYCARBONYLMETHYLIDE
Formation of a novel complex between pyridinium bis(alkoxycarbonyl)methylides and diphenylcyclopropenone; trapping of pyridinium bis(alkoxycarbonyl)methylide cation radicals, 817–19
METHOXYCYANATION
Stereochemical control of anodic cyanomethoxylation, 20–2
METHOXYLATION
Unusual conditions for cine–substitution in the pyrrole ring: isolation of a pyrroline as an intermediate, 564–5
METHYLBUTADIENE
Stereochemistry of 1,4–addition of molecular deuterium to 2–methylbuta–1,3–diene over thorium dioxide, magnesium oxide, and dilanthanum trioxide, 1091–2
METHYLBUTANE
Radical cation of 2,2,3,3–tetramethylbutane: an electron spin resonance study, 686–7
METHYLBUTENE
Stereochemistry of the adduct from tert–butylcyanoketene and 2–methylbut–2–ene; X–ray crystal and molecular structure of 2–cyano–3,3,4–trimethyl–2–tert–butylcyclobutyl p–chlorobenzoate, 10–11
METHYLCHLOROCARBENIUM
Isomeric gaseous ethylenechloronium ions, 796–7
METHYLCHLOROSILANE
Medium–ring cyclosilanes from the reaction of dimethyldichlorosilane with lithium, 1092–3
METHYLCYCLOHEXASILANE
Pulsed proton nuclear magnetic resonance studies of molecular motion and plastic crystallinity in dodecamethylcyclohexasilane, 1093–4
METHYLCYCLOPENTADIENYL
Gas phase Broensted basicity of $((\eta^5$–$MeC_5H_4)Mn(CO)_3)$, 126–7
METHYLENE
Photosensitized anti–Markovnikov addition of methanol to homoconjugated aryl olefins, 600–1
Synthesis of α–methylene–β–lactams, 903–4
METHYLENE BRIDGED
Synthesis of some diplatinum complexes, including bis–μ–(bis(diphenylphosphino)methane)–μ–methylene–dichlorodiplatinum, $(Pt_2Cl_2(\mu$–$CH_2)(\mu$–$Ph_2PCH_2PPh_2)_2)$, from $(Pt_2Cl_2(\mu$–$Ph_2PCH_2PPh_2))$, 749–51
METHYLENE DIARYL
Substituent effect on singlet–triplet splitting: diarylcarbene–diarylmethylene; electron spin resonance study. Merostabilization in diarylmethylenes, 181–2
METHYLENEBICYCLONONADIENE
3–Methylenebicyclo(3.2.2)nona–6,8–diene, 964–5
METHYLENEBUTYLAMINE
Homolytic addition to N–methylene–tert–butylamine: a new route to aminyl radicals, 960–1
METHYLENECYCLOHEXANOL
1,3–Transposition of primary allylic alcohols: a new application of selenoxide chemistry, 770–1
METHYLENEFULVENE
Preparation and characterization of 6,6–dimethylenefulvene, 496–7

METHYLENEHEXANONE
β–Silylketones as masked *αβ*–unsaturated ketones, 176–7
METHYLIDE
Rhodium(II)–catalysed addition of dimethyl diazomalonate to thiophene: a simple synthesis of thiophenium bismethoxycarbonylmethylides and crystal and molecular structure of the unsubstituted methylide, 83–4
2,5–Dichlorothiophenium bismethoxycarbonylmethylide: a bismethoxycarbonylcarbene equivalent, 641–2
METHYLINDOLE
Organometallic compounds in organic synthesis: nucleophilic substitution reactions of N–methylindoletricarbonylchromium(0) 1076–7
METHYLPHOSPHONOUS CHLORIDE
1–Isopropyl–4,6–dimethyl–6–phospha(V)bicyclo(3.1.1)hept–3–ene 6–oxide: a distorted phosphetane synthesized from α–pinene and the methylphosphonous dichloride–aluminium chloride complex; X–ray crystal and molecular structure, 125–6
METHYLSTANNYLATION
Lithium phenylthio(trimethylstannyl)cuprate, a new reagent for conjugate addition of the trimethylstannyl group. The synthesis of *β*–trimethylstannyl–*αβ*–unsaturated ketones, 1033–4
METHYLSULPHIDOBORON
Detection of the new reactive molecule methyl(sulphido)boron, MeBS, by microwave spectroscopy, 19–20
MEVALONATE
Juvenile hormone biosynthesis: homomevalonate and mevalonate synthesis by insect corpus allatum enzymes, 290–2
MEVALONIC ACID
Biosynthesis of *β*–sitosterol from (4–^{13}C)mevalonic acid and sodium (1,2–^{13}C)acetate in tissue cultures of Isodon japonicus hara, 319–20
MICELLE
Photoredox reaction in micellar solutions sensitized by surfactant derivative of tris(2,2′–bipyridyl)ruthenium(II), 628–30
Stereoselective reaction of p–nitrophenyl N–acyl–phenylalanines with N–acyl–L–histidine in mixed micelles, 984–5
Biphasic photochemistry: use of the Barton reaction to determine micelle microviscosity, 1110–11
MICHAEL ADDN
Asymmetric induction in the base–catalysed Michael addition of nitromethane to chalcone, 238–9
Hydrogen bond assisted organic reactions: C– and O–alkylations, sulphenylations, and Michael additions aided by polymer immobilized fluoride ion, 466–7
MICHAEL CONDENSATION
1–Nitro–1–phenylthiopropene, a new reagent for 3–methylfuran synthesis, 362–3
New stereoselective synthesis of 9–methyl–cis–decalin derivatives by double Michael reaction of 3,5–dimethyl–4–methylenecyclohex–2–enone and dimethyl 3–oxoglutarate; X–ray crystal and molecular structure of two of the products, 717–18
MICROBIAL EPOXIDN
Microbial epoxidation of long–chain terminal olefins, 849–50
MICROBIAL REDN
Microbial stereo–differentiating reduction of the carbonyl groups located on the C_2 axes of gyrochiral molecules, 667–8
Microbial stereo–differentiating reduction of carbonyl compounds; proposed quadrant rule, 668–7
MICROCOCCIN P
The structures of the highly modified peptide antibiotics micrococcin P_1 and P_2, 256–8
MICROVISCOSITY
Biphasic photochemistry: use of the Barton reaction to determine micelle microviscosity, 1110–11
MICROWAVE SPECTRA
Detection by microwave spectroscopy of nitroxyl produced by a retro–Diels–Alder reaction, 275–6
Production, in electrical discharges, of fluorine cyanide, fluoroacetylene, and related substances as monitored by microwave spectroscopy, 335
Microwave spectrum and conformation of glycine, 547–8
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave spectroscopic analyses, 835–6
MICROWAVE SPECTRUM
Detection of the new reactive molecule methyl(sulphido)boron, MeBS, by microwave spectroscopy, 19–20
Microwave spectrum, dipole moment, and quadrupole coupling constants of trans–nitrosocyclopropane, 388–9
MIXED VALENCE
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(III) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo–tetra–aza(14)annulene ligand, 909–10
MLCT
Photoluminescence from copper(I) complexes with low–lying metal–to–ligand charge transfer excited states, 759–61
MO
Proposal for the mechanism of inversion of alkyl lithiums, 137–8
Photoelectron spectral assignments based on ab initio MO calculations for the bicyclic phosphorus compounds $P(OCH_2)_3CMe$ and $P(CH_2O)_3CMe$, 161–2
'Methoxy cation' and protonated formaldehyde: high barriers to isomerization, 190–1
A new assignment of the metal ionizations in the photoelectron spectrum of dimolybdenum tetraformate, 204–5
Selectivity in the addition of organic radicals to the alkene bond, 438–9
Structure of infinite polyenes. Ab initio quantum chemical study, 575–6
MO CALCN
Electronic structure of $B_4H_8Fe(CO)_3$. Comparison of SCF–X*α*–SW molecular orbital theory with the ultraviolet photoelectron spectrum, 385–6
MODHEPHENOL
Modhephene: a sesquiterpenoid carbocyclic (3.3.3)propellane. X–ray crystal structure of the corresponding diol, 420–1
MOESSBAUER
Formation of surface phosphate phases on metallic iron, 308–9
Cytochrome oxidase models: a binuclear iron–copper site with a bipyrimidine bridge, 483–5
Reactions of gold–phosphine cluster compounds, 907–9
MOESSBAUER SPECTRA
Moessbauer spectroscopic studies of carbonyl haemochromes; correlations with reactivity, 746–7
MOL MOTION
Pulsed proton nuclear magnetic resonance studies of molecular motion and plastic crystallinity in dodecamethylcyclohexasilane, 1093–4
MOL ROTATION
Pulsed proton nuclear magnetic resonance studies of molecular motion and plastic crystallinity in dodecamethylcyclohexasilane, 1093–4
MOLLISACACIDIN
Condensed tannins: direct synthesis, structure, and absolute configuration of four biflavonoids from black wattle bark ('mimosa') extract, 700–2
MOLYBDENOCENE
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
MOLYBDENUM
Changes in surface composition of a cobalt–molybdenum binary oxide catalyst during various treatments studied by X–ray photoelectron spectroscopy, 47–8
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
A new assignment of the metal ionizations in the photoelectron spectrum of dimolybdenum tetraformate, 204–5
Acetylene linkage at a di–metal centre: X–ray crystal structures of $(Cr_2(CO)(\eta\text{–}C_5H_5)_2(PhC_2Ph)_2)$ and $(Mo_2(\eta\text{–}C_5H_5)_2((MeO_2CC_2CO_2Me)(HC_2H)(MeO_2CC_2CO_2Me)_2))$, 221–3
Difluoride dioxides of molybdenum(VI) and tungsten(VI), 254–5
Direct evidence for the quadruple metal–metal bond in the octachlorodimolybdenum(II) ion, $(Mo_2Cl_8)^{4-}$, using X–ray emission spectroscopy, 262–3
Bis(organodiazenido)–complexes of molybdenum, 352–3
Synthesis and molecular structures of chloro(trimethylphosphine) tris(trimethylsilylmethyl)molybdenum(IV) and di–*μ*–chloro–bis(η_2–trimethylsilylmethylcarbonyl)bis(carbonyl) trimethylphosphinemolybdenum(II)), 465–6
Synthesis, epimerization, X–ray structure, and absolute configuration of an optically active molybdenum complex having five independent ligands, 691–2
Preparation of diarenemetal complexes by potassium atom reduction, 730–1

Heat of formation of bis(η–cyclopentadienyl)dimethyltungsten and bis(η–cyclopentadienyl)dimethylmolybdenum, 737
Crystal structure of tris(tetra–n–butylammonium) tri–μ–benzenethiolatobis(tri–μ–sulphido–(μ_3–sulphido–tris(benzenethiolatoiron))molybdenum) $(Bu^n_4N)_3(((PhSFe)_3MoS_4)_2(SPh)_3)$; an Fe_3MoS_4 cubic cluster dimer, 740–1
Solution properties of $((CO)_5Mo(pz))$ and $(((CO)_5Mo)_2(pz))$: organometallic analogues of $((NH_3)_5Ru(pz))^{2+}$ and $(((NH_3)_5Ru)_2(pz))^{4+}$ (pz = pyrazine), 859–61
Sulphur inversion in dimolybdenum complexes: X–ray crystal structure of $(Mo_2(CO)_2(P(OMe)_3)(\mu_2\text{–}SCMe_3)_3(\eta^7\text{–}C_7H_7))$, 878–9
Oxidation of cyclic ketones by hydrogen peroxide catalysed by Group 6 metal peroxo complexes, 888–9
Synthesis, X–ray crystal structure, and chemistry of the cation $((\eta\text{–}MePh)Mo(\mu\text{–}SMe)_4Mo(\eta\text{–}MePh))^{2+}$; easy D_2O–NaOD catalysed hydrogen–deuterium exchange of the methyl hydrogens of a η–bonded toluene ligand, 1009–11
Combined use of M.c.d. and resonance Raman spectra for the detection of different electronic transitions in a charge–transfer band of $(Mo(CO)_4L)$ (L = 2–iminomethylpyridine), 1016–17

MOLYBDENUM CHLORIDE
Direct evidence for the quadruple metal–metal bond in the octachlorodimolybdenum(II) ion, $(Mo_2Cl_8)^{4-}$, using X–ray emission spectroscopy, 262–3

MONOXIDE
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7

MORPHOLINE
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16

MULTICOLANATE
Total synthesis and stereostructure of methyl (E)–O–methylmulticolanate, a 4–ylidenetetronic acid from Penicillium multicolor, 60–1

MYCAROSE
Stereospecific synthesis from noncarbohydrate precursors of the deoxy and methyl branched deoxy sugars L–amicetose, L–mycarose, and L–olivomycose, 299–300

MYCOPHENOLATE
Biosynthesis of mycophenolic acid. Oxidation of 6–farnesyl–5,7–dihydroxy–4–methylphthalide in a cell–free preparation from Penicillium brevicompactum, 434

MYLIA
Structure of (–)–2,9–dihydroxyverrucosane, a novel carbon skeletal diterpenoid from the liverwort Mylia verrucosa, 198–200

MYRCENE
Anti–Markownikoff 1,2–hydrosulphonylation of 1,3–dienes via π–allylpalladium complexes, 367–8

NADH
Spin trapping experiments on NADH analogues and the role of radicals in carbonyl reductions, 300–1

NADPH MODEL
Asymmetric reduction of methyl benzoylformate with a chiral NAD(P)H model compound, 328–9

NAPHTHACENE
Regio–selective synthesis of 2– and 3–alkyl–5–hydroxyquinizarins, 712–13

NAPHTHACENOBISDITHIOLE
Highly conducting organic alloys $(NBDT)_2I_xBr_{3-x}$ (NBDT = naphthaceno(5,6–cd:11,12–c′d′)bis(1,2)dithiole), 974–5

NAPHTHALENE
Extremely strong but sluggish amine bases, 89–90
Isotope effects in molecular complexes of naphthalene, 455–6
Photochemical reactions of 1,8–diacetylnaphthalene and 1,3–dimethoxy–1,3–dimethyl–1H,3H–naphtho(1,8–cd)pyran, 589–90
The NIH shift of deuterium during the oxidation of aromatic compounds by iron perchlorate and hydrogen peroxide in acetonitrile, 704–5
Recovery of the chromium tricarbonyl unit in the removal of organic ligands from their chromium carbonyl complexes, 989–90

NAPHTHALENONE
New 1,2–transpositions and alkylative 1,2–transpositions of a carbonyl group, 414–15

NAPHTHOBENZODITHIOPHENE
Binaphthyl–2,2′–diyl hydrogen phosphate. A new chiral atropisomeric selector for the resolution of helicenes using high performance liquid chromatography, 173–5

NAPHTHODIFURANTRIONE
Synthesis of tetrahydrosantonin derivatives functionalized at their angular methyl groups, 748–9

NAPHTHOL
Chromenylation of 2–naphthol and alkylhydroquinones: short syntheses of (2RS,4′R,8′R)–α–tocopherol (vitamin E) and (2RS,4′R,8′R)–β–tocopherol, 59–60
A general route to substituted naphthols, 162–4
'One–pot' conversion of Mannich bases via quaternary ammonium salts into the corresponding methyl compounds with sodium cyanoborohydride in hexamethylphosphoramide, 1089–90

NAPHTHOPYRAN
Chromenylation of 2–naphthol and alkylhydroquinones: short syntheses of (2RS,4′R,8′R)–α–tocopherol (vitamin E) and (2RS,4′R,8′R)–β–tocopherol, 59–60
Photochemical reactions of 1,8–diacetylnaphthalene and 1,3–dimethoxy–1,3–dimethyl–1H,3H–naphtho(1,8–cd)pyran, 589–90

NAPHTHOQUINONE
Synthetic approaches to aclacinomycin and pyrromycin antitumour antibiotics via Diels–Alder reactions of 6–alkoxy–2–pyrones: total synthesis of chrysophanol, helminthosporin and pachybasin, 95–6
Synthesis of the insect dyestuff kermesic acid and related anthraquinones, 688–9

NAPHTHYL
Ipso–attack in the cyclization of 4–(α–naphthyl)butan–1–ol to 1,2,3,4–tetrahydrophenanthrene, 734–5

NAPHTHYLACETATE
Reaction of some arylacetic acids and related compounds with alkaline sodium hypochlorite solution, 459–60

NAPHTHYLACETONITRILE
Reactions of substituted 3,3–diphenyl– and 3,3–dimethyl–1–oxaspiro(3,5)nona–5,8–diene–2,7–diones with nucleophiles, 312–13

NAPHTHYLALKANE
The quenching of excited singlet states of Rose Bengal by bifunctional compounds, 913–14

NAX
Location of supercage sodium ions and water molecules in hydrated NaX zeolite, 493–4

NEIGHBOURING GROUP
Intramolecular nucleophilic and general acid catalysis in the hydrolysis of an amide, 591–2

NEIGHBOURING GROUP PARTICIPATION
Direct evidence of neighbouring group participation in the gas phase, 213–14

NEIGHBOURING PARTICIPATION
Neighbouring carboxylate group participation in ester aminolysis in nonhydroxylic solvents. The n–butylaminolysis of aspirin in acetonitrile, 886–8

NEMATIC
Far infrared spectra of nematic 4–cyano–4′–n–heptylbiphenyl aligned with electric fields, 267–8

NEOCEMBRENE
Alternative synthetic route to the cembrene skeleton, 359–60

NEOLIGNAN
Hydrobenzofuranoid–bicyclo(3.2.1)octanoid neolignan rearrangement, 831–2

NEUROTOXIN
Characterization of 11–hydroxysaxitoxin sulphate, a major toxin in scallops exposed to blooms of the poisonous dinoflagellate Gonyaulax tamarensis, 889–90

NEUTRON DIFFRACTION
Bridging hydrides in $(H_2Os_3(CO)_{10})$ and $((C_2H_3)HOs_3(CO)_{10})$: a combined X–ray–neutron diffraction study, 723–4

NICKEL
Anodically induced decomposition of some arylnickel(II) phosphine complexes, 66–8
Ligand exchange at octahedral nickel(II). Direct evidence for a dissociative transition state, 157–8
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu\text{–}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{–}H)_2(CO)_8(Ph_3P)_2)$, 260–2
Hydrogen absorption in YNi_4Mn, an alloy with the cubic UNi_5 structure, 581–2
Formation of an acyl species from hept–1–ene and carbon monoxide on an evaporated nickel surface, 617–18
Insertion of the carbene $:CH_2$ into Ni–R bonds of mono– and di–

alkylnickel(II) complexes, 1003–4
NICKELOPORPHYRIN
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X–ray crystal structure of one such complex, 571–2
NICOTIANA
Solanascone: a novel sesquiterpene ketone from Nicotiana tabacum X–ray structure determination of the corresponding oxime, 563–4
Stereochemistry of the reduction of nicotinic acid when it serves as a precursor of anatabine, 610–11
NICOTINAMIDOPHENYL
meso–α,α,α,α–Tetra(o–nicotinamidophenyl)porphyrin: a novel ligand for the preparation of unsymmetrical bis–metal complexes, 399–400
NICOTINATE
Stereochemistry of the reduction of nicotinic acid when it serves as a precursor of anatabine, 610–11
NIH
The NIH shift of deuterium during the oxidation of aromatic compounds by iron perchlorate and hydrogen peroxide in acetonitrile, 704–5
NIOBIUM
Synthesis of zerovalent bis–areneniobium compounds using niobium vapour, 431
Structure and reactivity in the group 5B tert–butylimido complexes $(Me_2N)_3M{=}NCMe_3$; X–ray crystal and molecular structure of N–tert–butylimidotris(dimethylamido)tantalum, 579–80
A new approach to cationic transition metal alkyls: $(M(\eta\text{–}C_5H_5)_2(CH_2SiMe_3)_2)^+(Y)^-$ (M = Nb or Ta, Y = BF_4 or SbF_6) and their conversion into the alkylidene complexes $(M(\eta\text{–}C_5H_5)_2(CHSiMe_3)(CH_2SiMe_3))$, 925–6
NITRATE
X–ray crystal structure of a cryptate complex of lanthanum nitrate, 549–50
Novel coordination numbers in scandium(III) and yttrium(III) nitrato complexes. X–ray crystal structures of $Sc(NO_3)_3.2N_2O_4$ and $Y(NO_3)_3.2N_2O_4$, 580–1
First case of an eleven coordinated trivalent lanthanoid: X–ray crystal structure of pentaaquatri(nitrato)lanthanum(III) monohydrate, 616–17
NITRATION
Mechanism of formation of 4–methyl– and 4–chloro–2–nitrophenol in the nitration of 4–methyl– and 4–chloro–anisole, respectively, in aqueous sulphuric acid, 180–1
Nitration of mesitylene: comparison with reactions of the cation–radical $C_6H_3Me_3^{\bullet+}$, 445–6
NITRIC ACID
Determination of the basicity of nitric acid in concentrated sulphuric acid by Raman and ultraviolet spectroscopy, 873–4
NITRIC OXIDE
Adsorption of nitric oxide on copper(100) surfaces; an electron spectroscopic study, 40–1
Catalytic conversion of nitric oxide into nitrogen and dinitrogen oxide by dinitrobis(ethylenediamine)cobalt(III) cation, 175–6
Reactions of nitrogen oxides with di(cyclopentadienyl)titanium complexes, 234–5
Rapid formation of N–nitrosamines from nitric oxide in the presence of silver(I) salts, 707–8
NITRIDE
Synthesis of the dilithium salt of cyanamide in liquid lithium; X–ray crystal structure of Li_2NCN, 52–3
Novel salts of graphite and a boron nitride salt, 200–1
Polymeric sulphur nitride electrode: an example of electrocatalysis by surface chemical modification, 244–5
Preparation and crystal structure of a new sulphur nitride, S_5N_6; a molecular basket, 642–3
NITRILE
Hydrogenolysis of unsaturated alcohols; hydrocyanation and hydrogenation of acetylenes catalysed by pentacyanocobaltate(II) 63–5
Photochemical reactions of a silacyclopropene with nitriles leading to new organosilicon ring systems, 80–1
Evidence for the participation of a nitrile group in (2,3) sigmatropic rearrangements of sulphonium ylides, 274–5
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562
NITRITE
Formation of a 1,2,4–oxadiazoline from an aziridine: mechanism of the reaction and photochemical conversion into a benzimidazole derivative, 356–7
NITRITO
Biphasic photochemistry: use of the Barton reaction to determine micelle microviscosity, 1110–11
NITRITODODECANOATE
Biphasic photochemistry: use of the Barton reaction to determine micelle microviscosity, 1110–11
NITRO
Novel synthesis of γ–hydroxy–α–nitro–olefins, 350–1
NITROBENZENE
Radical alkyldenitration. A synthetically useful example of homolytic aromatic ipso–substitution reactions, 93–4
Ready hydrogenation of nitrobenzene and benzonitrile with a polymer–bound palladium catalyst, 1074–5
NITROBENZOATE
Kinetics of the esterification of potassium p–nitrobenzoate by benzyl bromide using dicyclohexyl–18–crown–6 as phase transfer agent, 282–3
NITROFLUORENE
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X–ray crystal structure of one such complex, 571–2
NITROFLUORENONE
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X–ray crystal structure of one such complex, 571–2
NITROGEN
Organozirconium(III)–dinitrogen complexes: evidence for $(\eta^2\text{–}N_2)$–metal bonding in $(Zr(\eta\text{–}C_5H_5)_2(N_2)(R))$ $(R = Me_3Si)_2CH)$, 34–6
Structure of the compound purported to be NN–bis(chloromethyldimethylsilyl)acetamide: X–ray crystal structure analysis of the novel five–membered oxygen–, silicon–, and nitrogen–containing heterocycle (O–Si)–chloro((N–chlorodimethylsilylacetamido)methyl)dimethylsilane, 209–10
A bicyclic sulphur–nitrogen cation: the synthesis and crystal structure of S_4N_5Cl, 212–13
X–ray crystal structure of $(AsPh_4)^+(NSF_2NSO_2F)^-$: three different types of sulphur–nitrogen bonds in the anion, 226
Photopolymerization of S_2N_2 to $(SN)_x$, 301–2
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80
A planar, cyclic sulphur–nitrogen anion: the X–ray crystal and molecular structure of $(Bu_4N)^+(S_3N_3)^-$, 391–2
Ammonia synthesis from methane, water, and nitrogen over silica–supported ruthenium, 1105–6
NITROGEN EXTRUSION
A new mechanism for the formation of cyclopropane derivatives in the thermolysis of pyrazolines, 461–2
NITROGEN MONOXIDE
Activity of copper(II)–exchanged Y–type zeolites in the catalytic decomposition of nitrogen monoxide, 1058–9
NITROGEN OXIDE
Reactions of nitrogen oxides with di(cyclopentadienyl)titanium complexes, 234–5
NITROHEXADECANE
Synthesis of hentriacontane–14,16–dione, a β–diketone found in plant waxes, 962–3
NITROMETHANE
Asymmetric induction in the base–catalysed Michael addition of nitromethane to chalcone, 238–9
NITROMETHYLATION
Drifluor reagents: non–hygroscopic sources of the fluoride ion, 789–91
NITRONATE
Silyl nitronates: improved nitro–aldol reactions and reductive routes to 2–aminoalcohols, 689–91
NITRONE
Effect of ring size in cyclic phosphonates upon their reaction with nitrones, 6–7
NITROPHENYLTHIOPROPENE
1–Nitro–1–phenylthiopropene, a new reagent for 3–methylfuran synthesis, 362–3
NITROSAMINE
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
NITROSATION
An unusually stable thionitrite from N–acetyl–D,L–penicillamine; X–ray crystal and molecular structure of 2–(acetylamino)–2–carboxy–1,1–dimethylethyl thionitrite, 249–50
Rapid formation of N–nitrosamines from nitric oxide in the presence of silver(I) salts, 707–8

NITROSO
Microwave spectrum, dipole moment, and quadrupole coupling constants of trans–nitrosocyclopropane, 388–9
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
NITROSOBUTENONE
Addition of 3–nitrosobut–3–en–2–one to olefins and to electron–rich heterocycles, 847–9
NITROTROPONE
Preparation of the first gem–dialkylthio–analogues of Meisenheimer complexes from troponoids, 167–8
NITROXIDE
Synthesis of intercalating and carcinogenic nitroxide spin labels, 215–16
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
NITROXYL
Detection by microwave spectroscopy of nitroxyl produced by a retro–Diels–Alder reaction, 275–6
$(Cr(oxalate)_3)^{3-}$ as a broadening agent in nitroxyl spin probe studies, 944–5
NMR
Phosphorus–31 nuclear magnetic resonance and infrared spectroscopic evidence for coordinatively unsaturated zerovalent tungsten generated by interaction of $W(CO)_5L$ (L PPh_3 or PBu^n_3) with aluminium tribromide, 38–9
Uranium(IV)–crown–ether complexes and cryptates. Proton nuclear magnetic resonance study, and X–ray crystal and molecular structure of tetrachloro(2,5,8,15,18,21–hexaoxatricyclo(20.4.0.0^{9,14})hexacosane)uranium(IV), 90–2
A new class of linkage between carbohydrates and lignin model compounds, 92–3
Carbon–13 nuclear magnetic resonance chemical shifts of small hydrocarbons in the gas phase, 94–5
Nitrogen–15 nuclear magnetic resonance studies of iron(II) low spin complexes of nitrogen–15 and iron–57 labelled porphyrin, 106–7
Anodic functionalization of 1H–perfluoroalkanes. Observation of fluorine–19 chemically induced dynamic nuclear polarization, 118–19
Acetal hydrotrioxides, 122–4
Deuterium nuclear magneic resonance studies on biosynthesis: stereochemistry of the 5′–hydrogen atoms of griseofulvin derived from griseophenone B and 4–demethyldehydrogriseofulvin, 135–6
New conformational effect: predominance of the axial conformation in spiro(5.2)octan–4–ol derivatives, 147–8
Detection of organic dianions by carbon–13 nuclear magnetic resonance spectroscopy, 172–3
Mixed rhodium–platinum carbonyl clusters: synthesis and X–ray crystallographic characterization of $(Rh_5Pt(CO)_{15})^-$ $((Ph_3P)_2N)^+$, 195–6
Cis–trans isomerism in bis(trihalogenoacetyl)polymethylbenzenes resulting from restricted rotation about carbonyl groups: proton nuclear magnetic resonance evidence, 201–2
Fluxional cyclopentadienylboranes, 242
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu\text{–}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{–}H)_2(CO)_8(Ph_3P)_2)$, 260–2
The acid–sensitive proton nuclear magnetic resonance spectra of tocopherols and other derivatives of 6–hydroxychroman, 265–6
Long–range deuterium–induced carbon–13 nuclear magnetic resonance isotope shifts for single assignment and determination of deuteriation site in cyclodecanone isotopomers, 302–3
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
Insertion of selenium, tellurium, or arsenic atoms into borane cage compounds using element oxide reagents, 349–50
Determination of the absolute configuration of bis(dipeptidato) cobaltate(III) complexes by proton nuclear magnetic resonance spectroscopy, 428–9
Thermal fission and reformation of the carbon–nitrogen bond in formamide as studied by carbon–13–nitrogen–15 coupling, 485–6
Reaction of o–hydroxyacetophenone with dichlorophenylphosphine X–ray crystal and molecular structure of an unusual tricyclic tetraoxaphospha–undecane, 510–11
Oxygen–17 nuclear magnetic resonance spectroscopy: spin coupling to phosphorus–31, 531–2
Oxygen–18 isotope shifts on the phosphorus–31 nuclear magnetic resonance of adenosine–5′–phosphate and inorganic phosphate, 565–6
Natural abundance nitrogen–15 nuclear magnetic resonance spectroscopic evidence for the structural relation between the peptide antibiotics thiostrepton and siomycin–A, 577–8
Structure of xanthomegnin and related pigments: reinvestigation by carbon–13 nuclear magnetic resonance spectroscopy, 611–12
Biosynthesis of andibenin, a novel polyketide terpenoid metabolite of Aspergillus variecolor, 626–7
Use of long range proton–carbon–13 couplings in structure determination: stellatin, a novel dihydroisocoumarin from Aspergillus variecolor, 627–8
Nitrogen–15 nuclear magnetic resonance studies of ligand binding to zinc tetraphenylporphyrin, 681–2
Structure of the polyether antibiotic K–41 by mass and nuclear magnetic resonance spectrometry, 683–4
Experimental chemical shift correlation maps in nuclear magnetic resonance spectroscopy, 684–6
Condensed tannins: determination of the point of linkage in ′terminal′ (+)–catechin units and degradative bromination of 4–flavanylflavan–3,4–diols, 696–8
Condensed tannins: direct synthesis, structure, and absolute configuration of four biflavonoids from black wattle bark (′mimosa′) extract, 700–2
General method for determining enantiomeric purities of chiral lactones, 722
Proton nuclear magnetic resonance study of the deprotonation of the catecholamines in solution: the microconstants for the de–deuteronation of L–dopa in D_2O, 768–9
The 1,6–dimethylcyclodecyl cation. Nuclear magnetic resonance evidence for a 1,6–μ–hydrido structure, 769–70
Carbon–13 nuclear magnetic resonance spectroscopy of iron(III) porphyrin–imidazole complexes, 777–8
Formation and X–ray crystal structure of 1,1,6,6–tetraphenyl–1,6–distannacyclodecane, 791–2
Use of deuterium as a tracer with carbon–13 nuclear magnetic resonance spectroscopy in following deuteride migration in terpenoid biosynthesis: mechanism of geranylgeranyl pyrophosphate cyclization in fusicoccin biosynthesis, 843–5
Bistriphenylphosphinecuprapentaborane, an unusual copper–borane, 866–7
Sulphur inversion in dimolybdenum complexes: X–ray crystal structure of $(Mo_2(CO)_2(P(OMe)_3)(\mu\text{–}SCMe_3)_3(\eta^7\text{–}C_7H_7))$, 878–9
Preparative applications of metal vapours obtained by evaporation of metal powders from coated filaments: a new preparation of dibenzeneruthenium and observation of its limiting NMR spectrum, 898–9
Reactions of gold–phosphine cluster compounds, 907–9
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(III) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo–tetra–aza(14)annulene ligand, 909–10
Identification of the species $(Te_nSe_{4-n})^{2+}$ by high resolution tellurium–125 and tellurium–123 Fourier transform NMR spectroscopy, 956–7
125–Tellurium and 77–selenium multinuclear magnetic resonance studies of Te_6^{4+}, $Te_{4-n}Se_n^{2+}$, $Te_2Se_4^{2+}$, and $Te_3Se_3^{2+}$ polyatomic cations, 957–60
Steric effects on chelation in carbon–13 nuclear magnetic resonance spectra of β–diketone enolates, 965–7
Mapping organic molecules in biological space by high resolution NMR spectroscopy and electron microscopy, 1030–2
Nuclear magnetic resonance study of ligand exchange on the hexakis(trimethyl phosphate)scandium(III) ion, 1047–8
Platinum(IV) complexes with π–acceptor ligands, 1056–7
Carbon–carbon coupling in (90% ^{13}C–2)histidine, 1070–1
Sugar equilibria. Observation of a septanose anomer, 1073–4
Pulsed proton nuclear magnetic resonance studies of molecular motion and plastic crystallinity in dodecamethylcyclohexasilane, 1093–4
NOCARDICINOID
From the penicillin to the nocardicin skeleton: an alternative route, 1101–2
NOCHORISMIC ACID
Shikimate–derived metabolites. Total synthesis of nor–chorismic acid, 869–70

NONACHLORONONABORON
Selective synthesis of the nonachlorononaborate clusters nonachlorononaboron and nonachlorononaborate dianion, 462–3
NORBORNADIENE
Selective homo Diels–Alder addition of acetylenic hydrocarbons to norbornadiene catalysed by a cobalt complex, 636–8
Stereoselective cobalt–catalysed (2+2+2) cross–addition of norbornadiene and norbornene, 638–9
NORBORNADIENYL
Pyramidal geometry of the tervalent carbon atom of the norbornadien–7–yl radical; electron spin resonance study, 804
NORBORNENE
Ring opening polymerization of norbornene catalysed by ethyl aluminium dichloride; olefin metathesis in the absence of a transition metal, 603–4
NORBORNENOL
(1.3) Shifts of potassium alkoxides: the bicyclo(3.2.0)heptene–norbornene transformation, 479–80
NORETHISTERONE
Convenient preparation of esters of testosterone and 19–norethisterone with hindered acids, 980–1
NORSTANOL
Investigations on the ring contraction step in the biosynthesis of A–nor–stanols by the marine sponge Axinella verrucosa, 524–5
NUCLEATION
The role of stress in nucleus development during dehydration of certain alums, 273–4
Dynamics of the salt–induced random coil to helix transition in segmented ι–carrageenan, 515–16
NUCLEIC ACID
Two micromethods for determining the linkage of adducts formed between polyaromatic hydrocarbons and nucleic acid bases, 798–800
NUCLEOPHILE
Carbon–carbon bond–making by trapping of a nucleophilic carbene (from an electron–rich olefin) by a σ–π–acetylido(hexacarbonyl) di–iron complex; X–ray crystal and molecular structure, 1017–19
NUCLEOPHILIC
Stereochemistry of the nucleophilic cleavage of cobalt–carbon bonds in organocobalt(IV) compounds, 44–6
NUCLEOPHILIC SUBSTITUTION
Reactions of substituted 3,3–diphenyl– and 3,3–dimethyl–1–oxaspiro(3,5)nona–5,8–diene–2,7–diones with nucleophiles, 312–13
The reactivity of 2–bromo–1–phenylethanone (phenacyl bromide) toward nucleophilic species, 327–8
Rate acceleration by steric inhibition to solvation of sulphur nucleophiles in acyl transfer processes. A comparison of steric effect in nucleophilic substitutions at carbonyl and aromatic carbon atoms, 613–14
NUCLEOSIDE
Synthesis of (5′R)–(2H1)adenosine, 294–5
The 9–phenylxanthen–9–yl protecting group, 639–40
A new ribooligonucleotide block synthesized by phosphorylation with p–chlorophenyl N–phenylchlorophosphoramidate, 824–5
New synthesis of 4′,5′–unsaturated nucleosides, 1084–5
NUCLEOSIDE CYCLO
Reactions of methylhydrazine and hydrazine with 8–bromo–2′–O–toluene–p–sulphonyladenosine, 86–7
NUCLEOSIDES
New synthesis of 1–β–D–arabinofuranosyl–aminoimidazoles and of related purine nucleosides, 882–3
Ribopyranosyldiaminomaleonitrile: a key intermediate for the synthesis of nucleosides, 1094–6
OCTADIENE
Selectivity in the addition of organic radicals to the alkene bond, 438–9
Synthesis of allenes via reduction of acetylenic p–tolylsulphonylhydrazones, 726–7
OCTADIENOL
Effect of solvent on the oxy–Cope rearrangement of the 4–isopropenyl–3,7–dimethylocta–1,6–dien–3–ol diastereomeric system, 972–3
OCTAHEDRAL COMPLEX
Ligand exchange at octahedral nickel(II). Direct evidence for a dissociative transition state, 157–8
OCTENE
Addition of 3–nitrosobut–3–en–2–one to olefins and to electron–rich heterocycles, 847–9
OCTYNE
Direct displacement and coupling of prop–2–ynylic acetates with organocuprates, 876–7
OLEFIN
Olefin metathesis: preparation of a carbene–olefin–metal complex, 26–7
Oxidative–addition of tertiary phosphine–ruthenium complexes to allylic carbon–hydrogen bonds, 223–4
Additions of tert–butylcyanoketene to activated olefins. Structure and mechanism, 237–8
Unusual stereoselectivities in olefin metathesis, 341–2
Novel synthesis of γ–hydroxy–α–nitro–olefins, 350–1
Some epoxy–olefin cyclizations, 526–8
An unexpected cyclization of an olefinic epoxy–ketone, 529–30
An arene hydrido complex of ruthenium(II) as catalyst for the homogeneous hydrogenation of benzene and olefins, 582–3
Addition of furans to electron rich olefins through photo–induced electron transfer in the presence of electron acceptors, 594–5
Photosensitized anti–Markovnikov addition of methanol to homoconjugated aryl olefins, 600–1
Mechanism for the stereospecific polymerization of olefins by Ziegler–Natta catalysts, 604–6
Correlation between selectivity in photochemical cross–cycloaddition and ionization potential of the reacting olefins, 786–8
Convenient 'one–flask' synthesis of olefins. Reaction of α–chloroketones with Grignard reagents and lithium, 847
Addition of 3–nitrosobut–3–en–2–one to olefins and to electron–rich heterocycles, 847–9
OLEFIN METATHESIS
Ring opening polymerization of norbornene catalysed by ethyl aluminium dichloride; olefin metathesis in the absence of a transition metal, 603–4
OLEOYLCYCLOHEXANEDIONE
Novel β–triketones from Lepidoptera, 1075–6
OLIGONUCLEOTIDE
O–Aryl S–methyl phosphorochloridothioates: terminal phosphorylating agents in the phosphotriester approach to oligonucleotide synthesis, 1050–2
OLIGOPEPTIDE
Chain ends as supports for α–helical structures in oligopeptides, 692–3
OLIGORIBONUCLEOTIDE BLOCK
A new ribooligonucleotide block synthesized by phosphorylation with p–chlorophenyl N–phenylchlorophosphoramidate, 824–5
OLIVOMYCOSE
Stereospecific synthesis from noncarbohydrate precursors of the deoxy and methyl branched deoxy sugars L–amicetose, L–mycarose, and L–olivomycose, 299–300
OPTICAL ACTIVITY
Raman optical activity due to isotopic substitution: (1S)–4,4–dideuterioadamantan–2–one, 259–60
Inorganic optical activity, 936–7
OPTICALLY ACTIVE
Synthesis of the first example of an optically active hexaorganoditin 81–2
Use of triorganogermyllithium compounds in transition metal chemistry. Application to the synthesis of optically active anions containing a transition metal–germanium bond, 435–6
ORG COMPD
Tetrabutylammonium permanganate; an efficient oxidant for organic substrates, 253–4
ORG METAL
'Organic metals': alkylthio substitution effects in tetrathiafulvalene–tetracyanoquinodimethane charge–transfer complexes, 18–19
Highly conducting organic alloys $(NBDT)_2I_xBr_{3-x}$ (NBDT = naphthaceno(5,6–cd:11,12–c′d′)bis(1,2)dithiole), 974–5
A novel conducting polyacetylene derivative, 1066–7
ORG METALS
Comments on the preparation of the one–dimensional conductor N–methylphenazinium 7,7,8,8–tetracyanoquinodimethanide, 331–2
Organic metals: a new class of conducting ion–radical salts based on 7,7,8,8–tetracyanoquinodimethane and iodine, 337–8
'Organic metals' with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
ORG MOL
Mapping organic molecules in biological space by high resolution

NMR spectroscopy and electron microscopy, 1030–2
ORGANOBORATION
Novel synthesis of substituted allenes via organoboration of alkynylstannanes, 402–3
ORGANOCUPRATE
Stereochemistry of the organocuprate reactions of two cis–trans isomeric allylic ethers, 621–3
ORGANODITIN
Synthesis of the first example of an optically active hexaorganoditin 81–2
ORGANOLITHIUM
Unexpected regioselective nucleophilic addition to 3–(4,4–dimethyloxazolin–2–yl)pyridine: formation of stable 1,4–dihydropyridines, 615–16
The chemistry of thioesters. Conversion into monothioacetals, ketones and vinyl sulfides, 719–20
ORGANOSILICON
A short synthesis of (R)–(+)–frontalin and Latia luciferin using new organosilicon reagents, 297–8
ORTHO ESTER
Ortho ester hydrolysis: rate determining addition of water to a carboxonium ion intermediate, 678–9
OSMATE
Novel salts of graphite and a boron nitride salt, 200–1
OSMIUM
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu\text{–}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{–}H)_2(CO)_8(Ph_3P)_2)$, 260–2
Preparation and X–ray structure determination of the mixed cluster $(H_3CoOs_3(CO)_{12})$, 343–4
Synthesis and molecular structure of $(Os_6(CO)_{16}(CMe)_2)$ and $(Os_6(CO)_{16}(MeC{:}CMe)C)$, derivatives of ethylene and hexaosmium octadecacarbonyl, 421–3
New mixed–metal clusters via metal hydride coupling. Synthesis and crystal structures of $((\mu_2\text{–}H)Os_3W(CO)_{12}(\eta^5\text{–}C_5H_5))$ and $((\mu_2\text{–}H)_3Os_3W(CO)_{11}(\eta^5\text{–}C_5H_5))$, 534–5
$(Os_3(CO)_9H(SR))$, a highly reactive molecule. The X–ray structure of a π–bound ethylene adduct $(Os_3(CO)_9H(C_2H_4)(SMe))$, 551–2
Bridging hydrides in $(H_2Os_3(CO)_{10})$ and $((C_2H_3)HOs_3(CO)_{10})$: a combined X–ray–neutron diffraction study, 723–4
X–ray molecular structure of the asymmetrically bridged ester complex di–μ–oxobis((cyclohexane–1,2–diolato) oxo(quinuclidine)osmium(VI)), $(OsO_2(O_2C_6H_{10})(C_7H_{13}N))_2$, 853–4
Synthesis and molecular structure of $(Os_5(CO)_{15}POMe)$, 1015–16
New mode of bonding of a vinyl ligand to an osmium cluster: the X–ray crystal structure of $(HOs_3(CO)_{10}(CF_3CCHCF_3))$, 1035–6
Anchoring of osmium clusters to silica, 1063–4
Interconversion of μ_2–phenolato and μ_3–oxodienediyl ligands in triosmium clusters: X–ray crystal structure of 1,1,1,2,2,2,3,3,3–nonacarbonyl–1,2:2,3–di–μ–hydrido–(μ_3–3–benzyl–2–oxocyclohexa–3,5–diene–1,1–diyl–1,2–C¹–3–O)–triangulo–triosmium(3Os–Os), 1086–8
OSMIUM FLUORIDE
Acid salts of graphite: large or small fractional ionization, 544–5
OXAAZABICYCLOHEPTANE
Total synthesis of clavulanic acid analogues from 7–oxo–3–vinyl–4–oxa–1–azabicyclo(3.2.0)heptanes, 439–41
Total synthesis of methyl (2RS,5RS)–3–methylene–7–oxo–4–oxa–1–azabicyclo(3.2.0)heptane–2–carboxylate, a novel clavulanic acid analogue, 518–19
OXAAZABICYCLOHEPTENE
Preparation of the 7–oxo–4–oxa–1–azabicyclo(3.2.0)hept–2–ene system and the reversible cleavage of its oxazoline ring, 469–70
OXABICYCLOALKANE
General synthesis of oxiranes, 785–6
OXABICYCLOOCTANE
Photosynthetic routes to prostaglandins: conversion of 2,3–endo–epoxybicyclo(3.2.0)heptan–6–one into 6,7–endo–epoxy–3–alkoxy–2–oxabicyclo(3.3.0)octanes, 661–2
OXADECALIN
Absence of stereoelectronic control in the hydrolysis of a conformationally locked acetal, 171–2
OXADIAZOLINE
Formation of a 1,2,4–oxadiazoline from an aziridine: mechanism of the reaction and photochemical conversion into a benzimidazole derivative, 356–7
OXALATE
$(Cr(oxalate)_3)^{3-}$ as a broadening agent in nitroxyl spin probe studies, 944–5
OXASELENOLE
Preparation of derivatives of a new heterocyclic system: 2–N–acylimino–1,3–oxaselenoles, 447–8
OXASPIRONONENONE
Reactions of substituted 3,3–diphenyl– and 3,3–dimethyl–1–oxaspiro(3,5)nona–5,8–diene–2,7–diones with nucleophiles, 312–13
OXATHIOLE
Preparation of derivatives of a new heterocyclic system: 2–N–acylimino–1,3–oxaselenoles, 447–8
OXATRICYCLOUNDECADIENE
Intramolecular photocycloaddition of phenethyl vinyl ether, 129–30
OXAZASILACYCLOPENTANE
Structure of the compound purported to be NN–bis(chloromethyldimethylsilyl)acetamide: X–ray crystal structure analysis of the novel five–membered oxygen–, silicon–, and nitrogen–containing heterocycle (O–Si)–chloro((N–chlorodimethylsilylacetamido)methyl)dimethylsilane, 209–10
OXAZINE
Addition of 3–nitrosobut–3–en–2–one to olefins and to electron–rich heterocycles, 847–9
OXAZINONE
Flash–vacuum pyrolysis of 1,3–oxazin–2– and –6–ones, 902–3
OXAZOLECARBOXALDEHYDE
Vacuum pyrolysis of salts of 1–acyl–2–arylsulphonylhydrazines; a general McFadyen–Stevens aldehyde synthesis, 793–4
OXAZOLINYL
Unexpected regioselective nucleophilic addition to 3–(4,4–dimethyloxazolin–2–yl)pyridine: formation of stable 1,4–dihydropyridines, 615–16
OXAZOLIUM HYDROXIDE
1,3–Dipolar cycloaddition of anhydro–4–hydroxy–1,3–oxazolium hydroxides with carbonyl compounds, 247–8
OXEPIN OXIDE
Synthesis of a sym–oxepin oxide with restricted conformational mobility and altered reactivity. X–ray crystal and molecular structure of 4,7–dibromo–3a,7a:5,6–diepoxyperhydroindene, 377–9
OXETANE
Selectivity in the addition of organic radicals to the alkene bond, 438–9
OXETHIETANONE OXIDE
Matrix isolated 1,2–oxathietan–4–one 2–oxide: a $2\pi + 2\pi$ adduct of sulphur dioxide and ketene, 1020–22
OXIDASE
Cytochrome oxidase models: a binuclear iron–copper site with a bipyrimidine bridge, 483–5
OXIDATIVE
Oxidative displacement of iodine from vicinal iodocarboxylates and alkyl iodides, 919
OXIDATIVE INSERTION
Evidence for the ready insertion of rhodium into a carbon–hydrogen bond of ethylene; crystal and molecular structure of μ–but–2–ene–μ–ethylenebis–(η^5–1–methylindenyl)dirhodium, 839–41
OXIDE
Changes in surface composition of a cobalt–molybdenum binary oxide catalyst during various treatments studied by X–ray photoelectron spectroscopy, 47–8
Selective hydrogenation of the internal double bond of penta–1,3–diene on a zinc oxide catalyst, 53–4
Resolved nitrogen–14 hyperfine coupling for surface electrons on magnesium oxide in the presence of ammonia and amines, 71–2
X–ray crystal structure of $Sn_6O_4(OMe)_4$: an intermediate in the hydrolysis of tin(II) dimethoxide, 112–13
Difluoride dioxides of molybdenum(VI) and tungsten(VI), 254–5
OXIDN
Metal ion–catalysed oxidation of linoleic acid. Lipoxygenase–like regioselectivity of oxygenation, 82–3
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
Tetrabutylammonium permanganate; an efficient oxidant for organic substrates, 253–4
Oxidation of aldehyde hydrazones, hydrazo compounds, and hydroxylamines with benzeneseleninic anhydride, 276–7
Dehydrogenation of hydrazines and of 4–azacholestan–3–one with benzeneseleninic acid and benzeneseleninic anhydride, 278–9

Structural barriers to the rates of electron transfer of copper complexes. Oxidation of cytochrome c (II) by copper(II) complexes, 370–2
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation–reduction methods: spectroscopic properties of the ion, 502–4
Activation and transfer of molecular oxygen. Oxidation of terminal olefins to methyl ketones by rhodium dioxygen complexes, 559–60
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562
The NIH shift of deuterium during the oxidation of aromatic compounds by iron perchlorate and hydrogen peroxide in acetonitrile, 704–5
Drifluor reagents: non–hygroscopic sources of the fluoride ion, 789–91
Thiosulphonium ion intermediate in the oxidation of a thiol with dimethyl sulphoxide, 865–6
Oxidation of cyclic ketones by hydrogen peroxide catalysed by Group 6 metal peroxo complexes, 888–9
Photo–sensitized oxidation of sulphur and pyridinium ylides. Oxygen atom transfer to divalent sulphur, 894–5
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
Initial state and transition state solvation in the peroxodisulphate oxidation of dicyanobis(2,2′–bipyridyl)iron(II), 963–4
Reaction of ozone with vinyl sulphides. Reactions retaining hydrocarbon chains, 1032–3
Synthesis, X–ray crystal structure, and properties of a tetranuclear complex formed by oxidation of copper(I) chloride with molecular dioxygen in N–methylpyrrolidin–2–one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
μ–Oxo–bis(chlorotriphenylbismuth): a mild reagent for the oxidation of the hydroxy group, especially in allylic alcohols, 1099–100
Existence of specific binding sites in 1:1 oxidations of reduced parsley 2–iron ferredoxin with inorganic complexes, 1102–3

OXIDN STATE
ESCA study of compounds of gold in the oxidation state–1, 905–6

OXIDOISOQUINOLIUM
Novel conversion of a 3–oxidopyridinium into a 4–oxidoisoquinolinium, 316–18

OXIME
Novel synthesis of γ–hydroxy–α–nitro–olefins, 350–1
Palladation of dimethylhydrazones, oximes, and oxime O–allyl ethers: crystal structure of $(Pd_3(ON{=}CPr^iPh)_6)$, 1061–2

OXIRANE
Partial asymmetric synthesis of substituted trans–2,3–diaryloxiranes using optically active arsonium ylides, 346–7
Preparation of derivatives of a new heterocyclic system: 2–N–acylimino–1,3–oxaselenoles, 447–8
General synthesis of oxiranes, 785–6

OXIRANYLMETHYL
The kinetic effect of ring strain in an elimination reaction, 338–9

OXO COMPLEX
X–ray molecular structure of the asymmetrically bridged ester complex di–μ–oxobis((cyclohexane–1,2–diolato) oxo(quinuclidine)osmium(VI)), $(OsO_2(O_2C_6H_{10})(C_7H_{13}N))_2$, 853–4

OXO STEROID
Dehydrogenation of steroidal ketones using benzeneseleninic anhydride, 130–1

OXOCYCLOHEXADIENEDIYL
Interconversion of μ_2–phenolato and μ_3–oxodienediyl ligands in triosmium clusters: X–ray crystal structure of 1,1,1,2,2,2,3,3,3–nonacarbonyl–1,2:2,3–di–μ–hydrido–(μ_3–3–benzyl–2–oxocyclohexa–3,5–diene–1,1–diyl–1,2–C¹–3–O)–triangulo–triosmium(3Os–Os), 1086–8

OXOGLUTARATE
New stereoselective synthesis of 9–methyl–cis–decalin derivatives by double Michael reaction of 3,5–dimethyl–4–methylenecyclohex–2–enone and dimethyl 3–oxoglutarate; X–ray crystal and molecular structure of two of the products, 717–18
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5

OXONIUM
Nonconcerted unimolecular reactions of ions in the gas phase: isomerization of weakly coordinated carbonium ions, 24–6

OXY COPE
Solvent–assisted acetylenic oxy–Cope rearrangement: a novel synthesis of ionone and its analogues, 651–2

OXYALLYL
Formation of allenes or γ–ketoesters from reactions of oxyallyls with acetylenes or 1,1–dimethoxyethene, 100<–7

OXYCHLORINATION
Selective synthesis of the nonachlorononaborate clusters nonachlorononaboron and nonachlorononaborate dianion, 462–3

OXYCOPE REARRANGEMENT
Effect of solvent on the oxy–Cope rearrangement of the 4–isopropenyl–3,7–dimethylocta–1,6–dien–3–ol diastereomeric system, 972–3

OXYGEN
Electrocatalytic formation of superoxides in the presence of cobalt chelates, 339–40
Visible light–assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and manganese(III) porphyrins, 1106–7

OXYGEN BINDING
A haemocyanin model: a synthetic copper(I) complex having imidazole ligands and reversible dioxygen activity, 634–6

OXYGEN SHIFT
Oxygen–18 isotope shifts on the phosphorus–31 nuclear magnetic resonance of adenosine–5′–phosphate and inorganic phosphate, 565–6

OXYGENATION
Reactions of singlet oxygen. Formation of hydroxy ketones in the photooxygenation of fluorenylidene derivatives, 120–1
Reductant–induced homolysis of the thallium–carbon bond: novel oxygenation of alkylthallium(III) compounds with ascorbic acid, 716–17
2–(1–Methylindol–3–yl)–3–phenyldihydro–1,4–dioxin 2,3–epidioxide, a dioxetan resulting in efficient ultraviolet chemiluminescence, 781–2

OXYGENYL
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation–reduction methods: spectroscopic properties of the ion, 502–4

OZONATION
Acetal hydrotrioxides, 122–4
Regioselective oxidation of unactivated methylene and methine groups by dry ozonation: similarity to microbiological oxidation, 413–14

OZONE
Reaction of ozone with vinyl sulphides. Reactions retaining hydrocarbon chains, 1032–3

OZONIDE
X–ray crystal structure of an ozonide: 4–(4–nitrophenylmethyl)–1–phenyl–1,4–epoxy–1H–2,3–benzodioxepin–5(4H)one, 729–30

OZONOLYSIS
syn–anti–Zwitterion equilibration in the ozonolysis of di–isopropylethylene, 263–4

PACHYBASIN
Synthetic approaches to aclacinomycin and pyrromycin antitumour antibiotics via Diels–Alder reactions of 6–alkoxy–2–pyrones: total synthesis of chrysophanol, helminthosporin and pachybasin, 95–6

PALLADACYCLOBUTANE
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5

PALLADACYCLOPENTANE
Metallacycloalkane chemistry: synthesis of the first palladacyclopentane derivative and its transformation into a η^3–butenyl cationic complex, 735–6

PALLADADICARBAUNDECABORANE
Structural consequences of ligand and metal substitution in metallacarbaboranes; the crystal and molecular structures of 3–$(C_2H_4(NMe_2)_2)$–3,1,2–$PdC_2B_9H_{11}$ and 3,3–$(PMe_3)_2$–3,1,2–

$PdC_2B_9H_{11}$, 322–4
PALLADATION
Mechanism of formation of 4–6η–3–oxo steroid–PdCl complexes, 15–16
Palladation of 8–methylquinoline and related 2–substituted derivatives: evidence for in–plane metallation of methyl groups, 344–5
Steric mechanism of formation of the PdCl π–allyl derivative from (6β–^{2}H)cholest–4–ene, 747–8
Palladation of dimethylhydrazones, oximes, and oxime O–allyl ethers: crystal structure of $(Pd_3(ON{=}CPr^iPh)_6)$, 1061–2
PALLADIUM
New palladium carbonyl clusters: X–ray crystal structure of $(Pd_4(CO)_4(OAc)_4).(AcOH)_2$, 27–8
Anti–Markownikoff 1,2–hydrosulphonylation of 1,3–dienes via π–allylpalladium complexes, 367–8
Study of the distribution of metals on the surface of polymer–bound palladium(II) complexes by X–ray photoelectron spectroscopy, 650–1
Palladium(II)–catalysed asymmetric cyclization of 2–allylphenols by the use of optically active β–pinene, 687–8
Protonolysis of alkenylboranes under neutral conditions by treatment with catalytic amounts of palladium diacetate, 702–3
Deuteriated cyclopentadienyls of thallium and other metals, 709
Metallacycloalkane chemistry: synthesis of the first palladacyclopentane derivative and its transformation into a η^3–butenyl cationic complex, 735–6
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5
Palladium–promoted vinylic hydrogen substitution of alkenes by Grignard reagents. Stoicheiometric and catalytic reactions, 918–19
Very active hydrogenation catalyst composed of extremely dispersed palladium on vitreous supports, 979–80
Ready hydrogenation of nitrobenzene and benzonitrile with a polymer–bound palladium catalyst, 1074–5
PAPAIN
Synthesis and characterization of covalent flavin–papain complexes with sulphur in the sulphide and sulphone oxidation states, 457–9
PAPYRIOGENIN G
X–ray analysis of the triterpene papyriogenin G, 364–5
PARACYCLOPHADIENE
Cycloaddition of sterically hindered 1,2–dicyclopropylethylenes with tetracyanoquinodimethane; one–step formation of (10) paracyclophadienes, 864–5
PARAMAGNETIC
Synthesis of zerovalent bis–areneniobium compounds using niobium vapour, 431
Reduction of tris(triphenylphosphine)dichlororuthenium(II) in acetonitrile: reformulation of the nature of the product; detection of the first paramagnetic d^8 complex, 883–4
PARSLEY
Existence of specific binding sites in 1:1 oxidations of reduced parsley 2–iron ferredoxin with inorganic complexes, 1102–3
PARTICLE SIZE DISTRIBUTION
Very active hydrogenation catalyst composed of extremely dispersed palladium on vitreous supports, 979–80
PENAM
Concentration–dependent photoreaction of benzothiazolyldithioazetidinones: novel photochemical formation of penam derivatives, 836–8
PENICILLAMINE
An unusually stable thionitrite from N–acetyl–D,L–penicillamine; X–ray crystal and molecular structure of 2–(acetylamino)–2–carboxy–1,1–dimethylethyl thionitrite, 249–50
PENICILLIN
(±)–Dinorpenicillin–2–spirocycloalkane, 46–7
Preparation of a penicillin–derived 4–mercaptoazetidin–2–one, 239–40
A tetrahedral intermediate in the aminolysis of benzylpenicillin, 374–5
Conversion of penicillins into biosynthetically significant peptides, 609–10
PENICILLIN G
From the penicillin to the nocardicin skeleton: an alternative route, 1101–2
PENICILLIUM
Total synthesis and stereostructure of methyl (E)–O–methylmulticolanate, a 4–ylidenetetronic acid from Penicillium multicolor, 60–1
Deuterium nuclear magnetic resonance studies on biosynthesis: stereochemistry of the 5′–hydrogen atoms of griseofulvin derived from griseophenone B and 4–demethyldehydrogriseofulvin, 135–6
Biosynthesis of mycophenolic acid. Oxidation of 6–farnesyl–5,7–dihydroxy–4–methylphthalide in a cell–free preparation from Penicillium brevicompactum, 434
PENTADECYNE
Synthesis of hentriacontane–14,16–dione, a β–diketone found in plant waxes, 962–3
PENTADIENE
Selective hydrogenation of the internal double bond of penta–1,3–diene on a zinc oxide catalyst, 53–4
A triplet state path for adduct formation between benz(a) anthracene and the penta–1,3–dienes, 588–9
PENTADIENYL
The thermal rearrangements of pentadienylammonium ylides. Competing (1,2), (3,2), and (5,2) rearrangements, 673–5
PENTALENE
Sulphur dioxide mediated conversion of strained furazan N–oxides into diisocyanates, 113–14
PENTANEDIONE
Steric effects on chelation in carbon–13 nuclear magnetic resonance spectra of β–diketone enolates, 965–7
PENTANONE
Reduction of α,α'–dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4–isopropylidene–1,3–dioxolans, 1040–1
PENTAPEPTIDE
The 3_{10} helical conformation of a pentapeptide containing α–aminoisobutyric acid (Aib): X–ray crystal structure of tos–(Aib)$_5$–OMe, 996–7
PENTASULPHUR
Preparation and crystal structure of a new sulphur nitride, S_5N_6; a molecular basket, 642–3
PENTENOL
Stereochemistry of the organocuprate reactions of two cis–trans isomeric allylic ethers, 621–3
PENTENYNE
Direct displacement and coupling of prop–2–ynylic acetates with organocuprates, 876–7
PEPTIDATO
Determination of the absolute configuration of bis(dipeptidato) cobaltate(III) complexes by proton nuclear magnetic resonance spectroscopy, 428–9
PEPTIDE
p–Tolylmethylsulphonyl: a new amino–protecting group in peptide synthesis, 220–1
An approach to the prevention of racemization in the synthesis of histidine–containing peptides, 472–3
A mild procedure for solid phase peptide synthesis: use of fluorenylmethoxycarbonylamino–acids, 537–9
Application of polyamide resins to polypeptide synthesis: an improved synthesis of β–endorphin using fluorenylmethoxycarbonylamino–acids, 539–40
Natural abundance nitrogen–15 nuclear magnetic resonance spectroscopic evidence for the structural relation between the peptide antibiotics thiostrepton and siomycin–A, 577–8
Conversion of penicillins into biosynthetically significant peptides, 609–10
Synthesis of (6–(4–^{3}H)phenylalanine)–somatostatin of high specific radioactivity, 901–2
The 3_{10} helical conformation of a pentapeptide containing α–aminoisobutyric acid (Aib): X–ray crystal structure of tos–(Aib)$_5$–OMe, 996–7
PEPTIDE ANTIBIOTIC
The structures of the highly modified peptide antibiotics micrococcin P_1 and P_2, 256–8
PERESTER
Introduction, substitution, and elimination of bromine at C–5 of aldopyranose peresters, 1019–20
PERFLUOROAZACYCLOHEXADIENE
Perfluoroaza– and –diazacyclohexadiene derivatives, 304–5
Photochemical conversions of some fluorinated aza– and diazacyclohexadienes, 305–6

PERHYDRODIOXAZAPHOSPHOCINE
Opening of the phosphorus–nitrogen bond of bicyclic phosphoranes Synthesis and X-ray crystal and molecular structure of rhodium complexes of perhydro-1,3,6,2-dioxazaphosphocine, 1022–4
PERMANGANATE
Tetrabutylammonium permanganate; an efficient oxidant for organic substrates, 253–4
PEROXIDE
The NIH shift of deuterium during the oxidation of aromatic compounds by iron perchlorate and hydrogen peroxide in acetonitrile, 704–5
A novel conducting polyacetylene derivative, 1066–7
PEROXIDE HYDROGEN
A novel tunnel structure containing enclathrated hydrogen peroxide: $4Na_2SO_4.2H_2O_2.NaCl$, 288–9
PEROXO
Isolation of intermediates in the acid hydrolysis of $(Pt(PPh_3)_2(O_2))$; the X-ray structure of $(Pt_2(O_2)(OH)(PPh_3)_4)(ClO_4).2C_6H_6$, 991–2
PEROXODISULPHATE
Initial state and transition state solvation in the peroxodisulphate oxidation of dicyanobis(2,2′-bipyridyl)iron(II), 963–4
PEROXOMOLYBDENUM
Oxidation of cyclic ketones by hydrogen peroxide catalysed by Group 6 metal peroxo complexes, 888–9
PERTECHNETATE
Production, detection, and characterization of transient hexavalent technetium in aqueous alkaline media by pulse radiolysis and very fast scan cyclic voltammetry, 1038–40
PHARMACOL
X-ray crystal structure of sodium bis(N-methylhydantoinato) gold(I) tetrahydrate; a linear, planar complex of pharmacological interest stabilized by two nitrogen ligands, 711–12
PHASE
A new phase of crystalline anthracene: its importance in solid-state photodimerization, 134–5
An octahedral rhenium(III) cluster: X-ray crystal structure of $Na_4Re_6S_{10}(S_2)$, 879–80
PHASE SOLID
A mild procedure for solid phase peptide synthesis: use of fluorenylmethoxycarbonylamino-acids, 537–9
PHASE TRANSFER
Versatile deuterium exchange and isomerization of hydrocarbons via phase transfer catalysis, 155–6
Kinetics of the esterification of potassium p-nitrobenzoate by benzyl bromide using dicyclohexyl-18-crown-6 as phase transfer agent, 282–3
A mild, regiospecific but-2-enolide synthesis and a convenient preparation of acylated dienes, 311–12
Polymer-supported phase transfer catalysts in solid–liquid reactions 541–3
Phase-transfer catalysis using chiral catalysts. Synthesis of optically active 2-phthalimido-esters, 742–3
Double carbonylation of substituted benzyl chlorides with cobalt carbonyl anion by phase transfer catalysis to give arylpyruvic acids, 1090–1
PHENACYL BROMIDE
The reactivity of 2-bromo-1-phenylethanone (phenacyl bromide) toward nucleophilic species, 327–8
PHENALENODITHIOLYL
Phenaleno(1,9-cd)dithiolyl: the first example of a monomeric, coplanar, carbon-based free radical, 429–30
PHENALENOL
Preparation of trans,trans,trans- and cis,cis,trans-perhydrophenalen-9-ols by application of the three-migration cyanoborate process to isomeric perhydro-9b-boraphenalenes: differences between the cyanaborate and carbonylation reactions, 805–6
PHENALENYL
Synthesis and X-ray structure of an η^3 phenalenyl-platinum complex, 142–3
PHENANTHRENE
Redox-photosensitized cleavage of indene dimers using aromatic hydrocarbon-dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1
1,2-Hydrogen shifts during acid-catalyzed hydrogen exchange, 586–7
PHENANTHRENEQUINONE
Diels–Alder reaction of o-benzoquinones with acyclic dienes, 397
PHENANTHRIDINE
Intramolecular photochemical arylation of N-substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
Boron complexes as control synthons in photocyclizations: an improved phenanthridine synthesis, 884–5
PHENANTHROCHRYSENE
Binaphthyl-2,2′-diyl hydrogen phosphate. A new chiral atropisomeric selector for the resolution of helicenes using high performance liquid chromatography, 173–5
PHENANTHROLINE
Structural barriers to the rates of electron transfer of copper complexes. Oxidation of cytochrome c (II) by copper(II) complexes, 370–2
Some metal complexes of macrocyclic ligands incorporating the 1,10-phenanthroline group. X-ray crystal structure of the manganese(II) complex, 476–8
Magnetic isomers. cis-Bis(cyanotriphenylborato) bisphenanthrolineiron(II), 497–9
X-ray crystal structure of a planar, high-spin iron(II) complex of a pentadentate unsaturated macrocycle formed by reaction of 2,9-di(1-methylhydrazino)-1,10-phenanthroline monohydrochloride with 2,6-diacetylpyridine, 828–9
X-ray crystal structure of the ternary complex $(Cu(3'\text{-GMP})(phen)(H_2O))_2.7H_2O$ (GMP = guanosine monophosphate, phen = 1,10-phenanthroline): unusual absence of M–N(7) bonding in a metal–GMP complex, 1053–5
PHENANTHROLINECOPPER
Structural barriers to the rates of electron transfer of copper complexes. Oxidation of cytochrome c (II) by copper(II) complexes, 370–2
PHENANTHROLINONECARBOXYLATE
Unexpectedly strong hydrogen bonding in some tetrahydro-4,7-phenanthroline-1,10-dione-3,8-dicarboxylic acids, 369–70
PHENAZINIUM
Comments on the preparation of the one-dimensional conductor N-methylphenazinium 7,7,8,8-tetracyanoquinodimethanide, 331–2
PHENETHYL
Bromodemetallation of β-methoxyphenethylthallium(III) diacetate and β-methoxyphenethylmercury(II) acetate with copper-(I) and -(II) bromide, direct evidence for alkyl radicals in bromodethallation by the spin trapping technique, 65–6
Intramolecular photocycloaddition of phenethyl vinyl ether, 129–30
PHENETHYLMERCURY
Stereochemistry and mechanisms of electrophilic cleavage reactions of cis-(threo-PhCHDCHD)$Mn(CO)_4PEt_3$), 11–12
PHENOL
Aromatic hydroxylation by $O(^3P)$ atoms on γ-radiolysis of liquid carbon dioxide solutions of alkylbenzenes, 16–18
Mechanism of formation of 4-methyl- and 4-chloro-2-nitrophenol in the nitration of 4-methyl- and 4-chloro-anisole, respectively, in aqueous sulphuric acid, 180–1
Reactions of substituted 3,3-diphenyl- and 3,3-dimethyl-1-oxaspiro(3,5)nona-5,8-diene-2,7-diones with nucleophiles, 312–13
Palladium(II)-catalysed asymmetric cyclization of 2-allylphenols by the use of optically active β-pinene, 687–8
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5
PHENOL COUPLING
Synthesis, X-ray crystal structure, and properties of a tetranuclear complex formed by oxidation of copper(I) chloride with molecular dioxygen in N-methylpyrrolidin-2-one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
PHENOXYLATION
Polymer-supported phase transfer catalysts in solid–liquid reactions 541–3
PHENYL ANION SYNTHON
Novel synthesis of phenyltrimethylsilyldiazene and generation of the phenyl anion synthon therefrom, 990
PHENYL KETONE OXIME
Palladation of dimethylhydrazones, oximes, and oxime O-allyl ethers: crystal structure of $(Pd_3(ON{=}CPr^iPh)_6)$, 1061–2
PHENYLACETATE
Reaction of some arylacetic acids and related compounds with alkaline sodium hypochlorite solution, 459–60

PHENYLACETYLENE
Formation of nona(ethyl isocyanide)diiron from penta(ethyl isocyanide)iron and reaction of penta(tert–butyl isocyanide)iron with diphenylacetylene; X–ray crystal structures of nona(ethyl isocyanide)diiron and tris(tert–butyl isocyanide)(1,4–bis–(tert–butylimino)–2,3–diphenylbuta–1,3–diene)iron, 1000–1
Formation of a new silicon–containing ring system, 1,1,2,2,3,3–hexamethyl–4,5–diphenyl–1,2,3–trisilacyclopent–4–ene, 1029–30
PHENYLALANINE
Amino acid–catalysed alkylation of hydroxyanthraquinones with 2–hydroxytetrahydropyrans, 951–2
PHENYLALKYLAMINE
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9
PHENYLAMINOPROPANONE OXIME
New synthesis of 2–formyl–4–methyl–1–phenylimidazole 3–oxide, 124
PHENYLBENZOHYDROXAMATE
Boron complexes as control synthons in photocyclizations: an improved phenanthridine synthesis, 884–5
PHENYLBUTENOATE
Dramatic acceleration of a concerted reaction by a methoxy group, 1025–6
PHENYLCHLOROBISMUTH
μ–Oxo–bis(chlorotriphenylbismuth): a mild reagent for the oxidation of the hydroxy group, especially in allylic alcohols, 1099–100
PHENYLCHLOROPHOSPHORAMIDATE
A new ribooligonucleotide block synthesized by phosphorylation with p–chlorophenyl N–phenylchlorophosphoramidate, 824–5
PHENYLCYCLOPENTENONE
Formation of alkyl phosphenites from alkyl phosphinates, 324–5
PHENYLENEDIAMINE
Synthesis of bridged 1,5–benzodiazepines by condensation of o–phenylenediamines with 4,6–dimethylbicyclo(3.3.1)nona–3,6–diene–2,8–dione, 557–8
PHENYLETHANE
Orientation in elimination from carbanions, 975–6
PHENYLETHYLENE
Ready conversion of 1,1–diphenylethylene into benzophenone and 1 1–diphenylethane over a synthetic hectorite, 930–1
PHENYLGLYCOL
X–ray crystal structures of anhydrous sodium and potassium complexes of an open chain polyether diol, 1001–3
PHENYLHEPTENE
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
PHENYLMALEIMIDE
1,3–Dipolar cycloaddition reactions of imines of α–amino acid esters: X–ray crystal and molecular structure of methyl 4–(2–furyl)–2,7–diphenyl–6,8–dioxo–3,7–diazabicyclo(3.3.0)octane–2–carboxylate, 109–11
Novel conversion of a 3–oxidopyridinium into a 4–oxidoisoquinolinium, 316–18
PHENYLMETHYL
Ion pairing in triphenylmethyl and diphenylmethyl carbanions from spectrophotometric studies, 758–9
PHENYLPHOSPHINOMETHYLDIOXOLANE
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
PHENYLPHOSPHINOYLPROPANONE
β–Diphenylphosphinoyl ketones ($Ph_2POCH_2CH_2COR$): stable reagents for β–ketocarbanions, 988–9
PHENYLPROPENOL
1,3–Transposition of primary allylic alcohols: a new application of selenoxide chemistry, 770–1
PHENYLPYRIDYLCYCLOPROPANE
Evidence of electronic interaction between classically nonconjugated aromatic systems, 100–1
PHENYLPYRUVATE
Double carbonylation of substituted benzyl chlorides with cobalt carbonyl anion by phase transfer catalysis to give arylpyruvic acids, 1090–1
PHENYLSULPHINYLACETATE
A new route to 5–substituted resorcinols, 118
PHENYLTHIO
New syntheses of 1– and 2–phenylthiobutadienes, 657
PHENYLTHIOACETYLENE
New synthesis of dienals, 924–5
PHENYLTHIOCYCLOHEPTATRIENE
Regiospecific synthesis of 1,7–dialkylthiocycloheptatrienes. A case of rapid (1,7) sigmatropic migration of unhindered alkylthio–groups, 945–6
PHENYLTHIOTRIMETHYLSTANNYLCUPRATE
Lithium phenylthio(trimethylstannyl)cuprate, a new reagent for conjugate addition of the trimethylstannyl group. The synthesis of β–trimethylstannyl–$\alpha\beta$–unsaturated ketones, 1033–4
PHENYLTRIMETHYLSILYLDIAZENE
Novel synthesis of phenyltrimethylsilyldiazene and generation of the phenyl anion synthon therefrom, 990
PHLOROGLUCINOL
Condensed tannins. Circular dichroism method of assessing the absolute configuration at carbon–4 of 4–arylflavan–3–ols, and stereochemistry of their formation from flavan–3,4–diols, 698–700
PHOSHITE
Convenient synthesis of unesterified acylphosphonic acids, 285–6
PHOSPHABICYCLOHEPTENE OXIDE
1–Isopropyl–4,6–dimethyl–6–phospha(V)bicyclo(3.1.1)hept–3–ene 6–oxide: a distorted phosphetane synthesized from α–pinene and the methylphosphonous dichloride–aluminium chloride complex; X–ray crystal and molecular structure, 125–6
PHOSPHATE
Binaphthyl–2,2′–diyl hydrogen phosphate. A new chiral atropisomeric selector for the resolution of helicenes using high performance liquid chromatography, 173–5
Formation of surface phosphate phases on metallic iron, 308–9
Synthesis and circular dichroism of methyl (R)–(^{16}O,^{17}O,^{18}O) phosphate, 512–14
Oxygen–18 isotope shifts on the phosphorus–31 nuclear magnetic resonance of adenosine–5′–phosphate and inorganic phosphate, 565–6
2–Trimethylsilylprop–2–enyl, a new protecting group for phosphoric and related acids, 761–2
A relation between the product distribution from the dehydration of dimethylbutan–2–ols and catalytic acidity, 801–2
Anion receptor molecules. Synthesis and some anion binding properties of macrocyclic guanidinium salts, 934–6
Nuclear magnetic resonance study of ligand exchange on the hexakis(trimethyl phosphate)scandium(III) ion, 1047–8
O–Aryl S–methyl phosphorochloridothioates: terminal phosphorylating agents in the phosphotriester approach to oligonucleotide synthesis, 1050–2
X–ray crystal structure of the ternary complex (Cu(3′–GMP)(phen)$(H_2O))_2.7H_2O$ (GMP = guanosine monophosphate, phen = 1, 10–phenanthroline): unusual absence of M–N(7) bonding in a metal–GMP complex, 1053–5
PHOSPHAZANE
Structures and properties of isomeric cyclodiphosph(III)azanes; X–ray crystal and molecular structure of 2,4–dipiperidino–1,3–di–tert–butylcyclodiphosph(III)azane, 372–3
PHOSPHINATE
Transesterification of alkyl phosphinates, 54–5
Formation of alkyl phosphenites from alkyl phosphinates, 324–5
PHOSPHINE
Anodically induced decomposition of some arylnickel(II) phosphine complexes, 66–8
Carbon–13–labelling study of the reaction between 2–(methylthio) ethanol and carbon tetrachloride–phosphines, 208–9
Oxidative–addition of tertiary phosphine–ruthenium complexes to allylic carbon–hydrogen bonds, 223–4
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu\text{–}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{–}H)_2(CO)_8(Ph_3P)_2)$, 260–2
Photoelectron spectra and reactivity of methyl(tertiary phosphine) platinum and –gold complexes, 444–5
Synthesis and molecular structures of chloro(trimethylphosphine) tris(trimethylsilylmethyl)molybdenum(IV) and di–μ–chloro–bis(η_2–trimethylsilylmethylcarbonylbis(carbonyl) trimethylphosphinemolybdenum(II)), 465–6
Retention of the cobalt–cobalt bond in $(MeN(PF_2)_2)_3Co_2(CO)_2$ upon halogenation: the X–ray crystal structure of $(MeN(PF_2)_2)_3Co_2Br_4$, 514–15
Polymer–bound tetranuclear iridium carbonyl catalyst, 540–1
Diversity of behaviour of bicyclo(2.2.1)heptadiene–bisphosphine–rhodium complexes on hydrogenation in methanol, 646–7

New syntheses of 1– and 2–phenylthiobutadienes, 657
Synthesis of some diplatinum complexes, including bis–μ–(bis(diphenylphosphino)methane)–μ–methylene–dichlorodiplatinum, ($Pt_2Cl_2(\mu\text{–}CH_2)(\mu\text{–}Ph_2PCH_2PPh_2)_2$), from ($Pt_2Cl_2(\mu\text{–}Ph_2PCH_2PPh_2)$), 749–51
Increase in reaction rate consequent on the use of a polymer–supported reagent. Evidence for interaction between a high proportion of the groups of a polymer–supported reagent, 813–15
Carbonyl insertion at chloro(alkyl– or –aryl)(methyldiphenylphosphine)carbonylplatinum: critical effects of stereochemistry and the nature of the alkyl or aryl group, 819–20
A rhenium polyphenyl complex: X–ray diffraction analysis of tris(η^1–phenyl)bis(diethylphenylphosphine)rhenium, 825–6
Novel three–coordinate rhodium(I) hydrido compounds, ($RhH(P(CMe_3)_2)$) and ($RhH(P(cyclohexyl)_3)_2$), 855–6
Bistriphenylphosphinecuprapentaborane, an unusual copper–borane, 866–7
Sulphur inversion in dimolybdenum complexes: X–ray crystal structure of ($Mo_2(CO)_2(P(OMe)_3)(\mu_2\text{–}SCMe_3)_3(\eta^7\text{–}C_7H_7)$), 878–9
Reduction of tris(triphenylphosphine)dichlororuthenium(II) in acetonitrile: reformulation of the nature of the product; detection of the first paramagnetic d^8 complex, 883–4
Reactions of gold–phosphine cluster compounds, 907–9
Isolation of intermediates in the acid hydrolysis of ($Pt(PPh_3)_2(O_2)$); the X–ray structure of ($Pt_2(O_2)(OH)(PPh_3)_4)(ClO_4).2C_6H_6$, 991–2
Evidence for an almost 'T–shaped' coordination geometry for carbon in the bis(alkylidene) complex $Ta(CHCMe_3)_2(2,4,6\text{–}Me_3C_6H_2)(PMe_3)_2$: X–ray crystal structure, 1048–9
Platinum(IV) complexes with π–acceptor ligands, 1056–7

PHOSPHINE CHLORO
Reaction of o–hydroxyacetophenone with dichlorophenylphosphine X–ray crystal and molecular structure of an unusual tricyclic tetraoxaphospha–undecane, 510–11

PHOSPHINITE
Phosphorus–containing heterocycles from phosphorus(III) reagents and ortho–azidoaromatic compounds: synthesis of 2,2–di(dimethylamino)–1,3,2–benzoxazaphosphole and various 2,3–dihydro–1,3,2–benzoxazaphosph(V)oles, 182–3

PHOSPHINOSILANE
'Capped' tri–ruthenium carbonyl cluster: X–ray crystal structure of ($Ru_3(CO)_9(MeSi(PBu_2)_3)$), 1005–6

PHOSPHINOYL KETONE
β–Diphenylphosphinoyl ketones ($Ph_2POCH_2CH_2COR$): stable reagents for β–ketocarbanions, 988–9

PHOSPHIRANE
Observation of a three–membered ring containing phosphorane, 854–5

PHOSPHITE
Direct formation of trialkyl phosphites from elemental phosphorus, 7–9
Photoelectron spectral assignments based on ab initio MO calculations for the bicyclic phosphorus compounds $P(OCH_2)_3CMe$ and $P(CH_2O)_3CMe$, 161–2
Oxygen–17 nuclear magnetic resonance spectroscopy: spin coupling to phosphorus–31, 531–2
Generation and some reactions of the bis(trimethylsilyl)aminyl radical, 545–6
Multiple chlorinations of the cyclometallated ring in iridium triaryl phosphite complexes: the crystal and molecular structure of ($IrCl_2(P(OC_6Cl_3Me\text{–}o)(OC_6H_4Me\text{–}o)_2)(pyridine)(PMe_3)$), 973–4
Kinetics and mechanism of cyclo– and decyclometallation of some iridium triaryl phosphite complexes. Evidence for the electrophilic displacement mechanism, 1007–8
Synthesis and molecular structure of ($Os_5(CO)_{15}POMe$), 1015–16

PHOSPHOCINE
Opening of the phosphorus–nitrogen bond of bicyclic phosphoranes Synthesis and X–ray crystal and molecular structure of rhodium complexes of perhydro–1,3,6,2–dioxazaphosphocine, 1022–4

PHOSPHOLE
(2+2) Cycloadducts from isocyanates and azaphospholes, 470–1

PHOSPHONATE
Effect of ring size in cyclic phosphonates upon their reaction with nitrones, 6–7
Analogies between the dynamic stereochemistry at silicon and phosphorus. Kinetic study of solvent–induced epimerization of menthyl chloro(phenyl)phosphonate, 104–5
Specific dealkylation of phosphonate esters using iodotrimethylsilane, 870–1

PHOSPHONIC ACID
Convenient synthesis of unesterified acylphosphonic acids, 285–6

PHOSPHONITE
Formation of alkyl phosphenites from alkyl phosphinates, 324–5

PHOSPHONIUM
Generation of a pentacoordinated protonated oxyphosphorane in equilibrium with the isomeric enol phosphonium ion and unprotonated oxyphosphorane, 382–3
Methyltriphenoxyphosphonium trifluoromethanesulphonate: a new versatile synthetic reagent, 424–5
Conversion of aldehydes and ketones into chloroolefins and acetylenes using chloroiodomethane as a chloromethylene source, 446–7
Novel synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts via ligand substitution. Versatile reagents for converting hydroxy groups into thiocyanate and isothiocyanate functions, 940–1

PHOSPHORAMIDE HEXAMETHYL
'One–pot' conversion of Mannich bases via quaternary ammonium salts into the corresponding methyl compounds with sodium cyanoborohydride in hexamethylphosphoramide, 1089–90

PHOSPHORANE
Synthesis of salts of a pentaoxyspirophosphorane having a P–OH bond, 219–20
Observation of a three–membered ring containing phosphorane, 854–5
Novel synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts via ligand substitution. Versatile reagents for converting hydroxy groups into thiocyanate and isothiocyanate functions, 940–1
Opening of the phosphorus–nitrogen bond of bicyclic phosphoranes Synthesis and X–ray crystal and molecular structure of rhodium complexes of perhydro–1,3,6,2–dioxazaphosphocine, 1022–4

PHOSPHORESCENCE
Perturbation of the benzil ground and excited state geometries at low temperatures in hydrocarbon glasses, 116–17

PHOSPHOROCHLORIDOTHIOATE
O–Aryl S–methyl phosphorochloridothioates: terminal phosphorylating agents in the phosphotriester approach to oligonucleotide synthesis, 1050–2

PHOSPHORUS
Direct formation of trialkyl phosphites from elemental phosphorus, 7–9
Analogies between the dynamic stereochemistry at silicon and phosphorus. Kinetic study of solvent–induced epimerization of menthyl chloro(phenyl)phosphonate, 104–5
Phosphorus–containing heterocycles from phosphorus(III) reagents and ortho–azidoaromatic compounds: synthesis of 2,2–di(dimethylamino)–1,3,2–benzoxazaphosphole and various 2,3–dihydro–1,3,2–benzoxazaphosph(V)oles, 182–3
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
Oxygen–18 isotope shifts on the phosphorus–31 nuclear magnetic resonance of adenosine–5'–phosphate and inorganic phosphate, 565–6

PHOSPHORYL
Evidence for a dissociative $S_N1(P)$ mechanism of phosphoryl transfer by rabbit muscle pyruvate kinase, 783–5

PHOSPHORYLATION
A new ribooligonucleotide block synthesized by phosphorylation with p–chlorophenyl N–phenylchlorophosphoramidate, 824–5

PHOTOADDN
A triplet state path for adduct formation between benz(a)anthracene and the penta–1,3–dienes, 588–9
Addition of furans to electron rich olefins through photo–induced electron transfer in the presence of electron acceptors, 594–5

PHOTOARYLATION
Heteroatom directed photoarylation; an approach to the synthesis of Aspidosperma alkaloids, 29

PHOTOCHEM
Photocyclization of dicyclopent–1–enyl methanes to tricyclo(6.3.0.$0^{2,6}$)undecanes: a synthesis of the hirsutane carbon skeleton, 5–6
Triplet state of protoporphyrin IX, 51–2
Photochemical reactions of a silacyclopropene with nitriles leading to new organosilicon ring systems, 80–1

Regioselectivity in the di-π-methane rearrangement; alternative processes in the photochemistry of halogeno-1,4-dienes, 101–2
Bromide catalysis in the preparation of benzylidyne trichlorides via photochlorination, 105–6
Reactions of singlet oxygen. Formation of hydroxy ketones in the photooxygenation of fluorenylidene derivatives, 120–1
Phototransposition of 2-cyanopyrroles: evidence for the intermediacy of 5-azabicyclo(2.1.0)pent-2-enes, 131–3
Intramolecular photochemical cycloadditions involving enolized cyclopentane-1,3-diones. A new approach to the bicyclo(3.2.1) octane ring system, 138–40
Topology of the photochemical 'bicycle' reaction. Mechanistic and exploratory organic photochemistry, 232–4
Photopolymerization of S_2N_2 to $(SN)_x$, 301–2
Photochemical conversions of some fluorinated aza- and diazacyclohexadienes, 305–6
Photo-enhanced production of hydrogen by liquid-phase catalytic dehydrogenation of propan-2-ol with rhodium-tin chloride complexes, 348–9
New photochemical reaction of 6-azido-1,3-dimethyluracil with acyl halides to give 5-acylamino-6-chloro-1,3-dimethyluracils, 367
Synthesis of macrocyclic rings by internal photocycloaddition of α, ω-dicinnamates, 400–1
Cation complexing photochromic materials involving bisanthracenes linked by a polyether chain. Preparation of a crown-ether by photocycloisomerization, 403–4
Preparation and thermal rearrangement of an azaanalogue of 4,5-homotropone (bicyclo(5.1.0)octa-3,5-dien-2-one), 404–5
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18
Selectivity in the addition of organic radicals to the alkene bond, 438–9
Reversible photochemical valence isomerization between α-diazo-ketones and a α-keto-diazirines, 442–3
A new and versatile chelating dithio ligand: X-ray crystal structure of $(Ru(CO)(SC_6H_3Me\text{-}o\text{-}SC_6H_4Me)(\eta\text{-}C_5H_5))$, 486–8
Carbene photocycloelimination from a vinyl-cyclopropane, 558–9
Thermal and photochemical rearrangements of 3H-thieno-1,2-diazepines, 568–9
Addition of furans to electron rich olefins through photo-induced electron transfer in the presence of electron acceptors, 594–5
Photosensitized anti-Markovnikov addition of methanol to homoconjugated aryl olefins, 600–1
Unambiguous proof for preferred 4 + 4 cycloaddition in the dimerization of photoexcited N-methyl-2-pyridone, 620–1
Photosynthetic routes to prostaglandins: conversion of 2,3-endo-epoxybicyclo(3.2.0)heptan-6-one into 6,7-endo-epoxy-3-alkoxy-2-oxabicyclo(3.3.0)octanes, 661–2
Electronic excited states of small ring compounds. Substituent effects on the photochemical ring cleavage of 3,3-dimethyl-1,2-diarylcyclopropenes, 743–4
Intramolecular photochemical arylation of N-substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
2-(1-Methylindol-3-yl)-3-phenyldihydro-1,4-dioxin 2,3-epidioxide, a dioxetan resulting in efficient ultraviolet chemiluminescence, 781–2
Correlation between selectivity in photochemical cross-cycloaddition and ionization potential of the reacting olefins, 786–8
Ring expansion of azidoquinolines to benzo-1,4-diazepines, 806–7
Boron complexes as control synthons in photocyclizations: an improved phenanthridine synthesis, 884–5
Role of exciplex in the photocycloaddition of 2,5-dimethylhexa-2,4-diene to anthracene, 978
Organometallic photochemistry with circularly polarized light. Synthesis of optically active tropone-iron tricarbonyl complex by asymmetric destruction, 983–4
Photochemical conversion of grisadiendiones into dibenzofurans, 1044–5
Biphasic photochemistry: the photo-Fries rearrangement on silica gel, 1109–10

PHOTOCHEM BROMINATION
Introduction, substitution, and elimination of bromine at C-5 of aldopyranose peresters, 1019–20

PHOTOCHEM CYCLIZATION
Photochemical reactions of 1,8-diacetylnaphthalene and 1,3-dimethoxy-1,3-dimethyl-1H,3H-naphtho(1,8-cd)pyran, 589–90
Concentration-dependent photoreaction of benzothiazolyldithioazetidinones: novel photochemical formation of penam derivatives, 836–8
Studies in synthetic photochemistry. Photochemistry of α-keto-imines: a novel synthesis of xylopinine, 885–6

PHOTOCHEM OXYGENATION
New route to the protopanes, 812–13

PHOTOCHEM SUBSTITUTION
Effect of cation on the quantum efficiency and the photoreaction paths of $(W(CO)_5X)^-$ anions, 863–4

PHOTOCHEM THEORY
Differing substituent effects on rates and regioselectivities in the di-π-methane rearrangement. New photochemical theory: excitation distribution (the ΔP matrix), reaction inhibition by vertical excited state stabilization, ground Vs. excited state control, 228–30
A new theoretical approach in photochemistry. Minimization of excited state-ground state surface separation by selected molecular deformation. Vibrational dissipation of local contributions to excitation energies, 230–2

PHOTOCHEMISTRY
Synthesis of a photoproduct from ultraviolet irradiation of bacterial spores: 5,6-dihydro-5-(α-thyminyl)thymine, 284

PHOTOCYCLIZATION
Photolysis of α-chloro-o-methylacetophenones, 61–2
Intramolecular photocycloaddition of phenethyl vinyl ether, 129–30
Intramolecular photochemical arylation of N-substituted enaminones: application to synthesis of heterocyclic compounds, 766–7

PHOTODIMERIZATION
A new phase of crystalline anthracene: its importance in solid-state photodimerization, 134–5

PHOTOELEC EMISSION
ESCA study of compounds of gold in the oxidation state-1, 905–6

PHOTOELECTRON
Photoelectron spectral assignments based on ab initio MO calculations for the bicyclic phosphorus compounds $P(OCH_2)_3CMe$ and $P(CH_2O)_3CMe$, 161–2
X-ray photoelectron diffraction: a novel method of structural analysis in complex monocrystalline solids, 210–11

PHOTOELECTRON SPECTRA
Adsorption of nitric oxide on copper(100) surfaces; an electron spectroscopic study, 40–1
Changes in surface composition of a cobalt-molybdenum binary oxide catalyst during various treatments studied by X-ray photoelectron spectroscopy, 47–8
A new assignment of the metal ionizations in the photoelectron spectrum of dimolybdenum tetraformate, 204–5
Electronic structure of $B_4H_8Fe(CO)_3$. Comparison of SCF-Xα-SW molecular orbital theory with the ultraviolet photoelectron spectrum, 385–6
Photoelectron spectra and reactivity of methyl(tertiary phosphine) platinum and -gold complexes, 444–5
Study of the distribution of metals on the surface of polymer-bound palladium(II) complexes by X-ray photoelectron spectroscopy, 650–1

PHOTOISOMERIZATION
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5
Asymmetric cis-trans photoisomerization of cyclo-octene sensitized by chiral aromatic esters, 1024–5

PHOTOLYSIS
Detection of aromatic sulphinyl (ArSO•) radicals during the photolysis and thermolysis of S-aryl arenethiosulphonates and diaryl sulphoxides, 78–9
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
Benzisoxazolo(2,3-a)pyridinium tetrafluoroborates. Possible generation of an aryloxenium ion, 149–50
Photolysis of dihydrothiophen-3(2H)-ones, 205–6
Pulsed laser photolysis of chlorocopper(II) complexes in acetonitrile: evidence for chlororadical formation, 207–8
Novel isoflavan-pterocarpan interconversions: some structural requirements for cyclization, 224–5
Photochemistry of tris(2,2′-bipyridine)ruthenium(II) in chlorinated solvents, 285
σ•-electron addition to 5-halogenouracils in neutral glasses, 313–14
Photolysis of cyclopentadienyltin compounds: a new source of tin-

centred radicals, 353–4
Formation of a 1,2,4–oxadiazoline from an aziridine: mechanism of the reaction and photochemical conversion into a benzimidazole derivative, 356–7
Evidence for a second photoactive excited state in a tris(β–diketonate)chromium(III) complex, 363–4
Redox–photosensitized cleavage of indene dimers using aromatic hydrocarbon–dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1
Nonenzymic model of the dioldehydratase reaction. Initiation of conversion of ethylene glycol into acetaldehyde on anaerobic photolysis of organocobalamins in the presence of mercapto compounds, 592–3
Light–induced conversion of ethane–1,2–diol or 2–aminoethanol into acetaldehyde in the presence of 8–methoxy–5′–deoxy–5′–adenosylcobalamin or a simpler cobalt(III) alkyl, 643–4
Matrix photolysis of trimethylazidosilane: silicon–hydrogen bond formation, 762–3
Photolysis of imidazole N(3)–oxides. Formation of unsymmetrical benzil di–imines; X–ray crystal structure of one such di–imine, 857–8
Biphasic photochemistry: use of the Barton reaction to determine micelle microviscosity, 1110–11

PHOTOOXIDN
Photo–sensitized oxidation of sulphur and pyridinium ylides. Oxygen atom transfer to divalent sulphur, 894–5

PHOTOREDN
Photoredox reaction in micellar solutions sensitized by surfactant derivative of tris(2,2′–bipyridyl)ruthenium(II), 628–30

PHOTOSENSITIZATION
Redox–photosensitized cleavage of indene dimers using aromatic hydrocarbon–dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1
Asymmetric cis–trans photoisomerization of cyclo–octene sensitized by chiral aromatic esters, 1024–5

PHOTOSENSITIZED
Photosensitized electron transfer and anodic cyanation reactions of nitrogen heterocycles, 1108–9

PHTHALIDE
A general route to substituted naphthols, 162–4
Biosynthesis of mycophenolic acid. Oxidation of 6–farnesyl–5,7–dihydroxy–4–methylphthalide in a cell–free preparation from Penicillium brevicompactum, 434

PHTHALIMIDE
Phase–transfer catalysis using chiral catalysts. Synthesis of optically active 2–phthalimido–esters, 742–3

PHTHALOCYANINE
New dioxygen complex of manganese phthalocyanine, 217–18

PICRATE
Isotope effects in molecular complexes of naphthalene, 455–6

PICRYL AZIDE
New syntheses of chlorocruoro– and isochlorocruoro–porphyrins from protoporphyrin–IX, 645

PINENE
1–Isopropyl–4,6–dimethyl–6–phospha(V)bicyclo(3.1.1)hept–3–ene 6–oxide: a distorted phosphetane synthesized from α–pinene and the methylphosphonous dichloride–aluminium chloride complex; X–ray crystal and molecular structure, 125–6
Ene reactions of β–pinene at room temperature and 40 kbar pressure, 599–600
Palladium(II)–catalysed asymmetric cyclization of 2–allylphenols by the use of optically active β–pinene, 687–8

PIPERAZINE
Unusual population of the axial–equatorial conformation in NN′–dichloropiperazine, 58–9

PIPERIDINE
Linear free energy relations in intramolecular aromatic ipso–substitutions by substituted methyl radicals, 166–7
Rapid formation of N–nitrosamines from nitric oxide in the presence of silver(I) salts, 707–8
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16

PIPERIDINIUM
Regio–selective synthesis of 2– and 3–alkyl–5–hydroxyquinizarins, 712–13

PIPERIDINO
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2

PIPERIDINOBUTYLCYCLODIPHOSPHAZANE
Structures and properties of isomeric cyclodiphosph(III)azanes; X–ray crystal and molecular structure of 2,4–dipiperidino–1,3–di–tert–butylcyclodiphosph(III)azane, 372–3

PIPERIDYLACETOPHENONE
An economical synthesis of the alkaloids, 3,4–dimethoxy–ω–(2–piperidyl)acetophenone, julandine, and cryptopleurine, 794–5

PIXYL
The 9–phenylxanthen–9–yl protecting group, 639–40

PLANT WAX
Synthesis of hentriacontane–14,16–dione, a β–diketone found in plant waxes, 962–3

PLASTIC CRYSTALLINITY
Pulsed proton nuclear magnetic resonance studies of molecular motion and plastic crystallinity in dodecamethylcyclohexasilane, 1093–4

PLATINACARBABORANE
Reaction of bis(triethylphosphine)platinum and pentakis(tert–butyl isocyanide)ruthenium with dicarba–nido–hexaboranes(8): molecular structures of (nido–$\mu_{4,5}$–(trans–$(Et_3P)_2Pt(H)$)–$\mu_{5,6}$–H–2,3–$C_2B_4H_6$), (closo–1,1–$(Et_3P)_2$–2,3–Me_2–1,2,3–$PtC_2B_4H_4$) and $(RuH(Bu^tNC)_5)^+$ (nido–2,3–Me_2–2,3–$C_2B_4H_5)^-$, 169–71

PLATINACYCLOBUTANONE
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5

PLATINADIOXAN
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5

PLATINUM
Stereochemistry of hydrogenation of cyclonona–1,2–diene with supported platinum metals and soluble rhodium complexes as evidence for allylic intermediates, 114–15
Catalytic sites in the hydrogenolysis of cyclopropane on platinum, 127–8
Synthesis and X–ray structure of an η^3 phenalenyl–platinum complex, 142–3
Reaction of bis(triethylphosphine)platinum and pentakis(tert–butyl isocyanide)ruthenium with dicarba–nido–hexaboranes(8): molecular structures of (nido–$\mu_{4,5}$–(trans–$(Et_3P)_2Pt(H)$)–$\mu_{5,6}$–H–2,3–$C_2B_4H_6$), (closo–1,1–$(Et_3P)_2$–2,3–Me_2–1,2,3–$PtC_2B_4H_4$) and $(RuH(Bu^tNC)_5)^+$ (nido–2,3–Me_2–2,3–$C_2B_4H_5)^-$, 169–71
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
Mixed rhodium–platinum carbonyl clusters: synthesis and X–ray crystallographic characterization of $(Rh_5Pt(CO)_{15})^-((Ph_3P)_2N)^+$, 195–6
A novel type of platinum–carbon interaction and a model for the final stage in reductive elimination processes involving carbon–carbon coupling at platinum; synthesis and molecular geometry of (1,N,N′–η–2,6–bis((dimethylamino)methyl)toluene) iodoplatinum(II) tetrafluoroborate, 250–2
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu–H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu–H)_2(CO)_8(Ph_3P)_2)$, 260–2
Photoelectron spectra and reactivity of methyl(tertiary phosphine) platinum and –gold complexes, 444–5
Synthesis of fluorinated dienes and cyclobutenes, 475–6
Different behaviour of cis– and trans–aminedichloro(π–ethene) platinum(II) complexes in their reaction with the free amine, 654–5
Reactions of dimethyl 3–oxoglutarate with zerovalent compounds of palladium and platinum. Preparation of 1–metallacyclobutan–3–one complexes and the X–ray crystal structure of 2,4–bis(methoxycarbonyl)–1,1–bis(triphenylphosphine) platinacyclobutan–3–one, 744–5
Synthesis of some diplatinum complexes, including bis–μ–(bis(diphenylphosphino)methane)–μ–methylene–dichlorodiplatinum, $(Pt_2Cl_2(\mu–CH_2)(\mu–Ph_2PCH_2PPh_2)_2)$, from $(Pt_2Cl_2(\mu–Ph_2PCH_2PPh_2))$, 749–51
Carbonyl insertion at chloro(alkyl– or –aryl) (methyldiphenylphosphine)carbonylplatinum: critical effects of

stereochemistry and the nature of the alkyl or aryl group, 819–20
Formation of platinum(II) compounds containing isomeric σ–vinylic and σ–allylic six–membered chelate rings by deprotonation of the coordinated isopropenyl group: X–ray structure of the σ–vinylic complex di–μ–acetato–bis(o–isopropenylphenyl(diphenyl)arsineplatinum(II)), 861–3
Inorganic optical activity, 936–7
Isolation of intermediates in the acid hydrolysis of $(Pt(PPh_3)_2(O_2))$; the X–ray structure of $(Pt_2(O_2)(OH)(PPh_3)_4)(ClO_4).2C_6H_6$, 991–2
Platinum(IV) complexes with π–acceptor ligands, 1056–7
Visible light–assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and manganese(III) porphyrins, 1106–7

PLUMBATE
A novel chain structure in the $(Pb_2Cl_9)_n^{5n-}$ anion; crystal and molecular structure of $(Co(NH_2CH_2CH_2NH_2)_3)_2(Pb_2Cl_9)Cl.3H_2O$, 347–8

PODOCARPENE
Copper–catalysed 1,6–addition of a benzyl Grignard reagent to a dienone: a new synthesis of ring C aromatic diterpenoids, 614–15

PODORHIZONE
Synthesis of (±)–podorhizone via intermediate α–hydroxyalkylation of a β–benzyl γ–butyrolactone, 556–7

POLONOVSKI RING CONTRACTION
Laboratory model for the biosynthesis of vallesemine, appariciné, and related alkaloids, 947–8

POLYACETYLENE
Highly conducting transition metal derivatives of polyacetylene, 489–90
A novel conducting polyacetylene derivative, 1066–7

POLYAMINOSTYRENE
Study of the distribution of metals on the surface of polymer–bound palladium(II) complexes by X–ray photoelectron spectroscopy, 650–1

POLYATOMIC
Identification of the species $(Te_nSe_{4-n})^{2+}$ by high resolution tellurium–125 and tellurium–123 Fourier transform NMR spectroscopy, 956–7
125–Tellurium and 77–selenium multinuclear magnetic resonance studies of Te_6^{4+}, $Te_{4-n}Se_n^{2+}$, $Te_2Se_4^{2+}$, and $Te_3Se_3^{2+}$ polyatomic cations, 957–60

POLYENE
Structure of infinite polyenes. Ab initio quantum chemical study, 575–6
cis–BC ring fusion upon (E)–polyene cyclizations, 1103–5

POLYESTER
X–ray determination of the structure of the polyether antibiotic K–41, 682–3

POLYETHER
Polymer–supported phase transfer catalysts in solid–liquid reactions 541–3
Coordination chemistry of macrocyclic polyethers. An unusual conformation of complexed 18–crown–6; X–ray crystal and molecular structure of a 1:2 host–guest complex of 18–crown–6 with benzenesulphonamide, 595–6
Structure of the polyether antibiotic K–41 by mass and nuclear magnetic resonance spectrometry, 683–4
Molecular catalysis: enhanced rates of thiolysis with high structural and chiral recognition in complexes of a reactive macrocyclic receptor molecule, 949–51
X–ray crystal structures of anhydrous sodium and potassium complexes of an open chain polyether diol, 1001–3

POLYETHYLENE
General synthesis of substituted and unsubstituted crown ethers, 504–5
Analysis of ultra–thin fluorine–containing layers on polyethylene by $^{19}F(p,\alpha\gamma)$ spectrometry, 1011–12

POLYMER
Polymer–bound tetranuclear iridium carbonyl catalyst, 540–1

POLYMER SUPPORTED
Increase in reaction rate consequent on the use of a polymer–supported reagent. Evidence for interaction between a high proportion of the groups of a polymer–supported reagent, 813–15

POLYMERIC
Polymeric de–blocking agents for the fluoren–9–ylmethoxycarbonyl (FMOC) amino–protecting group, 450–1
Synthesis and reactions of an insoluble polymeric yneamine, 1079–80

POLYMETHYL
Cis–trans isomerism in bis(trihalogenoacetyl)polymethylbenzenes resulting from restricted rotation about carbonyl groups: proton nuclear magnetic resonance evidence, 201–2

POLYMN
High catalytic activity of calcined iron sulphates for the polycondensation of benzyl chloride, 121–2
Photopolymerization of S_2N_2 to $(SN)_x$, 301–2
Decay of locus populations in a compartmentalized free radical polymerization reaction upon removal of radical source, 381
Ring opening polymerization of norbornene catalysed by ethyl aluminium dichloride; olefin metathesis in the absence of a transition metal, 603–4
Mechanism for the stereospecific polymerization of olefins by Ziegler–Natta catalysts, 604–6
Vinyltetrathiafulvalene, 832–3
Alkyl bridged complexes of the group 3A and lanthanoid metals as homogeneous ethylene polymerization catalysts, 994–5

POLYMORPH
Investigation of structure composition relationships in the serpentine minerals by combined X–ray K–emission spectrometry and high–resolution electron microscopy, 986–7

POLYPHOSPHATE
Treatment of cinnamic acids with polyphosphoric acid, 355

POLYSTYRENE
Polymer–supported phase transfer catalysts in solid–liquid reactions 541–3
Ready hydrogenation of nitrobenzene and benzonitrile with a polymer–bound palladium catalyst, 1074–5

PORPHOBILINOGEN
Biosynthesis of type–III porphyrins: proof of intact enzymic conversion of the head–to–tail bilane into uro′gen–III by intramolecular rearrangement, 185–6

PORPHYRIN
Cyclizations involving meso–substituents of crowded porphyrins, 73–4
Nitrogen–15 nuclear magnetic resonance studies of iron(II) low spin complexes of nitrogen–15 and iron–57 labelled porphyrin, 106–7
Biosynthesis of type–III porphyrins: proof of intact enzymic conversion of the head–to–tail bilane into uro′gen–III by intramolecular rearrangement, 185–6
Porphyrin N–oxides, 310–11
Electron–transfer reactions between the semiquinone anion radical and metallo–tetraphenylporphyrins, 361
meso–α,α,α,α–Tetra(o–nicotinamidophenyl)porphyrin: a novel ligand for the preparation of unsymmetrical bis–metal complexes, 399–400
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X–ray crystal structure of one such complex, 571–2
New syntheses of chlorocruoro– and isochlorocruoro–porphyrins from protoporphyrin–IX, 645
Nitrogen–15 nuclear magnetic resonance studies of ligand binding to zinc tetraphenylporphyrin, 681–2
Iron porphyrins containing appended sulphur ligands, 705–7
Carbon–13 nuclear magnetic resonance spectroscopy of iron(III) porphyrin–imidazole complexes, 777–8
Electron spin resonance evidence for dimer formation in high spin iron(III)–octaethylporphyrin and iron(III)–meso–nitro–octaethylporphyrin in solution, 906–7
Alkylrhodium(III) porphyrins from rhodium(III) porphyrins and diazoalkanes, 937–8
Biosynthesis of natural porphyrins: enzymic experiments on isomeric bilanes, 1064–6
Visible light–assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and manganese(III) porphyrins, 1106–7

PORPHYRIN OXIDE
Porphyrin N–oxides, 310–11

POTASSIUM
The role of stress in nucleus development during dehydration of certain alums, 273–4
X–ray crystal structures of anhydrous sodium and potassium complexes of an open chain polyether diol, 1001–3

POTASSIUM ALKOXIDES
(1.3) Shifts of potassium alkoxides: the bicyclo(3.2.0)heptene–norbornene transformation, 479–80

POTASSIUM ATOM REDN
Preparation of diarenemetal complexes by potassium atom reduction, 730–1
POTENTIAL BARRIER
Energy barrier for E–Z isomerization of N–sulphenylimines, 156–7
Bulky alkyls and a hydridoalkyl of zirconium(IV): influence of steric constraints upon (i) conformation and the zirconium–carbon rotational barrier and (ii) the zirconium–carbon bond length. X-ray crystal and molecular structure of ($Zr(\eta$-$C_5H_5)_2(CH(SiMe_3)_2)Ph$), 1081–3
PREGNENE
Ready formation of enol ethers in steroidal 20β–hydroxy–18–methyl–18–ketones, 241
PRENYL
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
PROANTHOCYANIDIN
Condensed tannins: direct synthesis, structure, and absolute configuration of four biflavonoids from black wattle bark ('mimosa') extract, 700–2
PROLINE
Amino acid–catalysed alkylation of hydroxyanthraquinones with 2–hydroxytetrahydropyrans, 951–2
PROPANOL
Photo–enhanced production of hydrogen by liquid–phase catalytic dehydrogenation of propan–2–ol with rhodium–tin chloride complexes, 348–9
PROPENOL
Latent inhibition of liver alcohol dehydrogenase by a substituted allyl alcohol, 795–6
PROPENYL
Isomerization of allyl ethers catalysed by the cationic iridium complex ($Ir(cyclo\text{–}octa\text{–}1,5\text{–}diene)(PMePh_2)_2)PF_6$. A highly stereoselective route to trans–propenyl ethers, 694–5
PROPIOLATE
Regioselectivity in the Diels–Alder reactions of 3– and 4–substituted 1–trimethylsilylbutadienes, 178–80
PROPIONAMIDE
Solvation of the halogen acids in N–methylpropionamide, 523–4
PROPIONIBACTERIUM
Biosynthesis of 5,6–dimethylbenzimidazole from 6,7–dimethyl–10–(1′–^{14}C)formylmethylisoalloxazine, 22–3
Biosynthesis of vitamin B_{12}: proof of A–B structure for sirohydrochlorin by its specific incorporation into cobyrinic acid, 150–1
PROPYLENE
Raman spectra of molecules adsorbed on heavy metal oxides. Propylene on zinc oxide: the anionic nature of the adsorbed allyl species, 868–9
PROPYNOL
Convenient synthesis of allenyl sulphides; application to the synthesis of $\alpha\beta$–unsaturated ketones, 822–4
PROSTACYCLIN
Synthesis of sulphur–containing prostacyclin PGI_1 analogues, 6,9–epithio–PGI_1, its S–oxide stereoisomers, and its SS–dioxide, 375–7
Total synthesis of carboprostacyclin, a stable and biologically active analogue of prostacyclin (PGI_2), 1067–8
PROSTAGLANDIN
Synthesis of sulphur–containing prostacyclin PGI_1 analogues, 6,9–epithio–PGI_1, its S–oxide stereoisomers, and its SS–dioxide, 375–7
An enantioconvergent approach to prostanoids, 436–8
PROSTAGLANDIN C2
Synthesis of prostaglandin E_2 and prostaglandin C_2 from 5–endo, 7–anti–disubstituted bicyclo(2.2.1)heptan–2–ones, 660–1
PROSTAGLANDIN E2
Synthesis of prostaglandin E_2 and prostaglandin C_2 from 5–endo, 7–anti–disubstituted bicyclo(2.2.1)heptan–2–ones, 660–1
PROSTAGLANDIN E2 PRECURSOR
Novel synthesis of prostaglandin E_2 involving regioselective ring opening of a 2,3–endo–epoxybicyclo(3.2.0)heptan–6–one acetal with a mixed organocuprate reagent, 662–4
PROSTAGLANDIN F2 PRECURSOR
Photosynthetic routes to prostaglandins: conversion of 2,3–endo–epoxybicyclo(3.2.0)heptan–6–one into 6,7–endo–epoxy–3–alkoxy–2–oxabicyclo(3.3.0)octanes, 661–2
PROSTANOID
Reduction of natural enones in the presence of cerium trichloride, 601–2
Organosilicon chemistry in synthesis: silylcyclopropanation, 714–16
PROTECTING GROUP
A silicon–based protecting group for the $\alpha\beta$–unsaturation of $\alpha\beta$–unsaturated ketones, 177–8
p–Tolylmethylsulphonyl: a new amino–protecting group in peptide synthesis, 220–1
PROTECTION
Polymeric de–blocking agents for the fluoren–9–ylmethoxycarbonyl (FMOC) amino–protecting group, 450–1
A mild procedure for solid phase peptide synthesis: use of fluorenylmethoxycarbonylamino–acids, 537–9
Application of polyamide resins to polypeptide synthesis: an improved synthesis of β–endorphin using fluorenylmethoxycarbonylamino–acids, 539–40
2–Trimethylsilylprop–2–enyl, a new protecting group for phosphoric and related acids, 761–2
PROTECTIVE GROUP
The β–(trimethylsilyl)ethoxycarbonyl amino–protecting group, 358–9
The mesitylene–2–sulphonyl group, a acidolytically removable N^G–protecting group for arginine, 482–3
The 9–phenylxanthen–9–yl protecting group, 639–40
Retro–1,4–cycloaddition of adducts derived from steroidal 5,7–dienes and 4–phenyl–1,2,4–triazoline–3,5–dione, 727–8
PROTIUM
Equilibrium constant for protium–deuterium exchange between methanol and water, 1037–8
PROTON TRANSFER
Extremely strong but sluggish amine bases, 89–90
PROTONANEMONIN
General route to γ–alkylidene butenolides, 30
PROTONATION
Generation of a pentacoordinated protonated oxyphosphorane in equilibrium with the isomeric enol phosphonium ion and unprotonated oxyphosphorane, 382–3
Kinetics and mechanism of cyclo– and decyclometallation of some iridium triaryl phosphite complexes. Evidence for the electrophilic displacement mechanism, 1007–8
PROTONOLYSIS
Protonolysis of alkenylboranes under neutral conditions by treatment with catalytic amounts of palladium diacetate, 702–3
PROTOPINE SYNTHON
New route to the protopanes, 812–13
PROTOPORPHYRIN
Triplet state of protoporphyrin IX, 51–2
New syntheses of chlorocruoro– and isochlorocruoro–porphyrins from protoporphyrin–IX, 645
PSEUDOURIDINE
Pseudouridine transformations. Formation of 2′– and 3′–deoxypseudouridines via halogen intermediates using α–acetoxyisobutyryl chloride, 677–8
PTEROCARPAN
Novel isoflavan–pterocarpan interconversions: some structural requirements for cyclization, 224–5
PURINE
New synthesis of 1–β–D–arabinofuranosyl–aminoimidazoles and of related purine nucleosides, 882–3
PURPURIN
Cyclizations involving meso–substituents of crowded porphyrins, 73–4
PYRAN
An enantioconvergent approach to prostanoids, 436–8
PYRANO
Pyranosultone: a novel binuclear heterocyclic system, 325–6
PYRANOBENZOPYRAN
Stereoelectronic control of acetal hydrolysis, 803–4
PYRANONE
Biomimetic syntheses of heptaketide metabolites: alternariol and a derivative of rubrofusarin, 406–7
PYRANOQUINOLONE
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
PYRANYLATION
Amino acid–catalysed alkylation of hydroxyanthraquinones with 2–

hydroxytetrahydropyrans, 951–2
PYRAZINE
Perfluoroaza– and –diazacyclohexadiene derivatives, 304–5
Solution properties of $((CO)_5Mo(pz))$ and $(((CO)_5Mo)_2(pz))$: organometallic analogues of $((NH_3)_5Ru(pz))^{2+}$ and $(((NH_3)_5Ru)_2(pz))^{4+}$ (pz = pyrazine), 859–61
PYRAZOLINE
A new mechanism for the formation of cyclopropane derivatives in the thermolysis of pyrazolines, 461–2
PYRIDAZINE
Perfluoroaza– and –diazacyclohexadiene derivatives, 304–5
PYRIDAZOCARBAZOLE
Synthesis of pyridazo(4,5–b)carbazoles, 309–10
PYRIDINATION
Regiospecific anodic pyridination of 2–hydroxy–3–methoxy–5–methylbenzaldehyde Schiff bases, 407–8
PYRIDINE
Nitrogen–15 nuclear magnetic resonance studies of iron(II) low spin complexes of nitrogen–15 and iron–57 labelled porphyrin, 106–7
Enhanced rates of dihydropyridine to pyridinium hydrogen transfer in complexes of an active macrocyclic receptor molecule, 143–6
Perfluoroaza– and –diazacyclohexadiene derivatives, 304–5
Production, in electrical discharges, of fluorine cyanide, fluoroacetylene, and related substances as monitored by microwave spectroscopy, 335
Novel derivatives of perfluorocyclobutene, 433
High–pressure reaction of 2–halogenopyridines with dimethyl acetylenedicarboxylate, 543–4
Unexpected regioselective nucleophilic addition to 3–(4,4–dimethyloxazolin–2–yl)pyridine: formation of stable 1,4–dihydropyridines, 615–16
A haemocyanin model: a synthetic copper(I) complex having imidazole ligands and reversible dioxygen activity, 634–6
Different behaviour of cis– and trans–aminedichloro(π–ethene) platinum(II) complexes in their reaction with the free amine, 654–5
Novel type of metallation reaction: cyclometallation of heterocyclic amines by dicyclopentadienylmethyltitanium, 659–60
Nitrogen–15 nuclear magnetic resonance studies of ligand binding to zinc tetraphenylporphyrin, 681–2
X–ray crystal structure of a planar, high–spin iron(II) complex of a pentadentate unsaturated macrocycle formed by reaction of 2,9–di(1–methylhydrazino)–1,10–phenanthroline monohydrochloride with 2,6–diacetylpyridine, 828–9
X–ray crystal structure of a 1,4–dihydropyridine–crown ether–sodium perchlorate complex crystallized with a molecule of acetone, 923–4
Multiple chlorinations of the cyclometallated ring in iridium triaryl phosphite complexes: the crystal and molecular structure of $(IrCl_2(P(OC_6Cl_3Me\text{–}o)(OC_6H_4Me\text{–}o)_2)(pyridine)(PMe_3))$, 973–4
Recovery of the chromium tricarbonyl unit in the removal of organic ligands from their chromium carbonyl complexes, 989–90
Novel type of transformation of a 2H–azirine in the presence of $Fe_2(CO)_9$, 998–9
Combined use of M.c.d. and resonance Raman spectra for the detection of different electronic transitions in a charge–transfer band of $(Mo(CO)_4L)$ (L = 2–iminomethylpyridine), 1016–17
PYRIDINE ACETYL
Some metal complexes of macrocyclic ligands incorporating the 1,10–phenanthroline group. X–ray crystal structure of the manganese(II) complex, 476–8
PYRIDINE DIHYDRO
Biomimetic synthesis of anatabine from 2,5–dihydropyridine produced in situ by the action of sodium hypochlorite on baikiain 1055–6
PYRIDINECARBOXALDEHYDE
Alkaline earth metal complexes of pyridinyl containing Schiff base macrocycles: X–ray crystal and molecular structures of the calcium and strontium complexes, 279–80
PYRIDINEDIAMINE DIACETYL
Template synthesis of a bimetallic complex of a 30–membered decadentate macrocyclic ligand: the crystal and molecular structure of a lead(II) complex, 415–16
PYRIDINEDICARBOXYLATE
Synthesis of 'crown ether' macrocyclic bislactones using caesium carboxylates of pyridine and of benzene dicarboxylic acids, 383–4
PYRIDINIUM
Conversion of primary aliphatic amines into thiocyanates and thiocarbonate esters, 133–4
Novel conversion of a 3–oxidopyridinium into a 4–oxidoisoquinolinium, 316–18
Crystal and molecular structure of 3,3′–thiobis(2–methyl–1–phenylimidazo–(1,5–a)pyridinium) bistetrafluoroborate; a potent new sulphur containing curariform agent, 816–17
Formation of a novel complex between pyridinium bis(alkoxycarbonyl)methylides and diphenylcyclopropenone; trapping of pyridinium bis(alkoxycarbonyl)methylide cation radicals, 817–19
Photo–sensitized oxidation of sulphur and pyridinium ylides. Oxygen atom transfer to divalent sulphur, 894–5
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9
PYRIDOINDOLE
Some novel transformations in indole chemistry, 332–3
PYRIDONE
Benzisoxazolo(2,3–a)pyridinium tetrafluoroborates. Possible generation of an aryloxenium ion, 149–50
Unambiguous proof for preferred 4 + 4 cycloaddition in the dimerization of photoexcited N–methyl–2–pyridone, 620–1
Thermal conversion of 2–ethoxypyridine into 2–pyridone; an analogue of ester pyrolysis, 732–3
PYRIDOXAMINE
Crystal and molecular structure of $(Cu(NO_3)_2(C_8H_{12}N_2O_2)_2)H_2O$ a structure containing an unusual zwitterion of pyridoxamine and a symmetric nitrate–oxygen bridge, 97–8
PYRIDYL
Unusual reaction of uranyl nitrate with 2,6–diacetylpyridine bis(2–pyridylhydrazone): X–ray structure of nitrato(2,6–diacetylpyridine–bis(2–pyridylhydrazone)–NNNNN)uranyl tetranitratodioxouranium, 235–6
PYRIMIDINE
Perfluoroaza– and –diazacyclohexadiene derivatives, 304–5
PYRIMIDINYL
Novel conversion of a 3–oxidopyridinium into a 4–oxidoisoquinolinium, 316–18
PYRIMIDODIOXAZINE
Unusual incorporation of the cyano group of tert–butylcyanoketene into a cycloadduct. X–ray structure of the pyrimido(1,6–e)(1,3–s) dioxazine formed, 820–1
PYRIMIDOQUINOLINEDIONE
Novel synthesis of pyrimido(4,5–b)quinoline–2(3H),4(10H)–diones (5–deazaflavins), 764
PYROLYSIS
Ring transpositions in the pyrolysis of benzisoxazoles and 2,3–benzoxazin–1–ones, 9–10
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
Novel synthesis of benzotrihalides: the pyrolysis of phenyl trihalogenoacetates, 714
Thermal conversion of 2–ethoxypyridine into 2–pyridone; an analogue of ester pyrolysis, 732–3
Vacuum pyrolysis of salts of 1–acyl–2–arylsulphonylhydrazines; a general McFadyen–Stevens aldehyde synthesis, 793–4
Flash–vacuum pyrolysis of 1,3–oxazin–2– and –6–ones, 902–3
PYRONE
Synthetic approaches to aclacinomycin and pyrromycin antitumour antibiotics via Diels–Alder reactions of 6–alkoxy–2–pyrones: total synthesis of chrysophanol, helminthosporin and pachybasin, 95–6
PYRROLE
Phototransposition of 2–cyanopyrroles: evidence for the intermediacy of 5–azabicyclo(2.1.0)pent–2–enes, 131–3
Novel ring transformation of a thiophene into a pyrrole, 453
Surprising electrochemical reduction product from a dihydrodiazepinium salt, 499
Unusual conditions for cine–substitution in the pyrrole ring: isolation of a pyrroline as an intermediate, 564–5
2,5–Dichlorothiophenium bismethoxycarbonylmethylide: a bismethoxycarbonylcarbene equivalent, 641–2
Photosensitized electron transfer and anodic cyanation reactions of nitrogen heterocycles, 1108–9
PYRROLE DEWAR
Synthesis of the N–unsubstituted Dewar pyrrole 1,2,3,4–tetrakistrifluoromethyl–5–azabicyclo(2.1.0)pent–2–ene, 509

PYRROLIDINE
1,3-Dipolar cycloaddition reactions of imines of α-amino acid esters: X-ray crystal and molecular structure of methyl 4-(2-furyl)-2,7-diphenyl-6,8-dioxo-3,7-diazabicyclo(3.3.0)octane-2-carboxylate, 109–11
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80
PYRROLIDINIUM
Limited rotational equilibration in reactions involving diradical intermediates, 675–6
PYRROLIDINONE
Synthesis, X-ray crystal structure, and properties of a tetranuclear complex formed by oxidation of copper(I) chloride with molecular dioxygen in N-methylpyrrolidin-2-one. Isolation of a catalyst for the oxidative coupling of phenols by dioxygen, 1045–6
PYRROLINE OXIDE
Effect of ring size in cyclic phosphonates upon their reaction with nitrones, 6–7
PYRROLOCARBAZOLE
Some novel transformations in indole chemistry, 332–3
PYRROLOPHENANTHRIDINEDIONE
Intramolecular photochemical arylation of N-substituted enaminones: application to synthesis of heterocyclic compounds, 766–7
PYRUVATE
Evidence for a dissociative $S_N1(P)$ mechanism of phosphoryl transfer by rabbit muscle pyruvate kinase, 783–5
Double carbonylation of substituted benzyl chlorides with cobalt carbonyl anion by phase transfer catalysis to give arylpyruvic acids, 1090–1
PYRYLIUM
Conversion of primary aliphatic amines into thiocyanates and thiocarbonate esters, 133–4
QUADRANT RULE
Microbial stereo-differentiating reduction of carbonyl compounds; proposed quadrant rule, 668–7
QUADRUPLE BOND
Direct evidence for the quadruple metal–metal bond in the octachlorodimolybdenum(II) ion, $(Mo_2Cl_8)^{4-}$, using X-ray emission spectroscopy, 262–3
QUADRUPOLE COUPLING CONST
Microwave spectrum, dipole moment, and quadrupole coupling constants of trans-nitrosocyclopropane, 388–9
QUANTUM EFFICIENCY
Effect of cation on the quantum efficiency and the photoreaction paths of $(W(CO)_5X)^-$ anions, 863–4
QUENCHING
Luminescence from $(Ru(bipyridyl)_3)^{2+}$ ions adsorbed on ion exchange surfaces. Dynamic quenching reactions between adsorbed cations, 408–9
The quenching of aromatic hydrocarbon fluorescence by α,ω-diaminoalkanes and the formation of excited ternary complexes, 911–13
The quenching of excited singlet states of Rose Bengal by bifunctional compounds, 913–14
QUININE
Stereoconservative transformation of secologanin intoo meroquinene and its derivatives, 725–6
QUINIZARIN
Regio-selective synthesis of 2- and 3-alkyl-5-hydroxyquinizarins, 712–13
4a,9a-Epoxy-4a,9a-dihydroanthracene-1,4,9,10-tetrone: a versatile synthon in anthracyclinone synthesis, 997–8
QUINOLINE
Palladation of 8-methylquinoline and related 2-substituted derivatives: evidence for in-plane metallation of methyl groups, 344–5
Novel type of metallation reaction: cyclometallation of heterocyclic amines by dicyclopentadienylmethyltitanium, 659–60
Ring expansion of azidoquinolines to benzo-1,4-diazepines, 806–7
QUINOLIZINE
High-pressure reaction of 2-halogenopyridines with dimethyl acetylenedicarboxylate, 543–4
QUINOLONE
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquino'one-dihydropyranoquinolone rearrangement 624–6
QUINOLONECARBOXYLATE
Oxidation-reduction in hydrolysis of pyrimido(4.5-b)quinoline-2(3H),4(10H)-diones (5-deazaflavins), 398–9
QUINUCLIDINEOSMIUM
X-ray molecular structure of the asymmetrically bridged ester complex di-μ-oxobis((cyclohexane-1,2-diolato) oxo(quinuclidine)osmium(VI)), $(OsO_2(O_2C_6H_{10})(C_7H_{13}N))_2$, 853–4
RABBIT MUSCLE
Evidence for a dissociative $S_N1(P)$ mechanism of phosphoryl transfer by rabbit muscle pyruvate kinase, 783–5
RACEMIZATION
An approach to the prevention of racemization in the synthesis of histidine-containing peptides, 472–3
RADICAL
Radical alkyldenitration. A synthetically useful example of homolytic aromatic ipso-substitution reactions, 93–4
Second-order effects observed in the electron spin resonance spectra of methyl radicals stabilized on silica at 77 K, 164–5
Linear free energy relations in intramolecular aromatic ipso-substitutions by substituted methyl radicals, 166–7
Pulsed laser photolysis of chlorocopper(II) complexes in acetonitrile: evidence for chlororadical formation, 207–8
Spin trapping experiments on NADH analogues and the role of radicals in carbonyl reductions, 300–1
Stabilizing influence of a strong acid medium on tertiary aminium radicals, 329–30
Photolysis of cyclopentadienyltin compounds: a new source of tin-centred radicals, 353–4
Electron-transfer reactions between the semiquinone anion radical and metallo-tetraphenylporphyrins, 361
Decay of locus populations in a compartmentalized free radical polymerization reaction upon removal of radical source, 381
Phenaleno(1,9-cd)dithiolyl: the first example of a monomeric, coplanar, carbon-based free radical, 429–30
Selectivity in the addition of organic radicals to the alkene bond, 438–9
Redox-photosensitized cleavage of indene dimers using aromatic hydrocarbon-dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1
Observation and interpretation of an apparent inverse secondary isotope effect on the electron impact-induced loss of a methyl radical from methyl isobutyrate, 521–2
Solvent effects on the spin-trapping of primary alkyl radicals, 525–6
Intramolecular homolytic aromatic ipso substitution in halogenobenzenes by aryl radicals, 530–1
Generation and some reactions of the bis(trimethylsilyl)aminyl radical, 545–6
An electron spin resonance study of the cyclobutylhydroxymethyl radical: its conformation, and its ring opening followed by 1,6-transfer of enolic hydrogen, 569–71
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5
Radical coupling products derived from ammonium ylides. Competing (1,2), (1,3), and (1,4) anionic rearrangements, 670–1
Limited rotational equilibration in reactions involving diradical intermediates, 675–6
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
Radical chain bromination of hydrocarbons using bis(trimethylsilyl) bromamine, 752–3
Thermal isomerization of methyl linoleate hydroperoxides. Evidence of molecular oxygen as a leaving group in a radical rearrangement, 756–7
Pyramidal geometry of the tervalent carbon atom of the norbornadien-7-yl radical; electron spin resonance study, 804
Formation of a novel complex between pyridinium bis(alkoxycarbonyl)methylides and diphenylcyclopropenone; trapping of pyridinium bis(alkoxycarbonyl)methylide cation radicals, 817–19
Homolytic addition to N-methylene-tert-butylamine: a new route to aminyl radicals, 960–1
Study of the Haber-Weiss reaction using a sensitive method for detection of hydroxyl radicals, 970–1
RADICAL CATION
Radical cation of 2,2,3,3-tetramethylbutane: an electron spin resonance study, 686–7
Experimental proof of the existence of a fourth stable gas phase

$C_2H_4O^{+\bullet}$ isomer: the open ethylene oxide ion, 724–5
RADIOCHEM
Analysis of ultra–thin fluorine–containing layers on polyethylene by $^{19}F(p,\alpha\gamma)$ spectrometry, 1011–12
RADIOLYSIS
Aromatic hydroxylation by $O(^3P)$ atoms on γ–radiolysis of liquid carbon dioxide solutions of alkylbenzenes, 16–18
Direct evidence of neighbouring group participation in the gas phase, 213–14
Radical cation of 2,2,3,3–tetramethylbutane: an electron spin resonance study, 686–7
Production, detection, and characterization of transient hexavalent technetium in aqueous alkaline media by pulse radiolysis and very fast scan cyclic voltammetry, 1038–40
RAMAN
Copper derivatives of tetrathiafulvalene, 69–70
Raman optical activity due to isotopic substitution: (1S)–4,4–dideuterioadamantan–2–one, 259–60
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation–reduction methods: spectroscopic properties of the ion, 502–4
Raman spectra of molecules adsorbed on heavy metal oxides. Propylene on zinc oxide: the anionic nature of the adsorbed allyl species, 868–9
Determination of the basicity of nitric acid in concentrated sulphuric acid by Raman and ultraviolet spectroscopy, 873–4
Combined use of M.c.d. and resonance Raman spectra for the detection of different electronic transitions in a charge–transfer band of $(Mo(CO)_4L)$ (L = 2–iminomethylpyridine), 1016–17
RARE EARTH
Efficient synthesis of acetals catalysed by rare earth chlorides, 976–7
REAGENT
A simple route to α–aminoketones and related derivatives by dianion acylation reactions; an improved preparation of δ–aminolevulinic acid, 753–4
REARRANGEMENT
α–Ketol rearrangements involving small rings: the formation and rearrangement of 1–hydroxy–6–isopropylbicyclo(3.2.0)heptan–7–one, 87–8
Regioselectivity in the di–π–methane rearrangement; alternative processes in the photochemistry of halogeno–1,4–dienes, 101–2
Biosynthesis of type–III porphyrins: proof of intact enzymic conversion of the head–to–tail bilane into uro'gen–III by intramolecular rearrangement, 185–6
Differing substituent effects on rates and regioselectivities in the di–π–methane rearrangement. New photochemical theory: excitation distribution (the ΔP matrix), reaction inhibition by vertical excited state stabilization, ground Vs. excited state control, 228–30
Topology of the photochemical 'bicycle' reaction. Mechanistic and exploratory organic photochemistry, 232–4
Stereospecific double rearrangement of anti–1,5–bishomocycloheptatriene. A rebound path of thermal rearrangement involving intermediate geminal hydrogen interchange, 365–6
Thermal rearrangement of alkoxycyclobutanes, 392–3
Preparation and thermal rearrangement of an azaanalogue of 4,5–homotropone (bicyclo(5.1.0)octa–3,5–dien–2–one), 404–5
Novel direct rearrangement of a 9β,11β–epoxylanostan–7–one into a β–homo–derivative with incorporation of the C–10 angular methyl group, 411–12
A new and versatile chelating dithio ligand: X–ray crystal structure of $(Ru(CO)(SC_6H_3Me\text{–}o\text{–}SC_6H_4Me)(\eta\text{–}C_5H_5))$, 486–8
Thermal and photochemical rearrangements of 3H–thieno–1,2–diazepines, 568–9
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
Radical coupling products derived from ammonium ylides. Competing (1,2), (1,3), and (1,4) anionic rearrangements, 670–1
Stereoselectivities in competing (1,2) and (1,3) rearrangements, 672–3
The thermal rearrangements of pentadienylammonium ylides. Competing (1,2), (3,2), and (5,2) rearrangements, 673–5
Limited rotational equilibration in reactions involving diradical intermediates, 675–6
RECEPTOR
Anion receptor molecules. Synthesis and some anion binding properties of macrocyclic guanidinium salts, 934–6
REDN
New method for reduction of ketones and primary alcohols to hydrocarbons: reaction of the derived selenides with tin hydrides, 41–2
Metal–amine reduction of sterically hindered esters to alkanes, a new method for the deoxygenation of hindered alcohols, 68–9
Stoicheiometric reduction of carbon monoxide and carbon dioxide to methanol: evidence for carbon monoxide insertion into zirconium–hydrogen bond, 269–70
Efficiently monitored reduction of carboxylic acids into alcohols or aldehydes via 2–thiazoline–2–thiol esters by sodium borohydride or diisobutylaluminium hydride, 330
Metal–assisted borohydride reduction of acid chlorides to aldehydes 354–5
Electrochemical reductive acylation of astacene; a route to the carotenoid astaxanthin, 387–8
Stereoselective reduction of 3–O–hexofuranosyl S–methyl dithiocarbonates with tributyltin deuteride, 449–50
Asymmetric reduction of trifluoromethyl ketones by actively fermenting yeast, 456–7
Selective synthesis of the nonachlorononaborate clusters nonachlorononaboron and nonachlorononaborate dianion, 462–3
Electrochemical reductive cyclization of dimethyl 2,(ω – 1) –dibromoalkanedioates, 481–2
Surprising electrochemical reduction product from a dihydrodiazepinium salt, 499
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation–reduction methods: spectroscopic properties of the ion, 502–4
Electrochemical reduction of a heterodienetricarbonyliron(0) complex as a route to novel tricarbonyliron anions, 552–3
Reduction of alkyl esters to alkanes by sodium in hexamethylphosphoric triamide. A new method for the deoxygenation of alcohols, 567–8
Reduction of natural enones in the presence of cerium trichloride, 601–2
Conversion of penicillins into biosynthetically significant peptides, 609–10
Stereochemistry of the reduction of nicotinic acid when it serves as a precursor of anatabine, 610–11
Synthesis of allenes via reduction of acetylenic p–tolylsulphonylhydrazones, 726–7
Preparation of diarenemetal complexes by potassium atom reduction, 730–1
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
Reduction of the carboxyl–function in aromatic carboxylic acids by alkali metal–liquid ammonia solutions, 941–3
Production, detection, and characterization of transient hexavalent technetium in aqueous alkaline media by pulse radiolysis and very fast scan cyclic voltammetry, 1038–40
Reduction of α,α'–dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4–isopropylidene–1,3–dioxolans, 1040–1
Cyanoborohydride supported on an anion exchange resin as a selective reducing agent, 1088–9
Visible light–assisted electrochemical reduction of oxygen at a platinum electrode coated with surface active cobalt(II) and manganese(III) porphyrins, 1106–7
REDN MECHANISM
Spin trapping experiments on NADH analogues and the role of radicals in carbonyl reductions, 300–1
REDN POTENTIAL
Experimental determination of the standard reduction potential of the gold(I) ion, 606–7
REDOX
Redox–photosensitized cleavage of indene dimers using aromatic hydrocarbon–dicyanobenzene systems; catalysis by the cation radical of aromatic hydrocabons, 490–1
REDOX POTENTIAL
Solvation as the determining factor for the redox potential of $Fe_4S_4(S(CH_2)_nCO_2)^{6-}$ cluster ions, 703–4

REDUCTIVE
Novel carbon–carbon reductive cleavage of terphenyls with alkali metal–hexamethylphosphoric triamide, 153–4
REDUCTIVE ELIMINATION
A novel type of platinum–carbon interaction and a model for the final stage in reductive elimination processes involving carbon–carbon coupling at platinum; synthesis and molecular geometry of (1,N,N′–η–2,6–bis((dimethylamino)methyl)toluene) iodoplatinum(II) tetrafluoroborate, 250–2
REGIOSELECTIVE
Regioselective oxidation of unactivated methylene and methine groups by dry ozonation: similarity to microbiological oxidation, 413–14
Selective homo Diels–Alder addition of acetylenic hydrocarbons to norbornadiene catalysed by a cobalt complex, 636–8
Regio–selective synthesis of 2– and 3–alkyl–5–hydroxyquinizarins, 712–13
REGIOSELECTIVITY
Metal ion–catalysed oxidation of linoleic acid. Lipoxygenase–like regioselectivity of oxygenation, 82–3
Regioselectivity in the Diels–Alder reactions of 3– and 4–substituted 1–trimethylsilylbutadienes, 178–80
Differing substituent effects on rates and regioselectivities in the di–π–methane rearrangement. New photochemical theory: excitation distribution (the ΔP matrix), reaction inhibition by vertical excited state stabilization, ground Vs. excited state control, 228–30
REGIOSPECIFIC
Selectivity in the addition of organic radicals to the alkene bond, 438–9
Unusual conditions for cine–substitution in the pyrrole ring: isolation of a pyrroline as an intermediate, 564–5
Regiospecific carbon–2–addition of thiolates to methoxytropenylium ion. The first practical entry to the monocyclic 1,7–difunctionalized cycloheptatriene series, 710
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
RESOLN
Binaphthyl–2,2′–diyl hydrogen phosphate. A new chiral atropisomeric selector for the resolution of helicenes using high performance liquid chromatography, 173–5
Organometallic photochemistry with circularly polarized light. Synthesis of optically active tropone–iron tricarbonyl complex by asymmetric destruction, 983–4
RESORCINOL
A new route to 5–substituted resorcinols, 118
Condensed tannins. Circular dichroism method of assessing the absolute configuration at carbon–4 of 4–arylflavan–3–ols, and stereochemistry of their formation from flavan–3,4–diols, 698–700
RHENIUM
Preparation of bis(cis–diacetyltetracarbonylrhenium)copper, 183–4
A rhenium polyphenyl complex: X–ray diffraction analysis of tris(η^1–phenyl)bis(diethylphenylphosphine)rhenium, 825–6
An octahedral rhenium(III) cluster: X–ray crystal structure of $Na_4Re_6S_{10}(S_2)$, 879–80
RHIZOPUS
Regioselective oxidation of unactivated methylene and methine groups by dry ozonation: similarity to microbiological oxidation, 413–14
RHODIUM
Rhodium(II)–catalysed addition of dimethyl diazomalonate to thiophene: a simple synthesis of thiophenium bismethoxycarbonylmethylides and crystal and molecular structure of the unsubstituted methylide, 83–4
Stereochemistry of hydrogenation of cyclonona–1,2–diene with supported platinum metals and soluble rhodium complexes as evidence for allylic intermediates, 114–15
Formation and molecular structure of (η^5–cyclopentadienyl)–(η^4–cyclobuta(l)phenanthrene)rhodium: a cyclobutadiene–metal complex derived from the intramolecular cyclodimerization of an acyclic diacetylene, 187–8
Mixed rhodium–platinum carbonyl clusters: synthesis and X–ray crystallographic characterization of $(Rh_5Pt(CO)_{15})^-((Ph_3P)_2N)^+$, 195–6
Synthesis of cluster compounds via nucleophilic metal complexes; X–ray crystal structures of $(Os_3Pt(\mu\text{–}H)_2(CO)_{10}((C_6H_{11})_3P))$ and $(Os_2Pt_2(\mu\text{–}H)_2(CO)_8(Ph_3P)_2)$, 260–2
Mechanism of asymmetric hydrogenation catalysed by rhodium(I) trans–4,5–bis(diphenylphosphinomethyl)–2,2–dimethyldioxolan (DIOP) complexes, 321–2
Photo–enhanced production of hydrogen by liquid–phase catalytic dehydrogenation of propan–2–ol with rhodium–tin chloride complexes, 348–9
Activation and transfer of molecular oxygen. Oxidation of terminal olefins to methyl ketones by rhodium dioxygen complexes, 559–60
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
Diversity of behaviour of bicyclo(2.2.1)heptadiene–bisphosphine–rhodium complexes on hydrogenation in methanol, 646–7
Evidence for the ready insertion of rhodium into a carbon–hydrogen bond of ethylene; crystal and molecular structure of μ–but–2–ene–μ–ethylenebis–(η^5–1–methylindenyl)dirhodium, 839–41
Novel three–coordinate rhodium(I) hydrido compounds, $(RhH(P(CMe_3)_2)$ and $(RhH(P(cyclohexyl)_3)_2)$, 855–6
Alkylrhodium(III) porphyrins from rhodium(III) porphyrins and diazoalkanes, 937–8
Opening of the phosphorus–nitrogen bond of bicyclic phosphoranes Synthesis and X–ray crystal and molecular structure of rhodium complexes of perhydro–1,3,6,2–dioxazaphosphocine, 1022–4
RHODOTORULA
Microbial stereo–differentiating reduction of the carbonyl groups located on the C_2 axes of gyrochiral molecules, 667–8
Microbial stereo–differentiating reduction of carbonyl compounds; proposed quadrant rule, 668–7
RHODOTORULIC ACID
Synthesis and characterization of iron complexes of rhodotorulic acid: a novel dihydroxamate siderophore and potential chelating drug, 501–2
RIBALININE
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
RIBOFLAVIN
Synthesis and characterization of covalent flavin–papain complexes with sulphur in the sulphide and sulphone oxidation states, 457–9
RIBOFURANOSYLGLYCOSIDE
Synthesis of α–linked 3′–deoxy–pseudo–di– and –tri–saccharides related to aminocyclitol–glycoside antibiotics, 773–4
RIBOSIDE
Ribopyranosyldiaminomaleonitrile: a key intermediate for the synthesis of nucleosides, 1094–6
RIBOSYL
Ribopyranosyldiaminomaleonitrile: a key intermediate for the synthesis of nucleosides, 1094–6
RING CLEAVAGE
Synthesis of α–alkoxycarbonylcycloalkanones by electrolysis of 1–trimethylsiloxybicyclo(n.1.0)alkanes, 293–4
Novel carbon–carbon bond cleavage of α–azido steroidal ketones, 409–10
Preparation of the 7–oxo–4–oxa–1–azabicyclo(3.2.0)hept–2–ene system and the reversible cleavage of its oxazoline ring, 469–70
An electron spin resonance study of the cyclobutylhydroxymethyl radical: its conformation, and its ring opening followed by 1,6–transfer of enolic hydrogen, 569–71
Conversion of penicillins into biosynthetically significant peptides, 609–10
Electronic excited states of small ring compounds. Substituent effects on the photochemical ring cleavage of 3,3–dimethyl–1,2–diarylcyclopropenes, 743–4
Flash–vacuum pyrolysis of 1,3–oxazin–2– and –6–ones, 902–3
Mechanism of acid catalysed opening of the cyclopropane ring in the thujols, 1096–7
RING CONTRACTION
Reversible photochemical valence isomerization between α–diazo–ketones and a α–keto–diazirines, 442–3
Investigations on the ring contraction step in the biosynthesis of A–nor–stanols by the marine sponge Axinella verrucosa, 524–5
RING ENLARGEMENT
Small ring–annulated nonbenzenoid aromatic compounds: 1,2–dihydrocyclobuta(e)tropolone, 215
Some novel transformations in indole chemistry, 332–3

Novel direct rearrangement of a 9β,11β–epoxylanostan–7–one into a β–homo–derivative with incorporation of the C–10 angular methyl group, 411–12
Preparation of derivatives of a new heterocyclic system: 2–N–acylimino–1,3–oxaselenoles, 447–8
RING EXPANSION
Ring expansion of azidoquinolines to benzo–1,4–diazepines, 806–7
Novel type of transformation of a 2H–azirine in the presence of $Fe_2(CO)_9$, 998–9
RING OPENING
Ring opening polymerization of norbornene catalysed by ethyl aluminium dichloride; olefin metathesis in the absence of a transition metal, 603–4
Novel synthesis of prostaglandin E_2 involving regioselective ring opening of a 2,3–endo–epoxybicyclo(3.2.0)heptan–6–one acetal with a mixed organocuprate reagent, 662–4
RING SIZE
Effect of ring size in cyclic phosphonates upon their reaction with nitrones, 6–7
RING STRAIN
The kinetic effect of ring strain in an elimination reaction, 338–9
ROSE BENGAL
The quenching of excited singlet states of Rose Bengal by bifunctional compounds, 913–14
ROTATION
Limited rotational equilibration in reactions involving diradical intermediates, 675–6
ROTATION BARRIER
Cis–trans isomerism in bis(trihalogenoacetyl)polymethylbenzenes resulting from restricted rotation about carbonyl groups: proton nuclear magnetic resonance evidence, 201–2
ROTATIONAL BARRIER
Energy barrier for E–Z isomerization of N–sulphenylimines, 156–7
Bulky alkyls and a hydridoalkyl of zirconium(IV): influence of steric constraints upon (i) conformation and the zirconium–carbon rotational barrier and (ii) the zirconium–carbon bond length. X–ray crystal and molecular structure of $(Zr(\eta\text{–}C_5H_5)_2(CH(SiMe_3)_2)Ph)$, 1081–3
RUBIDIUM
ESCA study of compounds of gold in the oxidation state–1, 905–6
RUBROFUSARIN
Biomimetic syntheses of heptaketide metabolites: alternariol and a derivative of rubrofusarin, 406–7
RUBROSULPHIN
Structure of xanthomegnin and related pigments: reinvestigation by carbon–13 nuclear magnetic resonance spectroscopy, 611–12
RUTAMYCIN
X–ray structure of the antibiotic rutamycin, 318–19
RUTHENIUM
Reaction of bis(triethylphosphine)platinum and pentakis(tert–butyl isocyanide)ruthenium with dicarba–nido–hexaboranes(8): molecular structures of $(nido\text{–}\mu_{4,5}\text{–}(trans\text{–}(Et_3P)_2Pt(H))\text{–}\mu_{5,6}\text{–}H\text{–}2,3\text{–}C_2B_4H_6)$, $(closo\text{–}1,1\text{–}(Et_3P)_2\text{–}2,3\text{–}Me_2\text{–}1,2,3\text{–}PtC_2B_4H_4)$ and $(RuH(Bu^tNC)_5)^+$ $(nido\text{–}2,3\text{–}Me_2\text{–}2,3\text{–}C_2B_4H_5)^-$, 169–71
Oxidative–addition of tertiary phosphine–ruthenium complexes to allylic carbon–hydrogen bonds, 223–4
Polymeric sulphur nitride electrode: an example of electrocatalysis by surface chemical modification, 244–5
Photochemistry of tris(2,2′–bipyridine)ruthenium(II) in chlorinated solvents, 285
Luminescence from $(Ru(bipyridyl)_3)^{2+}$ ions adsorbed on ion exchange surfaces. Dynamic quenching reactions between adsorbed cations, 408–9
X–ray molecular structure and reactions of bis(styrene) bis(triphenylphosphine)ruthenium(0); the first sixteen–electron ruthenium(0) species, 463–4
A new and versatile chelating dithio ligand: X–ray crystal structure of $(Ru(CO)(SC_6H_3Me\text{–}o\text{–}SC_6H_4Me)(\eta\text{–}C_5H_5))$, 486–8
Homogeneous catalytic oxidation of amines and secondary alcohols by molecular oxygen, 562
An arene hydrido complex of ruthenium(II) as catalyst for the homogeneous hydrogenation of benzene and olefins, 582–3
Photoredox reaction in micellar solutions sensitized by surfactant derivative of tris(2,2′–bipyridyl)ruthenium(II), 628–30
Solution properties of $((CO)_5Mo(pz))$ and $(((CO)_5Mo)_2(pz))$: organometallic analogues of $((NH_3)_5Ru(pz))^{2+}$ and $(((NH_3)_5Ru)_2(pz))^{4+}$ (pz = pyrazine), 859–61
Reduction of tris(triphenylphosphine)dichlororuthenium(II) in acetonitrile: reformulation of the nature of the product; detection of the first paramagnetic d^8 complex, 883–4
Preparative applications of metal vapours obtained by evaporation of metal powders from coated filaments: a new preparation of dibenzeneruthenium and observation of its limiting NMR spectrum, 898–9
Syntheses and reactivity of cofacial, dimeric metal–metal bonded ruthenium(II) mixed valence ruthenium(II/III), and ruthenium(II!) complexes of $(C_{22}H_{22}N_4)^{2-}$, a dibenzo–tetra–aza(14)annulene ligand, 909–10
$(H_3Ru_4(CO)_{12})^-$: the X–ray crystallographic determination of two structural isomers, 920–1
'Capped' tri–ruthenium carbonyl cluster: X–ray crystal structure of $(Ru_3(CO)_9(MeSi(PBu_2)_3))$, 1005–6
Ammonia synthesis from methane, water, and nitrogen over silica–supported ruthenium, 1105–6
RUTILE
Broensted acidity of rutile developed during alcohol dehydration as shown by simultaneous alkene isomerization: microwave spectroscopic analyses, 835–6
SACCHARIDE
Synthesis of α–linked 3′–deoxy–pseudo–di– and –tri–saccharides related to aminocyclitol–glycoside antibiotics, 773–4
SACCHAROMYCES
Stereochemical course of dehydration catalysed by the yeast fatty acid synthetase, 193–4
SAFETY
Preparation and crystal structure of a new sulphur nitride, S_5N_6: a molecular basket, 642–3
SAFETY BORON NITRIDE FLUOROSULPHATE
Novel salts of graphite and a boron nitride salt, 200–1
SAFETY EXPLOSION STRAINED FUROXAN
Sulphur dioxide mediated conversion of strained furazan N–oxides into diisocyanates, 113–14
SALICYLALDIMINE
Effects of structural distortion on the ligand exchange reactions of copper(II) Schiff base complexes, 583–4
SALICYLIDENEAMINE
X–ray crystal and molecular structure, absolute configuration, and stereoselectivity of $(-)_{435}$–L–isoleucinato–NN′–ethylenebis(α–methylsalicylideneaminato)cobalt(III), 266–7
SALT
Novel salts of graphite and a boron nitride salt, 200–1
SANDWICH
1:2 Metalloporphyrin nitroaromatic sandwich complexes: X–ray crystal structure of one such complex, 571–2
SANTONIN
Synthesis of tetrahydrosantonin derivatives functionalized at their angular methyl groups, 748–9
SAXITOXIN
Characterization of 11–hydroxysaxitoxin sulphate, a major toxin in scallops exposed to blooms of the poisonous dinoflagellate Gonyaulax tamarensis, 889–90
SAYTZEFF
A relation between the product distribution from the dehydration of dimethylbutan–2–ols and catalytic acidity, 801–2
SCALLOP
Characterization of 11–hydroxysaxitoxin sulphate, a major toxin in scallops exposed to blooms of the poisonous dinoflagellate Gonyaulax tamarensis, 889–90
SCANDIUM
Neutral and anionic silylmethyl complexes of Group*IIIa and lanthanoid metals; the X–ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_3Cl)$ (thf = tetrahydrofuran), 140–2
Novel coordination numbers in scandium(III) and yttrium(III) nitrato complexes. X–ray crystal structures of $Sc(NO_3)_3.2N_2O_4$ and $Y(NO_3)_3.2N_2O_4$, 580–1
Nuclear magnetic resonance study of ligand exchange on the hexakis(trimethyl phosphate)scandium(III) ion, 1047–8
SCELETIUM
X–ray crystal and molecular structure of channaine, an unusual alkaloid, probably an artefact from Sceletium strictum, 1078–9
SCF CALCN
Metal–metal interactions in 2–Fe ferredoxins; SCF–Xα–SW calculations, 1027–9
SCHIFF
Effects of structural distortion on the ligand exchange reactions of copper(II) Schiff base complexes, 583–4
SCHIFF BASE
X–ray crystal and molecular structure, absolute configuration, and

stereoselectivity of (–)$_{435}$-L-isoleucinato-NN′-ethylenebis(α-methylsalicylideneaminato)cobalt(III), 266–7
Regiospecific anodic pyridination of 2-hydroxy-3-methoxy-5-methylbenzaldehyde Schiff bases, 407–8
SCHIZANDRIN
Total synthesis of the lignan (±)-schizandrin, 480–1
SCHIZANDRIN DEOXY
Synthesis of the lignan (±)-deoxyschizandrin, 491–2
SCLERIN
Biosynthesis of sclerin: incorporation studies with advanced precursors, 158–9
SCLEROTINIA
Biosynthesis of sclerin: incorporation studies with advanced precursors, 158–9
SECOCEMBRENE
Alternative synthetic route to the cembrene skeleton, 359–60
SECONDARY ION
Secondary ion mass spectrometry: a tool for identification of matrix-isolated species, 751–2
SECOSTEROID
Novel carbon–carbon bond cleavage of α-azido steroidal ketones, 409–10
SECOXYLOGANIN
Stereoconservative transformation of secologanin into meroquinene and its derivatives, 725–6
SELECTIVITY
Correlation between selectivity in photochemical cross-cycloaddition and ionization potential of the reacting olefins, 786–8
SELENAFULVALENE
'Organic metals' with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
SELENENYLATION
1,3-Transposition of primary allylic alcohols: a new application of selenoxide chemistry, 770–1
SELENIDE
New method for reduction of ketones and primary alcohols to hydrocarbons: reaction of the derived selenides with tin hydrides, 41–2
SELENINATE
Dehydrogenation of hydrazines and of 4-azacholestan-3-one with benzeneseleninic acid and benzeneseleninic anhydride, 278–9
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4
SELENINIC
Oxidation of aldehyde hydrazones, hydrazo compounds, and hydroxylamines with benzeneseleninic anhydride, 276–7
SELENINIC ANHYDRIDE
Dehydrogenation of steroidal ketones using benzeneseleninic anhydride, 130–1
Oxidation of alcohols using benzeneseleninic anhydride, 952–4
SELENINYLMETHYLOXAAZABICYCLOHEPTANE
Total synthesis of methyl (2RS,5RS)-3-methylene-7-oxo-4-oxa-1-azabicyclo(3.2.0)heptane-2-carboxylate, a novel clavulanic acid analogue, 518–19
SELENIUM
Insertion of selenium, tellurium, or arsenic atoms into borane cage compounds using element oxide reagents, 349–50
Identification of the species $(Te_nSe_{4-n})^{2+}$ by high resolution tellurium-125 and tellurium-123 Fourier transform NMR spectroscopy, 956–7
125-Tellurium and 77-selenium multinuclear magnetic resonance studies of Te_6^{4+}, $Te_{4-n}Se_n^{2+}$, $Te_2Se_4^{2+}$, and $Te_3Se_3^{2+}$ polyatomic cations, 957–60
Reaction of diborane with benzoxazole and its sulphur and selenium analogues. A novel rearrangement to benzoxazaboroles benzothiazaboroles, and benzoselenazaboroles, 971
SELENOACETAL
New method for reduction of ketones and primary alcohols to hydrocarbons: reaction of the derived selenides with tin hydrides, 41–2
New method of access to selenoacetal chemistry: use of tris(phenylseleno)borane, 356
SELENOBENZENE
A new use of cyclofunctionalization with selenenyl reagents: an example of carbon–carbon bond formation, 441–2
SELENOCYANATE
Preparation of derivatives of a new heterocyclic system: 2-N-acylimino-1,3-oxaselenoles, 447–8
SELENOXIDE
Total synthesis of clavulanic acid analogues from 7-oxo-3-vinyl-4-oxa-1-azabicyclo(3.2.0)heptanes, 439–41
New synthesis of 4′,5′-unsaturated nucleosides, 1084–5
SELENYL
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80
SELENYL CHLORIDE
Novel total synthesis of (±)-erysotramidine, an oxo-erythrinan alkaloid, 733–4
SENSITIZER
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18
Asymmetric cis–trans photoisomerization of cyclo-octene sensitized by chiral aromatic esters, 1024–5
SEPTANOSE ANOMER
Sugar equilibria. Observation of a septanose anomer, 1073–4
SERINE
Asymmetric synthesis of aziridine-2-carboxylic acid and the formation of chiral serine, 522–3
SERUM
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
SESQUITERPENE
Photocyclization of dicyclopent-1-enyl methanes to tricyclo(6.3.0.$0^{2,6}$)undecanes: a synthesis of the hirsutane carbon skeleton, 5–6
X-ray crystal structure of canellal, a novel antimicrobial sesquiterpene from Canella winterana, 75–6
Structure and total synthesis of temisin, 76–8
Stereoselective synthesis of (–)-acorenone and (–)-acorenone B; the absolute configuration of natural (–)-acorenone, 203–4
Chemical defence in the termite Ancistrotermes cavithorax: ancistrodial and ancistrofuran, 410–11
Spiro(5.5)undecane sesquiterpene analogues. Bridging vinyl ether and vinyl acetal formation via intramolecular attack by an enol during bromination, 425–6
Synthesis of tetrahydrosantonin derivatives functionalized at their angular methyl groups, 748–9
SESQUITERPENE INTERMEDIATE
New stereoselective synthesis of 9-methyl-cis-decalin derivatives by double Michael reaction of 3,5-dimethyl-4-methylenecyclohex-2-enone and dimethyl 3-oxoglutarate; X-ray crystal and molecular structure of two of the products, 717–18
SESQUITERPENOID
Biosynthesis of illudin sesquiterpenoids from (1,2-$^{13}C_2$)acetate, 303–4
Modhephene: a sesquiterpenoid carbocyclic (3.3.3)propellane. X-ray crystal structure of the corresponding diol, 420–1
Solanascone: a novel sesquiterpene ketone from Nicotiana tabacum X-ray structure determination of the corresponding oxime, 563–4
SIDEROPHORE
Synthesis and characterization of iron complexes of rhodotorulic acid: a novel dihydroxamate siderophore and potential chelating drug, 501–2
SIGMATROPIC REARRANGEMENT
Evidence for the participation of a nitrile group in (2,3) sigmatropic rearrangements of sulphonium ylides, 274–5
SILACYCLOPROPENE
Photochemical reactions of a silacyclopropene with nitriles leading to new organosilicon ring systems, 80–1
SILANE
Matrix photolysis of trimethylazidosilane: silicon–hydrogen bond formation, 762–3
Specific dealkylation of phosphonate esters using iodotrimethylsilane, 870–1
Novel method for dealkylation of esters, ethers, and acetals by chlorotrimethylsilane–sodium iodide, 874–5
Medium-ring cyclosilanes from the reaction of dimethyldichlorosilane with lithium, 1092–3
Pulsed proton nuclear magnetic resonance studies of molecular motion and plastic crystallinity in dodecamethylcyclohexasilane, 1093–4
SILANE DIMETHYL DICHLORO
One-step synthesis of dodecamethylcyclohexasilane, 272
SILICA
Second-order effects observed in the electron spin resonance spectra of methyl radicals stabilized on silica at 77 K, 164–5
Anchoring of osmium clusters to silica, 1063–4

Ammonia synthesis from methane, water, and nitrogen over silica–supported ruthenium, 1105–6
Biphasic photochemistry: the photo–Fries rearrangement on silica gel, 1109–10
SILICA GEL
Drifluor reagents: non–hygroscopic sources of the fluoride ion, 789–91
SILICATE
Trimethylgermyl derivatives for the study of silicate structures, 560–1
Very active hydrogenation catalyst composed of extremely dispersed palladium on vitreous supports, 979–80
SILICON
Analogies between the dynamic stereochemistry at silicon and phosphorus. Kinetic study of solvent–induced epimerization of menthyl chloro(phenyl)phosphonate, 104–5
Structure of the compound purported to be NN–bis(chloromethyldimethylsilyl)acetamide: X–ray crystal structure analysis of the novel five–membered oxygen–, silicon–, and nitrogen–containing heterocycle (O–Si)–chloro((N–chlorodimethylsilylacetamido)methyl)dimethylsilane, 209–10
A short synthesis of (R)–(+)–frontalin and Latia luciferin using new organosilicon reagents, 297–8
Formation of a new silicon–containing ring system, 1,1,2,2,3,3–hexamethyl–4,5–diphenyl–1,2,3–trisilacyclopent–4–ene, 1029–30
SILVER
Highly conducting transition metal derivatives of polyacetylene, 489–90
Rapid formation of N–nitrosamines from nitric oxide in the presence of silver(I) salts, 707–8
X–ray crystal and molecular structure of $(W_2S_8Ag_4(PPh_3)_4)$, a compound having a novel metal–sulphur cage fused by two connected six–membered WS_3Ag_2 rings, 739
SILYL
β–Silylketones as masked $\alpha\beta$–unsaturated ketones, 176–7
A silicon–based protecting group for the $\alpha\beta$–unsaturation of $\alpha\beta$–unsaturated ketones, 177–8
Convenient synthesis of unesterified acylphosphonic acids, 285–6
Silylhydroxylamines as reagents for high–yield RCOCl→RNCO conversions, 351–2
Efficient method for the preparation of trimethylsilyl enol ethers of acyltrimethylsilanes, 478–9
Silyl nitronates: improved nitro–aldol reactions and reductive routes to 2–aminoalcohols, 689–91
Direct displacement and coupling of prop–2–ynylic acetates with organocuprates, 876–7
SILYL TRIMETHYL
Bulky alkyls and a hydridoalkyl of zirconium(IV): influence of steric constraints upon (i) conformation and the zirconium–carbon rotational barrier and (ii) the zirconium–carbon bond length. X–ray crystal and molecular structure of $(Zr(\eta\text{–}C_5H_5)_2(CH(SiMe_3)_2)Ph)$, 1081–3
SILYLACETAMIDE
Structure of the compound purported to be NN–bis(chloromethyldimethylsilyl)acetamide: X–ray crystal structure analysis of the novel five–membered oxygen–, silicon–, and nitrogen–containing heterocycle (O–Si)–chloro((N–chlorodimethylsilylacetamido)methyl)dimethylsilane, 209–10
SILYLAMINYL
Generation and some reactions of the bis(trimethylsilyl)aminyl radical, 545–6
SILYLATION
Conversion of alkyl carbamates into amines via treatment with trimethylsilyl iodide, 315–16
SILYLBROMAMINE
Radical chain bromination of hydrocarbons using bis(trimethylsilyl) bromamine, 752–3
SILYLBUTADIENE
Regioselectivity in the Diels–Alder reactions of 3– and 4–substituted 1–trimethylsilylbutadienes, 178–80
SILYLCYCLOPENTADIENE
Carbonium ion rearrangements in the norbornyl series controlled by a silyl group, 245–7
SILYLCYCLOPROPANATION
Organosilicon chemistry in synthesis: silylcyclopropanation, 714–16
SILYLETHOXYCARBONYL
The β–(trimethylsilyl)ethoxycarbonyl amino–protecting group, 358–9
SILYLMETHYL
Neutral and anionic silylmethyl complexes of Group•IIIa and lanthanoid metals; the X–ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_2Cl)$ (thf = tetrahydrofuran), 140–2
SILYLMETHYLENESULPHURANE
Organosilicon chemistry in synthesis: silylcyclopropanation, 714–16
SILYLMETHYLTIN
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
SILYLPHOSPHINE
'Capped' tri–ruthenium carbonyl cluster: X–ray crystal structure of $(Ru_3(CO)_9(MeSi(PBu_2)_3))$, 1005–6
SILYLPROPENYL
2–Trimethylsilylprop–2–enyl, a new protecting group for phosphoric and related acids, 761–2
SIOMYCIN A
Natural abundance nitrogen–15 nuclear magnetic resonance spectroscopic evidence for the structural relation between the peptide antibiotics thiostrepton and siomycin–A, 577–8
SIROHYDROCHLORIN
Biosynthesis of vitamin B_{12}: proof of A–B structure for sirohydrochlorin by its specific incorporation into cobyrinic acid, 150–1
SITOSTEROL
Biosynthesis of β–sitosterol from (4–^{13}C)mevalonic acid and sodium (1,2–^{13}C)acetate in tissue cultures of Isodon japonicus hara, 319–20
SODIUM
Aspects of the coordination chemistry of some electron–rich polyorganosulphur compounds; bis(ethylthio)carbene complexes $(M(CO)_5(C(SEt)_2))$ (M = Cr or W) from $Na(TosNNC(SEt)_2)$ (Tos = p–$MeC_6H_4SO_2$), 146–7
Efficiently monitored reduction of carboxylic acids into alcohols or aldehydes via 2–thiazoline–2–thiol esters by sodium borohydride or diisobutylaluminium hydride, 330
Reaction of some arylacetic acids and related compounds with alkaline sodium hypochlorite solution, 459–60
Dehydration sequence of cobalt exchanged synthetic A zeolite: evidence for 3–, 4–, 5–, and 6–fold coordination, 548–9
Reduction of alkyl esters to alkanes by sodium in hexamethylphosphoric triamide. A new method for the deoxygenation of alcohols, 567–8
An octahedral rhenium(III) cluster: X–ray crystal structure of $Na_4Re_6S_{10}(S_2)$, 879–80
X–ray crystal structure of a 1,4–dihydropyridine–crown ether–sodium perchlorate complex crystallized with a molecule of acetone, 923–4
Asymmetric reduction of aromatic ketones by sodium borohydride in the presence of bovine serum albumin, 926–7
Reduction of the carboxyl–function in aromatic carboxylic acids by alkali metal–liquid ammonia solutions, 941–3
Steric effects on chelation in carbon–13 nuclear magnetic resonance spectra of β–diketone enolates, 965–7
X–ray crystal structures of anhydrous sodium and potassium complexes of an open chain polyether diol, 1001–3
SODIUM HYPOCHLORITE
Biomimetic synthesis of anatabine from 2,5–dihydropyridine produced in situ by the action of sodium hypochlorite on baikiain 1055–6
SODIUM IONS
Location of supercage sodium ions and water molecules in hydrated NaX zeolite, 493–4
SODIUM SULPHATE CHLORIDE
A novel tunnel structure containing enclathrated hydrogen peroxide: $4Na_2SO_4.2H_2O_2.NaCl$, 288–9
SOLANASCONE
Solanascone: a novel sesquiterpene ketone from Nicotiana tabacum X–ray structure determination of the corresponding oxime, 563–4
SOLUTION PROPERTIES
Solution properties of $((CO)_5Mo(pz))$ and $(((CO)_5Mo)_2(pz))$: organometallic analogues of $((NH_3)_5Ru(pz))^{2+}$ and $(((NH_3)_5Ru)_2(pz))^{4+}$ (pz = pyrazine), 859–61
SOLVATION
Solvation of the halogen acids in N–methylpropionamide, 523–4
SOLVENT
Relative solvent transport of ions in binary aqueous mixtures: an unambiguous assignment to ionic constituents, 218–19

SOLVENT EFFECT
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
Solvent effects in homogeneous asymmetric catalysis, 427–8
Solvent effects on the spin–trapping of primary alkyl radicals, 525–6
Solvent–assisted acetylenic oxy–Cope rearrangement: a novel synthesis of ionone and its analogues, 651–2
Solvation as the determining factor for the redox potential of $Fe_4S_4(S(CH_2)_nCO_2)^{6-}$ cluster ions, 703–4
Initial state and transition state solvation in the peroxodisulphate oxidation of dicyanobis(2,2′–bipyridyl)iron(II), 963–4
Effect of solvent on the oxy–Cope rearrangement of the 4–isopropenyl–3,7–dimethylocta–1,6–dien–3–ol diastereomeric system, 972–3
SOLVENT TRANSFER
Solvent transfer hydrogenation of αβ–unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
SOLVOLYSIS
Solvolysis of substituted benzylidene chlorides in dioxane–water; an unusual role for a distant carboxy–group in a carbonium ion reaction, 98–9
Mechanisms of aqueous solvolyses, 418–20
SOMATOSTATIN
Synthesis of (6–(4–^{3}H)phenylalanine)–somatostatin of high specific radioactivity, 901–2
SPASMOLYTIC
Clausmarins A and B: two novel spasmolytic terpenoid coumarins from Clausena pentaphylla (Roxb.)DC, 281–2
SPILT OVER
Continuous hydrogenation of ethene using spilt–over hydrogen, 891–2
SPIN COUPLING
Oxygen–17 nuclear magnetic resonance spectroscopy: spin coupling to phosphorus–31, 531–2
Identification of the species $(Te_nSe_{4-n})^{2+}$ by high resolution tellurium–125 and tellurium–123 Fourier transform NMR spectroscopy, 956–7
125–Tellurium and 77–selenium multinuclear magnetic resonance studies of Te_6^{4+}, $Te_{4-n}Se_n^{2+}$, $Te_2Se_4^{2+}$, and $Te_3Se_3^{2+}$ polyatomic cations, 957–60
Platinum(IV) complexes with π–acceptor ligands, 1056–7
Carbon–carbon coupling in (90%–^{13}C–2)histidine, 1070–1
SPIN LABEL
Synthesis of intercalating and carcinogenic nitroxide spin labels, 215–16
SPIN TRAP
Spin trapping experiments on NADH analogues and the role of radicals in carbonyl reductions, 300–1
SPIN TRAPPING
Solvent effects on the spin–trapping of primary alkyl radicals, 525–6
SPIROACTIVATED
Homoconjugate addition of Grignard reagents spiroactivated cyclopropanes. An approach to the total synthesis of (±)–brefeldin A, 754–6
SPIROBIINDAN
Circular dichroism of diastereomeric 3,3′–di–tert–butyl–1,1′–spirobiindans, 810–12
SPIROCYCLOALKANE
(±)–Dinorpenicillin–2–spirocycloalkane, 46–7
SPIROCYCLOPENTANEINDOLE
The acylation of 3–alkyl–indoles, 779–81
SPIRODODECANONE
Reversible photochemical valence isomerization between α–diazo–ketones and a α–keto–diazirines, 442–3
SPIRONONANE
New conformational effect: predominance of the axial conformation in spiro(5.2)octan–4–ol derivatives, 147–8
SPIROOCTANOL
New conformational effect: predominance of the axial conformation in spiro(5.2)octan–4–ol derivatives, 147–8
SPIROOXETANENAPHTHALENONE
Reactions of substituted 3,3–diphenyl– and 3,3–dimethyl–1–oxaspiro(3,5)nona–5,8–diene–2,7–diones with nucleophiles, 312–13
SPIROPHOSPHORANE PENTAOXY
Synthesis of salts of a pentaoxyspirophosphorane having a P–OH bond, 219–20
SPIROUNDECANEDIONE
Spiro(5.5)undecane sesquiterpene analogues. Bridging vinyl ether and vinyl acetal formation via intramolecular attack by an enol during bromination, 425–6
SQUALENE
Nonoxidative cyclization of squalene by Tetrahymena pyriformis. The incorporation of a 3β–hydrogen (deuterium) atom into tetrahymanol, 333–4
STABILITY
Synthesis and solution stoicheiometries and stabilities of mercury(II)–arene complexes, 1083–4
STANNACYCLOPENTANE
Formation and X–ray crystal structure of 1,1,6,6–tetraphenyl–1,6–distannacyclodecane, 791–2
STANNANE
Novel synthesis of substituted allenes via organoboration of alkynylstannanes, 402–3
STAUROSPORINE
X–ray structure of staurosporine: a new alkaloid from a Streptomyces strain, 800–1
STELLATIN
Use of long range proton–carbon–13 couplings in structure determination: stellatin, a novel dihydroisocoumarin from Aspergillus variecolor, 627–8
STEMMADENINE
Laboratory model for the biosynthesis of vallesemine, apparicine, and related alkaloids, 947–8
STEREOCHEM
Stereochemistry of the adduct from tert–butylcyanoketene and 2–methylbut–2–ene; X–ray crystal and molecular structure of 2–cyano–3,3,4–trimethyl–2–tert–butylcyclobutyl p–chlorobenzoate, 10–11
Stereochemistry and mechanisms of electrophilic cleavage reactions of cis–(threo–PhCHDCHD)$Mn(CO)_4PEt_3$), 11–12
Stereochemical control of anodic cyanomethoxylation, 20–2
Conformational control in eliminations with the $(E_1cB)_R$ mechanism, 43–4
Stereochemistry of the nucleophilic cleavage of cobalt–carbon bonds in organocobalt(IV) compounds, 44–6
Stereoelectronic control of α proton abstraction from iminium ions, 49–50
Stereochemistry of hydrogenation of cyclonona–1,2–diene with supported platinum metals and soluble rhodium complexes as evidence for allylic intermediates, 114–15
Stereochemical course of dehydration catalysed by the yeast fatty acid synthetase, 193–4
Raman optical activity due to isotopic substitution: (1S)–4,4–dideuterioadamantan–2–one, 259–60
Stereochemistry of the S_N2' reaction with acyclic allylic esters, 454–5
A new mechanism for the formation of cyclopropane derivatives in the thermolysis of pyrazolines, 461–2
(1.3) Shifts of potassium alkoxides: the bicyclo(3.2.0)heptene–norbornene transformation, 479–80
Stereoselective conversion of vitamin D_3 into its 3β–halogenated derivatives. The synthesis of a 1α–hydroxy–3β–fluorovitamin D_3 analogue, 554–5
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5
Stereochemistry of the reduction of nicotinic acid when it serves as a precursor of anatabine, 610–11
Stereochemical control in the biomimetic conversion of heteroyohimbine alkaloid precursors. Isolation of a novel key intermediate, 618–19
Asymmetric synthesis and absolute stereochemistry of the alkaloids araliopsine, isoplatydesmine, and ribalinine. Dual mechanism for a dihydrofuroquinolone–dihydropyranoquinolone rearrangement 624–6
Stereoselective cobalt–catalysed (2+2+2) cross–addition of norbornadiene and norbornene, 638–9
Stereoselective chelate and amino acid synthesis with chelated 2–iminopropionate; crystal and molecular structures of α–(N^2–2–aminoethylamidino)alaninato–ONN″N‴–(ethylenediamine) cobalt(III) and α–(N^2–2–aminoethylamidino)alanine–NN″N‴–(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
Microbial stereo–differentiating reduction of the carbonyl groups

located on the C_2 axes of gyrochiral molecules, 667–8
Microbial stereo–differentiating reduction of carbonyl compounds; proposed quadrant rule, 668–7
Condensed tannins. Circular dichroism method of assessing the absolute configuration at carbon–4 of 4–arylflavan–3–ols, and stereochemistry of their formation from flavan–3,4–diols, 698–700
Stereoconservative transformation of secologanin into meroquinene and its derivatives, 725–6
Carbonyl insertion at chloro(alkyl– or –aryl) (methyldiphenylphosphine)carbonylplatinum: critical effects of stereochemistry and the nature of the alkyl or aryl group, 819–20
Absence of common five–coordinate intermediates in the induced reactions of some cobalt(III)–acido complexes, 892–4
Effect of solvent on the oxy–Cope rearrangement of the 4–isopropenyl–3,7–dimethylocta–1,6–dien–3–ol diastereomeric system, 972–3
Orientation in elimination from carbanions, 975–6
Stereochemistry of 1,4–addition of molecular deuterium to 2–methylbuta–1,3–diene over thorium dioxide, magnesium oxide, and dilanthanum trioxide, 1091–2

STEREOELECTRONIC CONTROL
Stereoelectronic control of acetal hydrolysis, 803–4

STEREOSELECTIVE
Synthesis of the first example of an optically active hexaorganoditin 81–2
Stereoselective reduction of 3–O–hexofuranosyl S–methyl dithiocarbonates with tributyltin deuteride, 449–50
Isomerization of allyl ethers catalysed by the cationic iridium complex $(Ir(cyclo–octa–1,5–diene)(PMePh_2)_2)PF_6$. A highly stereoselective route to trans–propenyl ethers, 694–5

STEREOSELECTIVE DEACYLATION
Stereoselective reaction of p–nitrophenyl N–acyl–phenylalanines with N–acyl–L–histidine in mixed micelles, 984–5

STEREOSELECTIVITY
Unusual stereoselectivities in olefin metathesis, 341–2
Stereoselectivities in competing (1,2) and (1,3) rearrangements, 672–3

STEREOSPECIFIC
Partial asymmetric synthesis of substituted trans–2,3–diaryloxiranes using optically active arsonium ylides, 346–7
A new use of cyclofunctionalization with selenenyl reagents: an example of carbon–carbon bond formation, 441–2

STEREOSPECIFIC PREPN
Stereospecific synthesis of chiral acetic acid from glycine, 967–8

STERIC EFFECT
Structural barriers to the rates of electron transfer of copper complexes. Oxidation of cytochrome c (II) by copper(II) complexes, 370–2
Rate acceleration by steric inhibition to solvation of sulphur nucleophiles in acyl transfer processes. A comparison of steric effect in nucleophilic substitutions at carbonyl and aromatic carbon atoms, 613–14
Stereoelectronic control of acetal hydrolysis, 803–4
Bulky alkyls and a hydridoalkyl of zirconium(IV): influence of steric constraints upon (i) conformation and the zirconium–carbon rotational barrier and (ii) the zirconium–carbon bond length. X–ray crystal and molecular structure of $(Zr(\eta–C_5H_5)_2(CH(SiMe_3)_2)Ph)$, 1081–3

STERIC HINDRANCE
Steric effects on chelation in carbon–13 nuclear magnetic resonance spectra of β–diketone enolates, 965–7

STERIC MECHANISM
Steric mechanism of formation of the PdCl π–allyl derivative from $(6\beta–^2H)$cholest–4–ene, 747–8

STERIOD
Convenient preparation of esters of testosterone and 19–norethisterone with hindered acids, 980–1

STEROID
Mechanism of formation of 4–6η–3–oxo steroid–PdCl complexes, 15–16
Investigations on the ring contraction step in the biosynthesis of A–nor–stanols by the marine sponge Axinella verrucosa, 524–5
New approach to the aromatization of ring B in 19–norsteroids and to the synthesis of equilenin–type compounds, 916–18

STEROIDAL
Reduction of natural enones in the presence of cerium trichloride, 601–2

STEROIDAL DIENE
Retro–1,4–cycloaddition of adducts derived from steroidal 5,7–dienes and 4–phenyl–1,2,4–triazoline–3,5–dione, 727–8

STEROIDAL KETONE
Dehydrogenation of steroidal ketones using benzeneseleninic anhydride, 130–1
Novel carbon–carbon bond cleavage of α–azido steroidal ketones, 409–10

STEROIDAL KETONES
Ready formation of enol ethers in steroidal 20β–hydroxy–18–methyl–18–ketones, 241

STILBENE
Addition of 3–nitrosobut–3–en–2–one to olefins and to electron–rich heterocycles, 847–9

STREPTOMYCES
X–ray structure of the antibiotic rutamycin, 318–19
X–ray determination of the structure of the polyether antibiotic K–41, 682–3
Structure of the polyether antibiotic K–41 by mass and nuclear magnetic resonance spectrometry, 683–4
X–ray structure of staurosporine: a new alkaloid from a Streptomyces strain, 800–1

STRIATIN A
Striatin A, B, and C: novel diterpenoid antibiotics from Cyathus striatus X–ray crystal structure of striatin A, 665–6

STRONTIUM
Alkaline earth metal complexes of pyridinyl containing Schiff base macrocycles: X–ray crystal and molecular structures of the calcium and strontium complexes, 279–80

STRUCTURE
An octahedral rhenium(III) cluster: X–ray crystal structure of $Na_4Re_6S_{10}(S_2)$, 879–80

STRYCHNOS
New synthetic routes to synthons for the synthesis of functionalized Aspidosperma alkaloids, 943–4

STYPHNATE
Isotope effects in molecular complexes of naphthalene, 455–6

STYRENE
X–ray molecular structure and reactions of bis(styrene) bis(triphenylphosphine)ruthenium(0); the first sixteen–electron ruthenium(0) species, 463–4
Palladium–promoted vinylic hydrogen substitution of alkenes by Grignard reagents. Stoicheiometric and catalytic reactions, 918–19

STYRYLCOBALT
Selective cyanation of bromostyrenes by pentacyanocobaltate(II) and nuclear magnetic resonance evidence for the formation of intermediate σ–styryl–cobalt(III) and η–cinnamonitrile–cobalt(I) cyano–complexes, 1059–61

SUBSTITUENT EFFECT
Differing substituent effects on rates and regioselectivities in the di–π–methane rearrangement. New photochemical theory: excitation distribution (the ΔP matrix), reaction inhibition by vertical excited state stabilization, ground Vs. excited state control, 228–30
Effect of substituents on the reactivity of a double bond towards $({}_\pi4_s + {}_\pi2_s)$ and epoxidation reactions: a chemical manifestation of orbital interactions through space, 296–7
Unusual stereoselectivities in olefin metathesis, 341–2
Thermal rearrangement of alkoxycyclobutanes, 392–3
Versatility of cycloaddition of electrophilic alkynes to $\eta^2–CS_2$ metal complexes. Reversible isomerization of 1,3–dithiol 2–ylideneiron and heterometallocyclic complexes, 573–4
Electronic excited states of small ring compounds. Substituent effects on the photochemical ring cleavage of 3,3–dimethyl–1,2–diarylcyclopropenes, 743–4
Carbonyl insertion at chloro(alkyl– or –aryl) (methyldiphenylphosphine)carbonylplatinum: critical effects of stereochemistry and the nature of the alkyl or aryl group, 819–20
Asymmetric substituent effect on the reaction of (R)– and (S)–indan–1–carboxylic acids with (S)–α–phenylethylamine derivatives, 830
Inverse substituent effect in an imidoyl azide to tetrazole cyclization limited by nitrogen inversion, 871–3
Orientation in elimination from carbanions, 975–6
Biphasic photochemistry: the photo–Fries rearrangement on silica gel, 1109–10

SUCCINIMIDE CHLORO
Cleavage of α–(phenylthio)alkylboron compounds to

monothioacetals and acetals, 357–8
SUCROSE PIVALOYL
Selective esterification of sucrose using pivaloyl chloride, 664–5
SUGAR
Stereospecific synthesis from noncarbohydrate precursors of the deoxy and methyl branched deoxy sugars L–amicetose, L–mycarose, and L–olivomycose, 299–300
Introduction, substitution, and elimination of bromine at C–5 of aldopyranose peresters, 1019–20
Sugar equilibria. Observation of a septanose anomer, 1073–4
SUGARS
Stereoselective reduction of 3–O–hexofuranosyl S–methyl dithiocarbonates with tributyltin deuteride, 449–50
SULFIDE
An octahedral rhenium(III) cluster: X–ray crystal structure of $Na_4Re_6S_{10}(S_2)$, 879–80
SULFUR
Synthesis of sulphur–containing prostacyclin PGI_1 analogues, 6,9–epithio–PGI_1, its S–oxide stereoisomers, and its SS–dioxide, 375–7
Reaction of diborane with benzoxazole and its sulphur and selenium analogues. A novel rearrangement to benzoxazaboroles benzothiazaboroles, and benzoselenazaboroles, 971
SULPHAMATE
Trimethylammoniosulphate esters, 48–9
SULPHATE
The role of stress in nucleus development during dehydration of certain alums, 273–4
SULPHATE AMMONIO
Trimethylammoniosulphate esters, 48–9
SULPHENAMIDE
New syntheses of $1\lambda^4$,2,4–benzothiadiazines, 1049–50
SULPHENYL
Energy barrier for E–Z isomerization of N–sulphenylimines, 156–7
SULPHENYL CHLORIDE
New syntheses of $1\lambda^4$,2,4–benzothiadiazines, 1049–50
SULPHENYLATION
Hydrogen bond assisted organic reactions: C– and O–alkylations, sulphenylations, and Michael additions aided by polymer immobilized fluoride ion, 466–7
Drifluor reagents: non–hygroscopic sources of the fluoride ion, 789–91
SULPHIDE
Formation and electron spin resonance spectra of sublphuranyl radicals of the type (CF_3SSR_2)•, 623–4
The chemistry of thioesters. Conversion into monothioacetals, ketones and vinyl sulfides, 719–20
Convenient synthesis of allenyl sulphides; application to the synthesis of αβ–unsaturated ketones, 822–4
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9
Photo–sensitized oxidation of sulphur and pyridinium ylides. Oxygen atom transfer to divalent sulphur, 894–5
Substitution of allylic sulphides of benzothiazole–2–thiol with organomagnesium compounds in the presence of copper(I) iodide A regioselective synthesis of olefins, 1085–6
SULPHIDO
Detection of the new reactive molecule methyl(sulphido)boron, MeBS, by microwave spectroscopy, 19–20
SULPHIDOPLATINATE
Inorganic optical activity, 936–7
SULPHIMIDE
Fluorinated dichloro hexa– and penta–coordinated sulphur(VI) compounds, 154–5
SULPHINYL RADICAL
Detection of aromatic sulphinyl (ArSO•) radicals during the photolysis and thermolysis of S–aryl arenethiosulphonates and diaryl sulphoxides, 78–9
SULPHONE
Conformational control in eliminations with the $(E_1cB)_R$ mechanism, 43–4
The kinetic effect of ring strain in an elimination reaction, 338–9
Phenyl trans–2–chlorovinyl sulphone, a vinyl cation equivalent, 914–15
SULPHONIUM
Evidence for the participation of a nitrile group in (2,3) sigmatropic rearrangements of sulphonium ylides, 274–5
General synthesis of oxiranes, 785–6
Photo–sensitized oxidation of sulphur and pyridinium ylides. Oxygen atom transfer to divalent sulphur, 894–5
SULPHONYL
Pyranosultone: a novel binuclear heterocyclic system, 325–6
Anti–Markownikoff 1,2–hydrosulphonylation of 1,3–dienes via π–allylpalladium complexes, 367–8
SULPHONYLATION
Reactions of sulphur nucleophiles with activated derivatives of clavulanic acid, 467–8
SULPHONYLHYDRAZONE
Novel synthesis of α–methylene–γ–lactones, 1071–2
SULPHOXIDE
Detection of aromatic sulphinyl (ArSO•) radicals during the photolysis and thermolysis of S–aryl arenethiosulphonates and diaryl sulphoxides, 78–9
A new synthesis of conjugated dienones, 608
Solvent transfer hydrogenation of αβ–unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
SULPHUR
A bicyclic sulphur–nitrogen cation: the synthesis and crystal structure of S_4N_5Cl, 212–13
X–ray crystal structure of $(AsPh_4)^+(NSF_2NSO_2F)^-$: three different types of sulphur–nitrogen bonds in the anion, 226
Polymeric sulphur nitride electrode: an example of electrocatalysis by surface chemical modification, 244–5
Photopolymerization of S_2N_2 to $(SN)_x$, 301–2
A planar, cyclic sulphur–nitrogen anion: the X–ray crystal and molecular structure of $(Bu_4N)^+(S_3N_3)^-$, 391–2
Synthesis and molecular geometry of novel di– and tri–nuclear iron complexes resulting from the interaction of $(Fe_2(CO)_9)$ with R–N=S=N–R (R = tert–butyl or p–tolyl); X–ray crystal structures of $(Fe_2(CO)_6(RNC(O)S))$ and $(Fe_3(CO)_9(RNS)S)$, 506–7
Preparation and crystal structure of a new sulphur nitride, S_5N_6; a molecular basket, 642–3
Solvation as the determining factor for the redox potential of $Fe_4S_4(S(CH_2)_nCO_2)^{6-}$ cluster ions, 703–4
Iron porphyrins containing appended sulphur ligands, 705–7
X–ray crystal and molecular structure of $(W_2S_8Ag_4(PPh_3)_4)$, a compound having a novel metal–sulphur cage fused by two connected six–membered WS_3Ag_2 rings, 739
Crystal structure of tris(tetra–n–butylammonium) tri–μ–benzenethiolatobis(tri–μ–sulphido–(μ_3–sulphido–tris(benzenethiolatoiron))molybdenum) $(Bu^n_4N)_3(((PhSFe)_3MoS_4)_2(SPh)_3)$; an Fe_3MoS_4 cubic cluster dimer, 740–1
Crystal and molecular structure of 3,3′–thiobis(2–methyl–1–phenylimidazo–(1,5–a)pyridinium) bistetrafluoroborate; a potent new sulphur containing curariform agent, 816–17
Introduction of sulphur into organic molecules via lithium triethylborohydride reduction of S_8, 838–9
SULPHUR BRIDGE
Synthesis of some diplatinum complexes, including bis–μ–(bis(diphenylphosphino)methane)–μ–methylene–dichlorodiplatinum, $(Pt_2Cl_2(\mu\text{–}CH_2)(\mu\text{–}Ph_2PCH_2PPh_2)_2)$, from $(Pt_2Cl_2(\mu\text{–}Ph_2PCH_2PPh_2))$, 749–51
SULPHUR DIOXIDE
Sulphur dioxide mediated conversion of strained furazan N–oxides into diisocyanates, 113–14
Matrix isolated 1,2–oxathietan–4–one 2–oxide: a $2\pi + 2\pi$ adduct of sulphur dioxide and ketene, 1020–22
SULPHUR INVERSION
Sulphur inversion in dimolybdenum complexes: X–ray crystal structure of $(Mo_2(CO)_2(P(OMe)_3)(\mu_2\text{–}SCMe_3)_3(\eta^7\text{–}C_7H_7))$, 878–9
SULPHUR NUCLEOPHILE
Reactions of sulphur nucleophiles with activated derivatives of clavulanic acid, 467–8
SULPHURANYL
Formation and electron spin resonance spectra of sublphuranyl radicals of the type (CF_3SSR_2)•, 623–4
SULPHURATION
Preparation of some S–methyl thiiranium salts of adamantylideneadamantane. Demethylation and desulphurization with nucleophiles, 630–1
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
Regiospecific synthesis of 1,7–dialkylthiocycloheptatrienes. A case of rapid (1,7) sigmatropic migration of unhindered alkylthio–groups, 945–6

SULPHURIC ACID
Mechanism of formation of 4–methyl– and 4–chloro–2–nitrophenol in the nitration of 4–methyl– and 4–chloro–anisole, respectively, in aqueous sulphuric acid, 180–1
Determination of the basicity of nitric acid in concentrated sulphuric acid by Raman and ultraviolet spectroscopy, 873–4
SULTONE
Pyranosultone: a novel binuclear heterocyclic system, 325–6
SUPEROXIDE
Electrocatalytic formation of superoxides in the presence of cobalt chelates, 339–40
Study of the Haber–Weiss reaction using a sensitive method for detection of hydroxyl radicals, 970–1
SUPPORT
Chain ends as supports for α–helical structures in oligopeptides, 692–3
Very active hydrogenation catalyst composed of extremely dispersed palladium on vitreous supports, 979–80
SURFACE
Changes in surface composition of a cobalt–molybdenum binary oxide catalyst during various treatments studied by X–ray photoelectron spectroscopy, 47–8
Resolved nitrogen–14 hyperfine coupling for surface electrons on magnesium oxide in the presence of ammonia and amines, 71–2
Polymeric sulphur nitride electrode: an example of electrocatalysis by surface chemical modification, 244–5
Formation of surface phosphate phases on metallic iron, 308–9
Analysis of ultra–thin fluorine–containing layers on polyethylene by $^{19}F(p,\alpha\gamma)$ spectrometry, 1011–12
SURFACTANT
Photoredox reaction in micellar solutions sensitized by surfactant derivative of tris(2,2′–bipyridyl)ruthenium(II), 628–30
SYNTHESIS
Novel isoflavan–pterocarpan interconversions: some structural requirements for cyclization, 224–5
TANNIN
Condensed tannins: determination of the point of linkage in ′terminal′ (+)–catechin units and degradative bromination of 4–flavanylflavan–3,4–diols, 696–8
Condensed tannins. Circular dichroism method of assessing the absolute configuration at carbon–4 of 4–arylflavan–3–ols, and stereochemistry of their formation from flavan–3,4–diols, 698–700
Condensed tannins: direct synthesis, structure, and absolute configuration of four biflavonoids from black wattle bark (′mimosa′) extract, 700–2
TANTALUM
Preparation and molecular structure of $(Ta(H_2Al(OC_2H_4OMe)_2)(Me_2PC_2H_4PMe_2)_2)_2$, a coordinatively unsaturated aluminohydride adduct of tantalum(I), 500–1
Structure and reactivity in the group 5B tert–butylimido complexes $(Me_2N)_3M{=}NCMe_3$; X–ray crystal and molecular structure of N–tert–butylimidotris(dimethylamido)tantalum, 579–80
A new approach to cationic transition metal alkyls: $(M(\eta\text{–}C_5H_5)_2(CH_2SiMe_3)_2)^+(Y)^-$ (M = Nb or Ta, Y = BF_4 or SbF_6) and their conversion into the alkylidene complexes $(M(\eta\text{–}C_5H_5)_2(CHSiMe_3)(CH_2SiMe_3))$, 925–6
Evidence for an almost ′T–shaped′ coordination geometry for carbon in the bis(alkylidene) complex $Ta(CHCMe_3)_2(2,4,6\text{–}Me_3C_6H_2)(PMe_3)_2$: X–ray crystal structure, 1048–9
TCNE
1,7–Cycloadditions of dichlorodicyano–p–benzoquinone and tetracyanoethylene to a dienylcyclopropane, 633–4
TCNQ
′Organic metals′: alkylthio substitution effects in tetrathiafulvalene–tetracyanoquinodimethane charge–transfer complexes, 18–19
Comments on the preparation of the one–dimensional conductor N–methylphenazinium 7,7,8,8–tetracyanoquinodimethanide, 331–2
Organic metals: a new class of conducting ion–radical salts based on 7,7,8,8–tetracyanoquinodimethane and iodine, 337–8
Cycloaddition of sterically hindered 1,2–dicyclopropylethylenes with tetracyanoquinodimethane; one–step formation of (10) paracyclophadienes, 864–5
′Organic metals′ with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
TECHNETIUM
Production, detection, and characterization of transient hexavalent technetium in aqueous alkaline media by pulse radiolysis and very fast scan cyclic voltammetry, 1038–40
TELLURIUM
Insertion of selenium, tellurium, or arsenic atoms into borane cage compounds using element oxide reagents, 349–50
Identification of the species $(Te_nSe_{4-n})^{2+}$ by high resolution tellurium–125 and tellurium–123 Fourier transform NMR spectroscopy, 956–7
125–Tellurium and 77–selenium multinuclear magnetic resonance studies of Te_6^{4+}, $Te_{4-n}Se_n^{2+}$, $Te_2Se_4^{2+}$, and $Te_3Se_3^{2+}$ polyatomic cations, 957–60
TEMISIN
Structure and total synthesis of temisin, 76–8
TERBIUM
Neutral and anionic silylmethyl complexes of Group*IIIa and lanthanoid metals; the X–ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_3Cl)$ (thf = tetrahydrofuran), 140–2
TERNARY
The quenching of aromatic hydrocarbon fluorescence by α,ω–diaminoalkanes and the formation of excited ternary complexes, 911–13
TERPENE
Andilesin, a C_{25} polyisoprenoid from Aspergillus sp. X–ray crystallographic and spectroscopic determination of the structure, 533–4
Biosynthesis of andibenin, a novel polyketide terpenoid metabolite of Aspergillus variecolor, 626–7
Striatin A, B, and C: novel diterpenoid antibiotics from Cyathus striatus X–ray crystal structure of striatin A, 665–6
TERPENOID
Clausmarins A and B: two novel spasmolytic terpenoid coumarins from Clausena pentaphylla (Roxb.)DC, 281–2
Reduction of natural enones in the presence of cerium trichloride, 601–2
Use of deuterium as a tracer with carbon–13 nuclear magnetic resonance spectroscopy in following deuteride migration in terpenoid biosynthesis: mechanism of geranylgeranyl pyrophosphate cyclization in fusicoccin biosynthesis, 843–5
Microbiological production of 9α–fluorogibberellin A_4, 9α–fluorogibberellin A_{14}, and other fluoroterpenoids, 1013–15
TERPHENYL
Novel carbon–carbon reductive cleavage of terphenyls with alkali metal–hexamethylphosphoric triamide, 153–4
TESTOSTERONE
A mild, regiospecific but–2–enolide synthesis and a convenient preparation of acylated dienes, 311–12
Reduction of natural enones in the presence of cerium trichloride, 601–2
Convenient preparation of esters of testosterone and 19–norethisterone with hindered acids, 980–1
TETRAAZACYCLOTETRADECANE
Synthesis and metal complexes of mono–N–substituted tetra–azamacrocyles, 14–15
TETRACHLOROCHROMATE
Correlation of magnetic and optical properties in the organic–intercalated two–dimensional ionic ferromagnet bis(monomethylammonium) tetrachlorochromate(II), 511–12
TETRACYCLODODECENE
Effect of substituents on the reactivity of a double bond towards $(_\pi4_s + _\pi2_s)$ and epoxidation reactions: a chemical manifestation of orbital interactions through space, 296–7
TETRACYCLOTRIDECATRIENE
Novel reaction of 2–aryl–3,3–dimethylbicyclo(2.2.1)heptan–2–yl cations; X–ray crystal and molecular structure of 11–fluorosulphonyl–7,8,12–trimethyltetracyclo(7.4.0.0^{2,7}.0^{4,8})trideca–1(9),10,12–triene, 111–12
TETRAHYMENA
Nonoxidative cyclization of squalene by Tetrahymena pyriformis. The incorporation of a 3β–hydrogen (deuterium) atom into tetrahymanol, 333–4
TETRALONOL
A general route to substituted naphthols, 162–4
TETRAOXAPHOSPHATRICYCLOUNDECANE
Reaction of o–hydroxyacetophenone with dichlorophenylphosphine X–ray crystal and molecular structure of an unusual tricyclic tetraoxaphospha–undecane, 510–11
TETRAPANAX
X–ray analysis of the triterpene papyriogenin G, 364–5

TETRATHIAFULVALENE
'Organic metals': alkylthio substitution effects in tetrathiafulvalene–tetracyanoquinodimethane charge–transfer complexes, 18–19
Copper derivatives of tetrathiafulvalene, 69–70
Vinyltetrathiafulvalene, 832–3
'Organic metals' with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
TETRATHIANE
Electrochemical formation of a tetrathiane ring, 809–10
TETRATHIOQUINODIMETHANE
Tetrathio–derivatives of quinodimethane. Synthesis and ion–radical complex formation of cyclohexa–2,5–diene–1,4–diylidenebis–1,3–benzodithiole derivative, 74–5
TETRAZINE
Effect of substituents on the reactivity of a double bond towards ($_{\pi}4_s + _{\pi}2_s$) and epoxidation reactions: a chemical manifestation of orbital interactions through space, 296–7
TETRAZOLE
Inverse substituent effect in an imidoyl azide to tetrazole cyclization limited by nitrogen inversion, 871–3
TETRONIC ACID
Total synthesis and stereostructure of methyl (E)–O–methylmulticolanate, a 4–ylidenetetronic acid from Penicillium multicolor, 60–1
THALLIUM
Bromodemetallation of β–methoxyphenethylthallium(III) diacetate and β–methoxyphenethylmercury(II) acetate with copper–(I) and –(II) bromide, direct evidence for alkyl radicals in bromodethallation by the spin trapping technique, 65–6
Deuteriated cyclopentadienyls of thallium and other metals, 709
X–ray crystal structure of the thallium salt of antibiotic–6016, a new polyether ionophore, 875–6
THALLIUM CARBON
Reductant–induced homolysis of the thallium–carbon bond: novel oxygenation of alkylthallium(III) compounds with ascorbic acid, 716–17
THERMAL
Stereospecific double rearrangement of anti–1,5–bishomocycloheptatriene. A rebound path of thermal rearrangement involving intermediate geminal hydrogen interchange, 365–6
Synthesis of fluorinated dienes and cyclobutenes, 475–6
Thermal fission and reformation of the carbon–nitrogen bond in formamide as studied by carbon–13–nitrogen–15 coupling, 485–6
Thermal and photochemical rearrangements of 3H–thieno–1,2–diazepines, 568–9
Thermal isomerization of methyl linoleate hydroperoxides. Evidence of molecular oxygen as a leaving group in a radical rearrangement, 756–7
Base catalysed and thermal rearrangements of grisadiendiones to depsidones, 1043–4
THERMAL ELIMINATION
Thermal conversion of 2–ethoxypyridine into 2–pyridone; an analogue of ester pyrolysis, 732–3
THERMODN
Thermodynamics of formation of 18–crown–6 complexes with arenediazonium and anilinium salts in methanol at 25°C, 386–7
Solvation of the halogen acids in N–methylpropionamide, 523–4
THERMOLYSIS
Detection of aromatic sulphinyl (ArSO•) radicals during the photolysis and thermolysis of S–aryl arenethiosulphonates and diaryl sulphoxides, 78–9
Benzisoxazolo(2,3–a)pyridinium tetrafluoroborates. Possible generation of an aryloxenium ion, 149–50
A new mechanism for the formation of cyclopropane derivatives in the thermolysis of pyrazolines, 461–2
Preparation and chemoselective thermolysis of potential azatricyclic synthons containing an eight–membered nucleus, 915–16
Synthesis of 3–arylisoquinolines by thermolysis of 3–aryl–1,2–dihydroisoquinolin–4(3H)–one salts, 1026–7
THIABENZENE OXIDE
X–ray crystal structures of a thiabenzene 1–oxide and its 2–azathia–analogues, 197–8
THIADIAZOLINE
The constitution of Hector's base; X–ray crystal and molecular structure of 5–imino–4–phenyl–3–phenylamino–4H–1,2,4–thiadiazoline, 652–4
THIAFULVALENE
'Organic metals' with asymmetric acceptors: the monofluorotetracyanoquinodimethane anion, 992–3
THIAZINE
Linear free energy relations in intramolecular aromatic ipso–substitutions by substituted methyl radicals, 166–7
THIAZOLINETHIOL
Efficiently monitored reduction of carboxylic acids into alcohols or aldehydes via 2–thiazoline–2–thiol esters by sodium borohydride or diisobutylaluminium hydride, 330
THIENODIAZEPINE
Thermal and photochemical rearrangements of 3H–thieno–1,2–diazepines, 568–9
THIENOPYRAZOLE
Novel ring transformation of a thiophene into a pyrrole, 453
Thermal and photochemical rearrangements of 3H–thieno–1,2–diazepines, 568–9
THIENYLHEXENYLCYCLOPENTENOL
cis–BC ring fusion upon (E)–polyene cyclizations, 1103–5
THIIRANIUM
Preparation of some S–methyl thiiranium salts of adamantylideneadamantane. Demethylation and desulphurization with nucleophiles, 630–1
THIO
Metal–metal interactions in 2–Fe ferredoxins; SCF–Xα–SW calculations, 1027–9
THIO ESTER
The chemistry of thioesters. Conversion into monothioacetals, ketones and vinyl sulfides, 719–20
THIOACETAL
Cleavage of α–(phenylthio)alkylboron compounds to monothioacetals and acetals, 357–8
The chemistry of thioesters. Conversion into monothioacetals, ketones and vinyl sulfides, 719–20
THIOALLENYL
New synthesis of conjugated ketones from 2–phenylthioallyl and –allenyl alcohols, 821–2
THIOALLYL
New synthesis of conjugated ketones from 2–phenylthioallyl and –allenyl alcohols, 821–2
THIOBENZOATE
Electrochemical formation of a tetrathiane ring, 809–10
THIOBISIMIDAZOPYRIDINIUM
Crystal and molecular structure of 3,3'–thiobis(2–methyl–1–phenylimidazo–(1,5–a)pyridinium) bistetrafluoroborate; a potent new sulphur containing curariform agent, 816–17
THIOCAMPHOR
Reaction of ozone with vinyl sulphides. Reactions retaining hydrocarbon chains, 1032–3
THIOCARBAMOYLATION
Reactions of sulphur nucleophiles with activated derivatives of clavulanic acid, 467–8
THIOCARBONYL
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4
THIOCARBOXYLATION
Reactions of sulphur nucleophiles with activated derivatives of clavulanic acid, 467–8
THIOCYANATE
Conversion of primary aliphatic amines into thiocyanates and thiocarbonate esters, 133–4
Preparation of derivatives of a new heterocyclic system: 2–N–• acylimino–1,3–oxaselenoles, 447–8
Novel synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts via ligand substitution. Versatile reagents for converting hydroxy groups into thiocyanate and isothiocyanate functions, 940–1
THIOESTER
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4
THIOL
Synthesis of sulphur–containing prostacyclin PGI_1 analogues, 6,9–epithio–PGI_1, its S–oxide stereoisomers, and its SS–dioxide, 375–7
A new group of nitroxide free radicals formed from aliphatic nitrosamines and thiols, 741–2
Sulphur inversion in dimolybdenum complexes: X–ray crystal structure of $(Mo_2(CO)_2(P(OMe)_3)(\mu_2\text{–}SCMe_3)_3(\eta^7\text{–}C_7H_7))$, 878–9
THIOLATE
Regiospecific carbon–2–addition of thiolates to

methoxytropenylium ion. The first practical entry to the monocyclic 1,7-difunctionalized cycloheptatriene series, 710
THIOLYSIS
Molecular catalysis: enhanced rates of thiolysis with high structural and chiral recognition in complexes of a reactive macrocyclic receptor molecule, 949–51
THIONITRITE
An unusually stable thionitrite from N-acetyl-D,L-penicillamine; X-ray crystal and molecular structure of 2-(acetylamino)-2-carboxy-1,1-dimethylethyl thionitrite, 249–50
THIONITROSYL
Thionitrosyl ligand; X-ray molecular structure of dicarbonyl(η^5-cyclopentadienyl)thionitrosylchromium, 1036–7
THIOPHENE
Rhodium(II)-catalysed addition of dimethyl diazomalonate to thiophene: a simple synthesis of thiophenium bismethoxycarbonylmethylides and crystal and molecular structure of the unsubstituted methylide, 83–4
Thermal rearrangement of thiophenium bismethoxycarbonylmethylides: a novel synthesis of thiophene-2-malonic esters, 85–6
Novel ring transformation of a thiophene into a pyrrole, 453
Versatility of cycloaddition of electrophilic alkynes to η^2-CS_2 metal complexes. Reversible isomerization of 1,3-dithiol 2-ylideneiron and heterometallocyclic complexes, 573–4
Recovery of the chromium tricarbonyl unit in the removal of organic ligands from their chromium carbonyl complexes, 989–90
cis-BC ring fusion upon (E)-polyene cyclizations, 1103–5
THIOPHENIUM
Rhodium(II)-catalysed addition of dimethyl diazomalonate to thiophene: a simple synthesis of thiophenium bismethoxycarbonylmethylides and crystal and molecular structure of the unsubstituted methylide, 83–4
Thermal rearrangement of thiophenium bismethoxycarbonylmethylides: a novel synthesis of thiophene-2-malonic esters, 85–6
2,5-Dichlorothiophenium bismethoxycarbonylmethylide: a bismethoxycarbonylcarbene equivalent, 641–2
THIOPHENONE
Photolysis of dihydrothiophen-3(2H)-ones, 205–6
THIOPINACOLONE
Reaction of ozone with vinyl sulphides. Reactions retaining hydrocarbon chains, 1032–3
THIOPYRAN ANION
Unusual reactivity of the 2H-thiopyran anion in alkylation with tert-butyl bromide and cyclohexyl bromide, 596–7
THIOSTREPTON
Natural abundance nitrogen-15 nuclear magnetic resonance spectroscopic evidence for the structural relation between the peptide antibiotics thiostrepton and siomycin-A, 577–8
THIOSULPHONIUM
Thiosulphonium ion intermediate in the oxidation of a thiol with dimethyl sulphoxide, 865–6
THORIUM DIOXIDE
Stereochemistry of 1,4-addition of molecular deuterium to 2-methylbuta-1,3-diene over thorium dioxide, magnesium oxide, and dilanthanum trioxide, 1091–2
THUJOL
Mechanism of acid catalysed opening of the cyclopropane ring in the thujols, 1096–7
THYMINYLTHYMINE
Synthesis of a photoproduct from ultraviolet irradiation of bacterial spores: 5,6-dihydro-5-(α-thyminyl)thymine, 284
TILIACORINE
Absolute configuration and biosynthesis of tiliacorine and tilacorinine, 226–8
TIN
New method for reduction of ketones and primary alcohols to hydrocarbons: reaction of the derived selenides with tin hydrides, 41–2
Synthesis of the first example of an optically active hexaorganoditin 81–2
Catalysis and solvent participation in organometallic oxidative additions (platinum(0) → platinum(II) and tin(II) → tin(IV)), 192–3
Photo-enhanced production of hydrogen by liquid-phase catalytic dehydrogenation of propan-2-ol with rhodium-tin chloride complexes, 348–9
Photolysis of cyclopentadienyltin compounds: a new source of tin-centred radicals, 353–4
Novel synthesis of substituted allenes via organoboration of alkynylstannanes, 402–3
Stereoselective reduction of 3-O-hexofuranosyl S-methyl dithiocarbonates with tributyltin deuteride, 449–50
Formation and X-ray crystal structure of 1,1,6,6-tetraphenyl-1,6-distannacyclodecane, 791–2
Lithium phenylthio(trimethylstannyl)cuprate, a new reagent for conjugate addition of the trimethylstannyl group. The synthesis of β-trimethylstannyl-αβ-unsaturated ketones, 1033–4
TIN METHOXIDE
X-ray crystal structure of $Sn_6O_4(OMe)_4$: an intermediate in the hydrolysis of tin(II) dimethoxide, 112–13
TITANIUM
Hydrometallation of alkenes and alkynes with magnesium hydride, 30–1
Reactions of nitrogen oxides with di(cyclopentadienyl)titanium complexes, 234–5
Catalytic synthesis of ethanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
Novel type of metallation reaction: cyclometallation of heterocyclic amines by dicyclopentadienylmethyltitanium, 659–60
Preparation of diarenemetal complexes by potassium atom reduction, 730–1
TOCOPHEROL
Chromenylation of 2-naphthol and alkylhydroquinones: short syntheses of (2RS,4′R,8′R)-α-tocopherol (vitamin E) and (2RS,4′R,8′R)-β-tocopherol, 59–60
The acid-sensitive proton nuclear magnetic resonance spectra of tocopherols and other derivatives of 6-hydroxychroman, 265–6
TOLUENE
Arene-tungsten chemistry: bis(arene)tungsten hydride derivatives; co-condensation of tungsten atoms from an electron gun source with aromatic hydrocarbons, 72–3
Bromide catalysis in the preparation of benzylidyne trichlorides via photochlorination, 105–6
Radical chain bromination of hydrocarbons using bis(trimethylsilyl) bromamine, 752–3
Synthesis, X-ray crystal structure, and chemistry of the cation $((\eta\text{-MePh})Mo(\mu\text{-SMe})_4Mo(\eta\text{-MePh}))^{2+}$; easy D_2O-NaOD catalysed hydrogen-deuterium exchange of the methyl hydrogens of a η-bonded toluene ligand, 1009–11
TOLUENETHIOL
Thiosulphonium ion intermediate in the oxidation of a thiol with dimethyl sulphoxide, 865–6
TOLUIC
Synthesis and reactions of an insoluble polymeric yneamine, 1079–80
TOLYLMETHYLSULPHONYL
p-Tolylmethylsulphonyl: a new amino-protecting group in peptide synthesis, 220–1
TOLYLSULPHONYL
Vacuum pyrolysis of salts of 1-acyl-2-arylsulphonylhydrazines; a general McFadyen-Stevens aldehyde synthesis, 793–4
TOLYLSULPHONYLHYDRAZONE
Synthesis of allenes via reduction of acetylenic p-tolylsulphonylhydrazones, 726–7
TORSIONAL FREQUENCY
Microwave spectrum, dipole moment, and quadrupole coupling constants of trans-nitrosocyclopropane, 388–9
TOXIN
Characterization of 11-hydroxysaxitoxin sulphate, a major toxin in scallops exposed to blooms of the poisonous dinoflagellate Gonyaulax tamarensis, 889–90
TRANSESTERIFICATION
Transesterification of alkyl phosphinates, 54–5
TRANSFERENCE NO
Relative solvent transport of ions in binary aqueous mixtures: an unambiguous assignment to ionic constituents, 218–19
TRANSITION METAL
Use of triorganogermyllithium compounds in transition metal chemistry. Application to the synthesis of optically active anions containing a transition metal-germanium bond, 435–6
Graphite lamellar compounds. A new route to transition metal intercalates, 927–8
TRANSITION STATE
Stereochemistry of the transition state of hydrogen abstraction by

vinyl radicals, 574–5
Dramatic acceleration of a concerted reaction by a methoxy group, 1025–6
TRANSPORT
Relative solvent transport of ions in binary aqueous mixtures: an unambiguous assignment to ionic constituents, 218–19
Synthesis and characterization of iron complexes of rhodotorulic acid: a novel dihydroxamate siderophore and potential chelating drug, 501–2
TRANSPOSITION
New 1,2–transpositions and alkylative 1,2–transpositions of a carbonyl group, 414–15
TRIAMANTANE
Regioselective functionalization of triamantane, 306–8
TRIAZATRIOXAOCTADECANE
Alkaline earth metal complexes of pyridinyl containing Schiff base macrocycles: X–ray crystal and molecular structures of the calcium and strontium complexes, 279–80
TRIAZOLE
Ribopyranosyldiaminomaleonitrile: a key intermediate for the synthesis of nucleosides, 1094–6
TRIAZOLINEDIONE
Retro–1,4–cycloaddition of adducts derived from steroidal 5,7–dienes and 4–phenyl–1,2,4–triazoline–3,5–dione, 727–8
TRICYCLONONYLCARBOXYLATE
Reversible photochemical valence isomerization between α–diazo–ketones and a α–keto–diazirines, 442–3
TRICYCLOOCTANONE
Intramolecular photochemical cycloadditions involving enolized cyclopentane–1,3–diones. A new approach to the bicyclo(3.2.1) octane ring system, 138–40
TRICYCLOUNDECANONE
Photocyclization of dicyclopent–1–enyl methanes to tricyclo(6.3.0.$0^{2,6}$)undecanes: a synthesis of the hirsutane carbon skeleton, 5–6
TRIFLUOROACETYLATION
Trifluoroacetylation of trialkylindoles, 845–6
TRIMERIZATION
Novel derivatives of perfluorocyclobutene, 433
TRIMETHYLSILYLMETHYL
A new approach to cationic transition metal alkyls: $(M(\eta\text{–}C_5H_5)_2(CH_2SiMe_3)_2)^+(Y)^-$ (M = Nb or Ta, Y = BF_4 or SbF_6) and their conversion into the alkylidene complexes $(M(\eta\text{–}C_5H_5)_2(CHSiMe_3)(CH_2SiMe_3))$, 925–6
TRINITROGEN
A planar, cyclic sulphur–nitrogen anion: the X–ray crystal and molecular structure of $(Bu_4N)^+(S_3N_3)^-$, 391–2
TRIOXAADAMANTANE
Ortho ester hydrolysis: rate determining addition of water to a carboxonium ion intermediate, 678–9
TRIPLET
Triplet state of protoporphyrin IX, 51–2
TRIPLET STATE
A triplet state path for adduct formation between benz(a) anthracene and the penta–1,3–dienes, 588–9
TRIPTYCENE
5,8–Dihydroxy–9,10–dihydro–9,10–(1,2)benzenoanthracene–1,4–dione. An intramolecular triptycene quinhydrone, 720–1
TRISACCHARIDE
Chemical synthesis of 2–O–(α–L–fucopyranosyl)–3–O–(2–acetamido–2–deoxy–α–D–galactopyranosyl)–D–galactose, the terminal structure in the blood–group A antigenic determinant, 535–7
TRISILACYCLOPENTENE
Formation of a new silicon–containing ring system, 1,1,2,2,3,3–hexamethyl–4,5–diphenyl–1,2,3–trisilacyclopent–4–ene, 1029–30
TRISULPHUR
A planar, cyclic sulphur–nitrogen anion: the X–ray crystal and molecular structure of $(Bu_4N)^+(S_3N_3)^-$, 391–2
TRITERPENE
X–ray analysis of the triterpene papyriogenin G, 364–5
TRITHIAPENTACYCLOOCTADECENE
X–ray crystal structure of 13,14,15–trithiapentacyclo(9.5.1.$1^{3,9}$.$0^{4,8}$ $0^{12,16}$)octadec–5–ene, 658
TRITIATED
Synthesis of (6–(4–^{3}H)phenylalanine)–somatostatin of high specific radioactivity, 901–2
TROPENYLIUM
Regiospecific carbon–2–addition of thiolates to methoxytropenylium ion. The first practical entry to the monocyclic 1,7–difunctionalized cycloheptatriene series, 710
Regiospecific synthesis of 1,7–dialkylthiocycloheptatrienes. A case of rapid (1,7) sigmatropic migration of unhindered alkylthio–groups, 945–6
TROPONE
Preparation and thermal rearrangement of an azaanalogue of 4,5–homotropone (bicyclo(5.1.0)octa–3,5–dien–2–one), 404–5
Organometallic photochemistry with circularly polarized light. Synthesis of optically active tropone–iron tricarbonyl complex by asymmetric destruction, 983–4
TROPONOID
Preparation of the first gem–dialkylthio–analogues of Meisenheimer complexes from troponoids, 167–8
TRUXINATE
Synthesis of macrocyclic rings by internal photocycloaddition of α, ω–dicinnamates, 400–1
TUNGSTEN
Phosphorus–31 nuclear magnetic resonance and infrared spectroscopic evidence for coordinatively unsaturated zerovalent tungsten generated by interaction of $W(CO)_5L$ (L PPh_3 or PBu^n_3) with aluminium tribromide, 38–9
Arene–tungsten chemistry: bis(arene)tungsten hydride derivatives; co–condensation of tungsten atoms from an electron gun source with aromatic hydrocarbons, 72–3
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
Aspects of the coordination chemistry of some electron–rich polyorganosulphur compounds; bis(ethylthio)carbene complexes $(M(CO)_5(C(SEt)_2))$ (M = Cr or W) from $Na(TosNNC(SEt)_2)$ (Tos = p–$MeC_6H_4SO_2$), 146–7
Difluoride dioxides of molybdenum(VI) and tungsten(VI), 254–5
Unusual stereoselectivities in olefin metathesis, 341–2
Use of triorganogermyllithium compounds in transition metal chemistry. Application to the synthesis of optically active anions containing a transition metal–germanium bond, 435–6
X–ray structure of $((\eta^5\text{–}C_5H_5)W(CO)_2C_{15}H_{15})$: a compound containing three unusually bonded five–membered rings, 451–2
New mixed–metal clusters via metal hydride coupling. Synthesis and crystal structures of $((\mu_2\text{–}H)Os_3W(CO)_{12}(\eta^5\text{–}C_5H_5))$ and $((\mu_2\text{–}H)_3Os_3W(CO)_{11}(\eta^5\text{–}C_5H_5))$, 534–5
Heat of formation of bis(η–cyclopentadienyl)dimethyltungsten and bis(η–cyclopentadienyl)dimethylmolybdenum, 737
X–ray crystal and molecular structure of $(W_2S_8Ag_4(PPh_3)_4)$, a compound having a novel metal–sulphur cage fused by two connected six–membered WS_3Ag_2 rings, 739
Effect of cation on the quantum efficiency and the photoreaction paths of $(W(CO)_5X)^-$ anions, 863–4
TUNGSTEN HYDRIDE
Arene–tungsten chemistry: bis(arene)tungsten hydride derivatives; co–condensation of tungsten atoms from an electron gun source with aromatic hydrocarbons, 72–3
TUNGSTENOCENE
Photoinduced synthesis of binuclear molybdenocene and tungstenocene derivatives: catalytic deoxygenation of epoxides by metallocenes, 99–100
ULTRASONIC
Reduction of α,α′–dibromoketones by ultrasonically dispersed mercury in some aliphatic ketone solvents. A convenient synthesis of 4–isopropylidene–1,3–dioxolans, 1040–1
UNSATD
Solvent transfer hydrogenation of αβ–unsaturated aldehydes to the unsaturated alcohols catalysed by hydridoiridium sulphoxide complexes, 929–30
URACIL
σ^*–electron addition to 5–halogenouracils in neutral glasses, 313–14
New photochemical reaction of 6–azido–1,3–dimethyluracil with acyl halides to give 5–acylamino–6–chloro–1,3–dimethyluracils, 367
Novel synthesis of pyrimido(4,5–b)quinoline–2(3H),4(10H)–diones (5–deazaflavins), 764
URACIL HYDROXYMETHYL
Synthesis of a photoproduct from ultraviolet irradiation of bacterial spores: 5,6–dihydro–5–(α–thyminyl)thymine, 284
URANIUM
Uranium(IV)–crown–ether complexes and cryptates. Proton nuclear magnetic resonance study, and X–ray crystal and molecular structure of tetrachloro(2,5,8,15,18,21–hexaoxatricyclo(20.4.0.$0^{9,14}$)hexacosane)uranium(IV), 90–2

Unusual reaction of uranyl nitrate with 2,6–diacetylpyridine bis(2–pyridylhydrazone): X–ray structure of nitrato(2,6–diacetylpyridine–bis(2–pyridylhydrazone)–NNNNN)uranyl tetranitratodioxouranium, 235–6
Hydrogen absorption in YNi_4Mn, an alloy with the cubic UNi_5 structure, 581–2
URETHANE
Cyclofunctionalization of olefinic urethanes with benzeneselenenyl reagents: a new general synthesis of nitrogen heterocycles, 379–80
Preparation of urethanes from carbon dioxide via a copper(I) carbamato complex, 815–16
URIDINE
O–Aryl S–methyl phosphorochloridothioates: terminal phosphorylating agents in the phosphotriester approach to oligonucleotide synthesis, 1050–2
UV
Preparation of bis(cis–diacetyltetracarbonylrhenium)copper, 183–4
Synthesis of a photoproduct from ultraviolet irradiation of bacterial spores: 5,6–dihydro–5–(α–thyminyl)thymine, 284
Photoluminescence from copper(I) complexes with low–lying metal–to–ligand charge transfer excited states, 759–61
2–(1–Methylindol–3–yl)–3–phenyldihydro–1,4–dioxin 2,3–epidioxide, a dioxetan resulting in efficient ultraviolet chemiluminescence, 781–2
Circular dichroism of the isotopically dissymmetric molecules (1R, 2S)–(1–^{2}H)– and (1R,2S)–(1–^{18}O)–1,2–dihydroxy–1,2–diphenylethane, 850–2
Determination of the basicity of nitric acid in concentrated sulphuric acid by Raman and ultraviolet spectroscopy, 873–4
Inorganic optical activity, 936–7
VALENCE
Reversible photochemical valence isomerization between α–diazo–ketones and a α–keto–diazirines, 442–3
ESCA study of compounds of gold in the oxidation state–1, 905–6
125–Tellurium and 77–selenium multinuclear magnetic resonance studies of Te_6^{4+}, $Te_{4-n}Se_n^{2+}$, $Te_2Se_4^{2+}$, and $Te_3Se_3^{2+}$ polyatomic cations, 957–60
VALINE
Conversion of penicillins into biosynthetically significant peptides, 609–10
VALLESAMINE
Laboratory model for the biosynthesis of vallesemine, apparicine, and related alkaloids, 947–8
VANADIUM
(η^4–Cyclobutadiene)(η^5–cyclopentadienyl)dicarbonylvanadium, 401–2
Preparation of diarenemetal complexes by potassium atom reduction, 730–1
VASOCONSTRICTOR
Synthesis of sulphur–containing prostacyclin PGI_1 analogues, 6,9–epithio–PGI_1, its S–oxide stereoisomers, and its SS–dioxide, 375–7
VERRUCOSANEDIOL
Structure of (–)–2,9–dihydroxyverrucosane, a novel carbon skeletal diterpenoid from the liverwort Mylia verrucosa, 198–200
VINYL
Intramolecular photocycloaddition of phenethyl vinyl ether, 129–30
Spiro(5.5)undecane sesquiterpene analogues. Bridging vinyl ether and vinyl acetal formation via intramolecular attack by an enol during bromination, 425–6
Carbene photocycloelimination from a vinyl–cyclopropane, 558–9
Thermal and photochemical rearrangements of 3H–thieno–1,2–diazepines, 568–9
Stereochemistry of the transition state of hydrogen abstraction by vinyl radicals, 574–5
The chemistry of thioesters. Conversion into monothioacetals, ketones and vinyl sulfides, 719–20
New synthesis of conjugated ketones from 2–phenylthioallyl and –allenyl alcohols, 821–2
Phenyl trans–2–chlorovinyl sulphone, a vinyl cation equivalent, 914–15
Reaction of ozone with vinyl sulphides. Reactions retaining hydrocarbon chains, 1032–3
New mode of bonding of a vinyl ligand to an osmium cluster: the X–ray crystal structure of ($HOs_3(CO)_{10}(CF_3CCHCF_3)$), 1035–6
VINYL CATION SYNTHON
Phenyl trans–2–chlorovinyl sulphone, a vinyl cation equivalent, 914–15
VINYLCARBENE
Carbonylation of the η^3–vinylcarbene ligand. Synthesis and X–ray crystal and molecular structure of an '(η^4–vinylketene)' iron complex, 252–3
VINYLCYCLOBUTANE
An easy vinylcyclobutane–cyclohexane rearrangement, 931–2
VINYLKETENE
Carbonylation of the η^3–vinylcarbene ligand. Synthesis and X–ray crystal and molecular structure of an '(η^4–vinylketene)' iron complex, 252–3
VINYLOSMIUM
Bridging hydrides in ($H_2Os_3(CO)_{10}$) and ((C_2H_3)$HOs_3(CO)_{10}$): a combined X–ray–neutron diffraction study, 723–4
VINYLTETRATHIAFULVALENE
Vinyltetrathiafulvalene, 832–3
VIOLET
Mechanism of the cadmium sulphide sensitized photooxidation of Leuco Crystal Violet in nonaqueous solution, 417–18
VIOLOGEN
Photoredox reaction in micellar solutions sensitized by surfactant derivative of tris(2,2′–bipyridyl)ruthenium(II), 628–30
VIOMELLEIN
Structure of xanthomegnin and related pigments: reinvestigation by carbon–13 nuclear magnetic resonance spectroscopy, 611–12
VIOPURPURIN
Structure of xanthomegnin and related pigments: reinvestigation by carbon–13 nuclear magnetic resonance spectroscopy, 611–12
VIRIDIFLORATE
Curassavine, an alkaloid from Heliotropium curassavicum Linn. with a C_8 necic acid skeleton, 423–4
VISCOSITY
Partition of viscosity B–coefficients into ionic components, 56
Biphasic photochemistry: use of the Barton reaction to determine micelle microviscosity, 1110–11
VISCOSITY COEFF
Partition of viscosity B–coefficients into ionic components, 56
VISIBLE
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation–reduction methods: spectroscopic properties of the ion, 502–4
VISIBLE SPECTRA
Correlation of magnetic and optical properties in the organic–intercalated two–dimensional ionic ferromagnet bis(monomethylammonium) tetrachlorochromate(II), 511–12
Solution properties of ($(CO)_5Mo(pz)$) and ($((CO)_5Mo)_2(pz)$): organometallic analogues of $((NH_3)_5Ru(pz))^{2+}$ and $(((NH_3)_5Ru)_2(pz))^{4+}$ (pz = pyrazine), 859–61
VITAMIN
Chromenylation of 2–naphthol and alkylhydroquinones: short syntheses of (2RS,4′R,8′R)–α–tocopherol (vitamin E) and (2RS,4′R,8′R)–β–tocopherol, 59–60
Biosynthesis of vitamin B_{12}: proof of A–B structure for sirohydrochlorin by its specific incorporation into cobyrinic acid, 150–1
VITAMIN B12
Biosynthesis of 5,6–dimethylbenzimidazole from 6,7–dimethyl–10–(1′–^{14}C)formylmethylisoalloxazine, 22–3
VITAMIN D3
Stereoselective conversion of vitamin D_3 into its 3β–halogenated derivatives. The synthesis of a 1α–hydroxy–3β–fluorovitamin D_3 analogue, 554–5
VITREOUS SUPPORT
Very active hydrogenation catalyst composed of extremely dispersed palladium on vitreous supports, 979–80
VOLTAMMETRY
Production, detection, and characterization of transient hexavalent technetium in aqueous alkalinne media by pulse radiolysis and very fast scan cyclic voltammetry, 1038–40
WATER
Relative solvent transport of ions in binary aqueous mixtures: an unambiguous assignment to ionic constituents, 218–19
Location of supercage sodium ions and water molecules in hydrated NaX zeolite, 493–4
Equilibrium constant for protium–deuterium exchange between methanol and water, 1037–8
Ammonia synthesis from methane, water, and nitrogen over silica–supported ruthenium, 1105–6
WITTIG
Conversion of aldehydes and ketones into chloroolefins and

acetylenes using chloroiodomethane as a chloromethylene source, 446–7
WOLFF REARRANGEMENT
Reversible photochemical valence isomerization between α–diazo–ketones and a α–keto–diazirines, 442–3
X RAY
X–ray photoelectron diffraction: a novel method of structural analysis in complex monocrystalline solids, 210–11
X RAY EMISSION
Investigation of structure composition relationships in the serpentine minerals by combined X–ray K–emission spectrometry and high–resolution electron microscopy, 986–7
X RAY SCATTERING
Very active hydrogenation catalyst composed of extremely dispersed palladium on vitreous supports, 979–80
X RAY SPECTRA
Novel salts of graphite and a boron nitride salt, 200–1
X RAY SPECTRUM
Direct evidence for the quadruple metal–metal bond in the octachlorodimolybdenum(II) ion, $(Mo_2Cl_8)^{4-}$, using X–ray emission spectroscopy, 262–3
XANTHATE
Conversion of primary aliphatic amines into thiocyanates and thiocarbonate esters, 133–4
Conversion of thiocarbonyl compounds into their corresponding oxo derivatives using benzeneseleninic anhydride, 393–4
XANTHENE
The 9–phenylxanthen–9–yl protecting group, 639–40
XANTHOMEGNIN
Structure of xanthomegnin and related pigments: reinvestigation by carbon–13 nuclear magnetic resonance spectroscopy, 611–12
XENON
Difluoride dioxides of molybdenum(VI) and tungsten(VI), 254–5
Formation of the dixenon cation, Xe_2^+, in fluoroantimonate(V) media by oxidation–reduction methods: spectroscopic properties of the ion, 502–4
XENON DIFLUORIDE
Regiospecific boron trifluoride catalysed fluorine addition to fluoro–substituted benzene derivatives using xenon difluoride, 969–70
XYLOPININE
Studies in synthetic photochemistry. Photochemistry of α–keto–imines: a novel synthesis of xylopinine, 885–6
YEAST
Asymmetric reduction of trifluoromethyl ketones by actively fermenting yeast, 456–7
Synthesis and characterization of iron complexes of rhodotorulic acid: a novel dihydroxamate siderophore and potential chelating drug, 501–2
YLIDE
Evidence for the participation of a nitrile group in (2,3) sigmatropic rearrangements of sulphonium ylides, 274–5
Partial asymmetric synthesis of substituted trans–2,3–diaryloxiranes using optically active arsonium ylides, 346–7
Radical coupling products derived from ammonium ylides. Competing (1,2), (1,3), and (1,4) anionic rearrangements, 670–1
Stereoselectivities in competing (1,2) and (1,3) rearrangements, 672–3
The thermal rearrangements of pentadienylammonium ylides. Competing (1,2), (3,2), and (5,2) rearrangements, 673–5
Limited rotational equilibration in reactions involving diradical intermediates, 675–6
Photo–sensitized oxidation of sulphur and pyridinium ylides. Oxygen atom transfer to divalent sulphur, 894–5
YLIDENE
Rearrangement of 4–ylidenebutenolides to cyclopentene–1,3–diones: synthesis of calythrone and related compounds, 880–2
YNEAMINE
Synthesis and reactions of an insoluble polymeric yneamine, 1079–80
YOHIMBINE
Stereochemical control in the biomimetic conversion of heteroyohimbine alkaloid precursors. Isolation of a novel key intermediate, 618–19
YTTERBIUM
Neutral and anionic silylmethyl complexes of Group*IIIa and lanthanoid metals; the X–ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_3Cl)$ (thf = tetrahydrofuran), 140–2
YTTRIUM
Neutral and anionic silylmethyl complexes of Group*IIIa and lanthanoid metals; the X–ray crystal and molecular structure of $(Li(thf)_4)(Yb(CH(SiMe_3)_2)_3Cl)$ (thf = tetrahydrofuran), 140–2
Novel coordination numbers in scandium(III) and yttrium(III) nitrato complexes. X–ray crystal structures of $Sc(NO_3)_3.2N_2O_4$ and $Y(NO_3)_3.2N_2O_4$, 580–1
Hydrogen absorption in YNi_4Mn, an alloy with the cubic UNi_5 structure, 581–2
A new approach to cationic transition metal alkyls: $(M(\eta\text{–}C_5H_5)_2(CH_2SiMe_3)_2)^+(Y)^-$ (M = Nb or Ta, Y = BF_4 or SbF_6) and their conversion into the alkylidene complexes $(M(\eta\text{–}C_5H_5)_2(CHSiMe_3)(CH_2SiMe_3))$, 925–6
Alkyl bridged complexes of the group 3A and lanthanoid metals as homogeneous ethylene polymerization catalysts, 994–5
ZEOLITE
Location of supercage sodium ions and water molecules in hydrated NaX zeolite, 493–4
Dehydration sequence of cobalt exchanged synthetic A zeolite: evidence for 3–, 4–, 5–, and 6–fold coordination, 548–9
ZEOLITE CUY
Activity of copper(II)–exchanged Y–type zeolites in the catalytic decomposition of nitrogen monoxide, 1058–9
ZIEGLER NATTA
Mechanism for the stereospecific polymerization of olefins by Ziegler–Natta catalysts, 604–6
ZINC
Selective hydrogenation of the internal double bond of penta–1,3–diene on a zinc oxide catalyst, 53–4
Cytochrome oxidase models: a binuclear iron–copper site with a bipyrimidine bridge, 483–5
Stereoselective chelate and amino acid synthesis with chelated 2–iminopropionate; crystal and molecular structures of α–(N2–2–aminoethylamidino)alaninato–ONN″N‴–(ethylenediamine) cobalt(III) and α–(N2–2–aminoethylamidino)alanine–NN″N‴–(chloro)ethylenediaminecobalt(III) tetrachlorozincates, 647–9
Nitrogen–15 nuclear magnetic resonance studies of ligand binding to zinc tetraphenylporphyrin, 681–2
ZINC OXIDE
Raman spectra of molecules adsorbed on heavy metal oxides. Propylene on zinc oxide: the anionic nature of the adsorbed allyl species, 868–9
ZIRCONIUM
Organozirconium(III)–dinitrogen complexes: evidence for $(\eta^2\text{–}N_2)$–metal bonding in $(Zr(\eta\text{–}C_5H_5)_2(N_2)(R))$ $(R = Me_3Si)_2CH)$, 34–6
Stoicheiometric reduction of carbon monoxide and carbon dioxide to methanol: evidence for carbon monoxide insertion into zirconium–hydrogen bond, 269–70
Catalytic synthesis of etnanol from carbon monoxide and hydrogen under atmospheric pressure over pyrolyzed rhodium carbonyl clusters on titanium dioxide, zirconium dioxide, and dilanthanum trioxide, 566–7
Bulky alkyls and a hydridoalkyl of zirconium(IV): influence of steric constraints upon (i) conformation and the zirconium–carbon rotational barrier and (ii) the zirconium–carbon bond length. X–ray crystal and molecular structure of $(Zr(\eta\text{–}C_5H_5)_2(CH(SiMe_3)_2)Ph)$, 1081–3
ZWITTERION
Crystal and molecular structure of $(Cu(NO_3)_2(C_8H_{12}N_2O_2)_2)H_2O$ a structure containing an unusual zwitterion of pyridoxamine and a symmetric nitrate–oxygen bridge, 97–8
ZWITTERION EQUIL
syn–anti–Zwitterion equilibration in the ozonolysis of di–isopropylethylene, 263–4

Publications & Information Board

Chairman

C. Kemball, M.A., Sc.D., C.Chem., F.R.I.C., M.R.I.A., F.R.S.E., F.R.S.

*K. W. Bagnall, B.Sc., Ph.D., D.Sc., C.Chem., F.R.I.C.
A. K. Barbour, B.Sc., Ph.D., C.Chem., F.R.I.C., F.I.M.M.
*J. W. Barrett, C.B.E., Ph.D., C.Chem., F.R.I.C., F.Eng., F.I.Chem.E.
*F. J. Bryant, B.Sc., Ph.D., A.R.C.S., D.I.C.
*K. C. Bryant, M.A., B.Sc., C.Chem., F.R.I.C.
H. J. Cluley, M.Sc., Ph.D., C.Chem., F.R.I.C.
C. F. Cullis, M.A., D.Sc., D.Phil., C.Chem., F.R.I.C.
E. A. V. Ebsworth, M.A., Ph.D., Sc.D., C.Chem., F.R.I.C.
*P. Gray, M.A., Ph.D., Sc.D., C.Chem., F.R.I.C., F.R.S.
*A. W. Johnson, M.A., D.Sc., Sc.D., C.Chem., F.R.I.C., F.R.S.
*A. K. Kent, B.Sc., Ph.D., F.I.Inf.Sc.
C. W. Rees, Ph.D., D.Sc., C.Chem., F.R.I.C., F.R.S.
*J. R. Ruck Keene, C.B.E., M.A.
*T. M. Sugden, C.B.E., Sc.D., Sec.R.S.
K. W. Sykes, M.A., B.Sc., D.Phil.
W. B. Whalley, D.Sc., Ph.D., C.Chem., F.R.I.C.
D. W. Wilson, M.Sc., C.Chem., F.R.I.C.

Journals Committee

Chairman

P. Gray, M.A., Ph.D., Sc.D., C.Chem., F.R.I.C., F.R.S.

E. W. Abel, D.Sc., C.Chem., F.R.I.C.
T. W. Bentley, B.Sc., Ph.D., A.R.C.S.
H. J. Cluley, M.Sc., Ph.D., C.Chem., F.R.I.C.
A. J. Downs, M.A., Ph.D.
C. R. Ganellin, Ph.D., B.Sc., C.Chem., F.R.I.C.
D. Husain, B.Sc., M.A., Ph.D., D.Sc., Sc.D., C.Chem., F.R.I.C., F.Inst.P.
*C. Kemball, M.A., Sc.D., C.Chem., F.R.I.C., M.R.I.A., F.R.S.E., F.R.S.
G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.I.C., F.R.S.E.
G. J. Leigh, B.Sc., Ph.D.
J. N. Murrell, B.Sc., Ph.D., C.Chem., F.R.I.C.
J. M. Ottaway, B.Sc., Ph.D., D.Sc., C.Chem., F.R.I.C.
G. E. Penketh, B.Sc., C.Chem., F.R.I.C.
H. Suschitzky, D.Sc., Ph.D., B.Sc., C.Chem., F.R.I.C.
I. O. Sutherland, M.A., Ph.D.
H. R. Thirsk, D.Sc., Ph.D., B.Sc., C.Chem., F.R.I.C.
Sir Geoffrey Wilkinson, Nobel Laureate, Ph.D., Hon.D.Sc. (Columbia), Hon.D.Sc.(Edin.), Hon. D.Sc.(Granada), F.R.S.
*I. A. Williams, M.A., Ph.D., M.I.Inf.Sc., C.Chem., M.R.I.C.
D. A. Young, Ph.D., D.Sc.

* Ex officio members.

Editor, Chemical Communications

Peter Whittington, M.A., Ph.D.

Assistant Editors

Tricia Boyd, B.Sc.
Chandra Thakur, B.Sc., Ph.D.
Marie Tucker, B.Sc.

© Copyright The Chemical Society, 1979

Printed by Heffers Printers Ltd Cambridge England